

BellSouth Telecommunications, Inc.

333 Commerce Street

Suite 2101 Nashville, TN 37201-3300

guy.hicks@bellsouth.com

*02 DEC 16 AM 8 50

Guy M. Hicks General Counsel

615 214 6301 Fax 615 214 7406

TN REGULATORY AUTHORITY
DOCKET ROOM

December 6, 2002

VIA HAND DELIVERY

Hon. Sara Kyle Chairman Tennessee Regulatory Authority 460 James Robertson Parkway Nashville, Tennessee 37243-0505

Re:

Approval of the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and Preferred Carrier Services, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996 Docket No. $\sqrt{2-1}/297$

Dear Chairman Kyle:

Enclosed are six paper copies and a CD Rom of the executed interconnection agreement between BellSouth Telecommunications, Inc. and Preferred Carrier Services, Inc.

Thank you for your attention to this matter.

Sincerely yours,

GuyM. Hicks

cc: General Counsel, Preferred Carrier Services, Inc.

BELLSOUTH® / CLEC Agreement

Customer Name: Preferred Carrier Services, Inc.

| Preferred Carrier Services, Inc 3Q 2002 | 2 |
|--|-----|
| Table of Contents | 3 |
| General Terms and Conditions | 5 |
| Att 1 - Resale | 25 |
| Att 1 - Resale Discounts and Rates | 50 |
| Att 2 - UNEs | 59 |
| Att 2 - UNE Rates | 134 |
| Att 3 - Network Interconnection | 550 |
| Att 3 - Local Interconnection Rates | 579 |
| Att 4 - Collocation - Central Office | 588 |
| Att 4 - Collocation - Remote Site | 627 |
| Att 4 - Collocation Rates | 662 |
| Att 5 - Access to Numbers and Number Portability | 699 |
| Att 6 - Ordering | 703 |
| Att 7 - Billing | 710 |
| Att 7 - ODUF/ADUF/EODUF/CMDS Rates | 728 |
| Att 8 - Rights of Way | 737 |
| Att 9 - Performance Measurements | 739 |
| Att 10 - Disaster Recovery Plan | 892 |
| Att 11 - BFR and NBR Process | 901 |

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

INTERCONNECTION AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND

Preferred Carrier Services, Inc.

TABLE OF CONTENTS

General Terms and Conditions

Definitions

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- Attachment 11-Bona Fide Request/New Business Request Process

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Preferred Carrier Services, Inc. and Preferred Carrier Services, Inc., d/b/a Telefonos Para Todos and d/b/a Phones for All in Florida, a Texas corporation ("Preferred"), and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Preferred or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Preferred is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Preferred wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement); and

WHEREAS, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Preferred agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

General Terms and Conditions means this document including all of the terms, provisions and conditions set forth herein.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

- 1.1 Prior to execution of this Agreement, Preferred agrees to provide BellSouth in writing Preferred's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Preferred is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Preferred will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to Preferred pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

3. Operational Support Systems

Preferred shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

4. Parity

When Preferred purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Preferred shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of Preferred shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by Preferred.

5. White Pages Listings

5.1 BellSouth shall provide Preferred and its customers access to white pages directory listings under the following terms:

- 5.2 <u>Listings</u>. Preferred shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Preferred residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between Preferred and BellSouth subscribers.
- 5.2.1 <u>Rates.</u> So long as Preferred provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Preferred one (1) primary White Pages listing per Preferred subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting Preferred SLI are found in The BellSouth Business Rules for Local Ordering.
- Preferred authorizes BellSouth to release all Preferred SLI provided to BellSouth by Preferred to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such Preferred SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- 5.4.1 No compensation shall be paid to Preferred for BellSouth's receipt of Preferred SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Preferred's SLI, or costs on an ongoing basis to administer the release of Preferred SLI, Preferred shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Preferred's SLI, Preferred will be notified. If Preferred does not wish to pay its proportionate share of these reasonable costs, Preferred may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Preferred shall amend this Agreement accordingly. Preferred will be liable for all costs incurred until the effective date of the amendment.
- SLI provided by Preferred under this Agreement. Preferred shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Preferred listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Preferred any complaints received by BellSouth relating to the accuracy or quality of Preferred listings.
- 5.4.3 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

- 5.5 <u>Unlisted/Non-Published Subscribers</u>. Preferred will be required to provide to BellSouth the names, addresses and telephone numbers of all Preferred customers who wish to be omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff.
- 5.6 <u>Inclusion of Preferred End Users in Directory Assistance Database</u>. BellSouth will include and maintain Preferred subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Preferred shall provide such Directory Assistance listings to BellSouth at no recurring charge.
- 5.7 <u>Listing Information Confidentiality</u>. BellSouth will afford Preferred's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.8 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.9 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to Preferred subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Preferred, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Preferred End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Preferred End Users for the same length of time it maintains such information for its own End Users.
- 6.2 <u>Subpoenas Directed to Preferred.</u> Where BellSouth is providing to Preferred Telecommunications Services for resale or providing to Preferred the local switching function, then Preferred agrees that in those cases where Preferred receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Preferred End Users, and where Preferred does not have the requested information, Preferred will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

7. Liability and Indemnification

- 7.1 <u>Preferred Liability</u>. In the event that Preferred consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Preferred under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Preferred for any act or omission of another Telecommunications company providing services to Preferred.

7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor Preferred shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent

efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

8. Intellectual Property Rights and Indemnification

- 8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.
- 8.2 <u>Ownership of Intellectual Property</u>. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use

patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.
- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would

necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 8.3.4 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

9. Proprietary and Confidential Information

- Proprietary and Confidential Information. It may be necessary for BellSouth and Preferred, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement

and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.

- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

11. Taxes

- 11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.

- 11.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 11.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with

respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 11.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys'

fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Preferred, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Preferred any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

14. Modification of Agreement

- 14.1 If Preferred changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Preferred to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Preferred or BellSouth to perform any material terms of this Agreement, Preferred or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are intended to be recouped against other payment obligations under this Agreement.

17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Preferred, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Preferred shall not assign this Agreement to any Affiliate or non-affiliated entity unless either (1) Preferred pays all bills, past due and current, under this Agreement, or (2) Preferred's assignee expressly assumes liability for payment of such bills.

20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor

Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Preferred Carrier Services, Inc.

General Counsel

14681 Midway Road, Suite 105 Addison, TX 75001 alexvalencia@phonesforall.com

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 Notwithstanding the foregoing, BellSouth may provide Preferred notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Preferred shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Preferred. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Preferred is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Preferred as a requesting carrier under the Act).

29. Rate True-Up

- 29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- 29.2 The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of Section 10 of the General Terms and Conditions of this Agreement.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Preferred specifically or upon all carriers generally, such as a generic cost proceeding.

30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

31. Entire Agreement

31.1 This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Preferred acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and

executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

Network Interconnection

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Billing

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

The following services are included as options for purchase by Preferred pursuant to the terms and conditions set forth in this Agreement. Preferred may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

| BellSouth Telecommunications, Inc. | Preferred Carrier Services, Inc. |
|------------------------------------|----------------------------------|
| | |
| By: SIGNATURE ON FILE | By: SIGNATURE ON FILE |
| Name: Elizabeth R. A. Shiroishi | Name: Barry Casey |
| Title: Assistant Director | Title: Executive Vice President |
| | |
| Date: 10-29-02 | Date: 10-15-02 |

Attachment 1

Page 1

Attachment 1

Resale

Table of Contents

| 1. Discount Rates | 3 |
|--|-----------|
| 2. Definition of Terms | 3 |
| 3. General Provisions | 3 |
| 4. BellSouth's Provision of Services to Preferred | 8 |
| 5. Maintenance of Services | 14 |
| 6. Establishment of Service | 14 |
| 7. Discontinuance of Service | 15 |
| 8. Operator Services (Operator Call Processing and Directory Assista | nce)15 |
| 9. Line Information Database (LIDB) | 19 |
| 10. RAO Hosting | 19 |
| Resale Restrictions | Exhibit A |
| Line Information Database (LIDB) Storage Agreemt | Exhibit B |
| Resale Discounts and Rates | Exhibit C |
| Resale Volume and Term | Exhibit D |

RESALE

1. Discount Rates

- 1.1 The discount rates applied to Preferred purchases of BellSouth
 Telecommunications Services for the purpose of resale shall be as set forth in
 Exhibit C. Such discounts have been determined by the applicable Commission to
 reflect the costs avoided by BellSouth when selling a service for wholesale
 purposes.
- 1.2 The telecommunications services available for purchase by Preferred for the purposes of resale to Preferred's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit C to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Preferred, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

- 3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Preferred for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When Preferred provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Preferred does not resell Lifeline services to any end users, and if Preferred agrees to order an appropriate Operator Services/Directory Services block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event Preferred resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon Preferred and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 Preferred must provide written notification to BellSouth within 30 days prior to providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 Preferred may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Preferred must resell services to other End Users.
- 3.2.2 Preferred cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.
- 3.3 Preferred will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Preferred for said services.
- 3.4 Preferred will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a

nation wide (50 states) toll-free contact number for purposes of repair and maintenance.

- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Preferred. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Preferred. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When a subscriber of Preferred or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Preferred will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or Preferred to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides local switching or resold services to Preferred, BellSouth will provide Preferred with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Preferred acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Preferred acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Preferred shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow Preferred to designate up to 100 intermediate telephone numbers per CLLIC, for Preferred's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations.

Preferred acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Preferred's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If Preferred or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Preferred has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Preferred remain the property of BellSouth.
- 3.15 White page directory listings for Preferred End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 Preferred must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available interactive interfaces by which Preferred may submit LSRs electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit C to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit C to this

Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event Preferred provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 Cancellation OSS Charge. Preferred will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line ("CF/B")
 - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for Preferred per the Bona Fide Request/New Business Request process as set forth in Attachment 11 of the General Terms and Conditions.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event Preferred acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Preferred that Special Assembly at the wholesale discount at Preferred's option. Preferred shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for Preferred customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Preferred customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Preferred customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.

- 3.22 BellSouth shall bill, and Preferred shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.23 Pursuant to 47 CFR Section 51.617, BellSouth will bill to Preferred, and Preferred shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.

4. BellSouth's Provision of Services to Preferred

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Preferred to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Preferred shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Preferred for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Preferred may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If Preferred cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.

- 4.5 Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company Areas
- 4.5.1 BellSouth will in some instances provision resold services in accordance with the General Subscriber Services Tariff and Private Line Tariffs jointly with an Independent Company or other Competitive Local Exchange Carrier.
- 4.5.2 When Preferred assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.5.3 Service terminating in an Independent Company or other Competitive Local Exchange Carrier area will be provisioned and billed by the Independent Company or other Competitive Local Exchange Carrier directly to Preferred.
- 4.5.4 Preferred must establish a billing arrangement with the Independent Company or other Competitive Local Exchange Carrier prior to assuming an end user account where such circumstances apply.
- 4.5.5 Specific guideline regarding such service are available on BellSouth's website @ www.interconnection.bellsouth.com.
- 4.6 Notwithstanding anything in this Agreement to the contrary, BellSouth shall provide to Preferred a volume discount arrangement for those BellSouth residential services specified in this Section. Such volume discount arrangement shall be contingent upon and governed by the following terms and conditions:
- 4.6.1 Preferred and any assignees pursuant to Section 19 of the General Terms and Conditions shall maintain throughout the term of this Agreement at least 35,000 resold residential telecommunications lines from BellSouth.
- 4.6.2 In this Section, Preferred will utilize electronic ordering via one of the mechanized interfaces BellSouth has developed and made available to CLECs for all residential telecommunications services subject to such volume discount described in this Section and ordered by Preferred from BellSouth subsequent to the date hereof.
- 4.6.3 Except as other wise expressly provided herein, the discount payable pursuant to this Section shall not be deemed to decrease, alter or otherwise affect any other charges payable by Preferred to BellSouth pursuant to this Agreement for the ordering, provisioning or maintenance of the services referenced herein, including but not limited to taxes, service charges and operational support system charges applicable to any such services or orders.
- 4.6.4 The Parties acknowledge that due to the functionality of BellSouth's billing systems, BellSouth is or may be unable to reflect applicable discounts on

Preferred's initial bill for services described herein. All credits issued pursuant to this section shall be in arrears such that the applicable discount for a given billing cycle will be reflected on a subsequent bill. BellSouth, in its sole discretion, may apply BellSouth tariff rates less the applicable resale discount on initial monthly billing of any service to be discounted pursuant hereto, and Preferred shall pay such bills in full. Subject to Preferred maintaining the required volume of service and utilizing a BellSouth electronic ordering interface to order such services, BellSouth thereafter will apply credits, either the following month or on a quarterly basis, at BellSouth's sole discretion, to Preferred's bills in the amounts described herein to provide the discounts due to Preferred under this Section.

4.6.5 For each BellSouth bill period wherein Preferred maintains a minimum of 35,000 residential telecommunications lines from BellSouth for the entire bill period, BellSouth will offer a credit, equal to 100% of both the non-recurring and the recurring charges for Customized Code Restriction ("CCR") for each CCR feature purchased by Preferred on a residential telecommunications line at the time that the order shall be submitted via a BellSouth electronic ordering interface. In addition, for each bill period wherein Preferred maintains a minimum 35,000 residential telecommunications lines from BellSouth for the entire bill period, BellSouth will also offer a credit, equal to 100% of the monthly recurring charges for each CCR feature previously ordered by Preferred and in effect on Preferred's residential telecommunications lines for its imbedded customer base. Notwithstanding the foregoing, the credits described in this Section 4.6.5 shall be applicable only to residential telecommunications lines for which Preferred requires the end user to prepay for local exchange service. If at any time during the term of this Agreement Preferred purchases lines for resale on other than a prepaid basis, Preferred shall report to BellSouth those residential telecommunications lines that are and are not to be resold on a prepaid basis. BellSouth shall have the right to audit Preferred's billing records no more frequently than four (4) times per year during the term of this Agreement to determine the number of lines for which Preferred requires its end users to prepay for service, the number of CCR features ordered for those lines, the proper application of the discount described above, and any other relevant information related solely to determining the amount of discounts applicable to Preferred hereunder. BellSouth shall use such information solely in connection with determining volume discounts pursuant to this Section and will maintain the confidentiality of all such information. Preferred shall make such records and data available to BellSouth or its designated auditors on a reasonable basis. BellSouth shall bear the cost of any such audit unless such audit reveals that Preferred has misreported by more than five percent (5%) the number of residential telecommunications lines for which Preferred requires prepayment by the end user, in which case Preferred shall bear the cost of such audit.

4.6.6 For each BellSouth bill period wherein Preferred maintains a minimum of 40, 000 resold residential telecommunications lines from BellSouth for the entire bill period, BellSouth will offer a credit, equal to an additional discount of ten percent

(10%) off the Restore charge per BellSouth residential telecommunications line resold to a Preferred end user; provided that such Restore order is submitted via a BellSouth electronic ordering interface. In addition, BellSouth will offer a credit equal to three percent (3%) of the monthly recurring charges paid by Preferred to BellSouth during such month for Inside Wire Maintenance Service Plans, MemoryCall® Answering Service, Residence/Personal Mailbox, and Transfer Mailbox associated with a Preferred residential telecommunications line sold to a Preferred end user.

- 4.6.6.1 In addition, if Preferred maintains a minimum of 40,000 resold residential telecommunications lines and 60,000 vertical features for each bill period, BellSouth will offer a credit equal to an additional discount of three percent (3%) of the monthly recurring charges during such month for vertical features associated with a Preferred residential telecommunications line; provided, however, that such credit shall not apply to any residential telecommunications lies for which the services listed in Exhibit D, Section 2 are ordered or in effect. For purposes of this paragraph, the only vertical features to be used in calculating the minimum 60,000 vertical features are those listed on Exhibit D, Section 1 hereto.
- 4.6.7 For each BellSouth bill period wherein Preferred maintains a minimum of 50,000 residential telecommunications lines form BellSouth for the entire bill period, BellSouth will offer a credit, equal to an additional discount of twenty percent (20%) off the Restore charge per BellSouth residential telecommunications line resold to a Preferred end user; provided that such Restore order is submitted via a BellSouth electronic ordering interface. In addition, BellSouth offer a credit equal to five percent (5%) of the monthly recurring charges paid by Preferred to BellSouth during such month for Inside Wire Maintenance Service Plans, MemoryCall® Answering Service, Residence/Personal Mailbox, and Transfer Mailbox associated with a Preferred residential telecommunications line sold to a Preferred end user.
- 4.6.7.1 In addition, if Preferred maintains a minimum of 50,000 resold residential telecommunications lines and 75,000 vertical features for each bill period, BellSouth will offer a credit equal to an additional discount of five percent (5%) of the monthly recurring charges during each month for vertical features associated with a Preferred residential telecommunications line; provided, however, that such credit shall not apply to any residential telecommunications lines for which he services listed in Exhibit D, Section 2 are ordered or in effect. For purposes of this paragraph, the only vertical features to be used in calculating the minimum 75,000 vertical features are those listed on Exhibit D, Section 1 hereto.
- 4.6.8 For each Bellsouth bill period wherein Preferred maintains a minimum of 70,000 resold residential telecommunications lines from BellSouth for the entire bill period, BellSouth will offer a credit, equal to an additional discount of twenty-five percent (25%) off the Restore charge per BellSouth residential telecommunications line resold to a Preferred end user; provided that such Restore order is submitted

via a BellSouth electronic ordering interface. In addition, BellSouth will offer a credit, equal to seven percent (7%) of the monthly recurring charges paid by Preferred to BellSouth during such month for Inside Wire Maintenance Service Plans, MemoryCall® Answering Service, Residence/Personal Mailbox, and Transfer Mailbox associated with a Preferred residential telecommunications line sold to a Preferred end user.

- 4.6.9 In addition, if Preferred maintains a minimum of 70,000 resold residential telecommunications lines and 105,000 vertical features for each bill period, BellSouth will offer a credit equal to an additional discount of seven percent (7%) of the monthly recurring charges during such month for vertical features associated with a Preferred residential telecommunications line; provided, however, that such credit shall not apply to any residential telecommunications lines for which the services listed in Exhibit D, Sections 2 are ordered or in effect. For purposes of this paragraph, the only vertical features to be used in calculating the minimum 105,000 vertical features are those listed on Exhibit D, Section 1 hereto.
- 4.6.10 Notwithstanding the terms of payment for Operational Support System ("OSS") charges set forth in Exhibit A hereto, commencing with the effective date of this Agreement, for each BellSouth monthly bill period wherein Preferred maintains a minimum of 35,000 residential telecommunications lines from BellSouth for the entire monthly billing period, BellSouth will offer tiered OSS rates based on monthly bill period electronic Local Service Request (LSR) volume levels as follows.

| Volume Leve | el Per Monthly Bill Period | OSS Rate |
|-------------|----------------------------|----------|
| Tier 1 | From 1 to 10,000 LSRs | \$3.50 |
| Tier 2 | From 10,001 to 15,000 LSRs | \$3.00 |
| Tier 3 | 15,001 LSRs and greater | \$2.50 |

At the conclusion of a particular monthly bill period, the OSS Rate will revert to the Tier 1 rate of \$3.50.

All credits issued in this section shall be in arrears such that the applicable credits for a given billing cycle will be reflected on Preferred's bill on a quarterly basis and shall be in accordance with the terms described in Section 4.6.4.

4.6.11 At any time during the term of this Agreement, should Preferred fail to maintain the minimum 35,000 residential telecommunications lines required herein, fail to utilize a BellSouth electronic ordering interface for ordering services subject to this volume discount arrangement, or otherwise choose not to operate under the terms and conditions of this Section, Preferred will be assessed a termination charge

equal to the year-to-date accumulated credits received times a termination factor. The termination factor will vary by year:

| Contract Year | Termination Factor |
|---------------|---------------------------|
| Year 1 | 100% |
| Year 2 | 50% |
| Year 3 | 0% |

- 4.6.12 Upon expiration of this Agreement in accordance with the terms of Section 2 of the General Terms and Conditions of this Agreement, the discounts offered pursuant to this Section shall cease to apply, regardless of whether BellSouth continues to offer services to Preferred pursuant to the terms of this Agreement after expiration and while a new agreement is being negotiated.
- 4.6.13 The Parties agree that the terms of this Section 4.6 have been negotiated as a whole, each provision being interdependent with the others.
- 4.7 If Preferred cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- Preferred or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- Preferred accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- Preferred will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Preferred shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill Preferred for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact Preferred's End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, Preferred will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for Preferred's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- Preferred shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Preferred will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for Preferred's End User customer. Preferred must, however, be able to demonstrate End User authorization upon request.

BellSouth will accept a request directly from the End User for conversion of the End User's service from Preferred to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Preferred to such other CLEC. Upon completion of the conversion BellSouth will notify Preferred that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Preferred's End User on behalf of, and at the request of, Preferred. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Preferred.
- 7.1.2 At the request of Preferred, BellSouth will disconnect a Preferred End User customer.
- 7.1.3 All requests by Preferred for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 Preferred will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Preferred when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Preferred and/or the End User against any claim, loss or damage arising from providing this information to Preferred. It is the responsibility of Preferred to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8.0 Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Services provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 8.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls
- 8.2.2 Process 0+ and 0- intraLATA toll calls.

8.2.3 Process calls that are billed to Preferred end user's calling card that can be validated by BellSouth. 8.2.4 Process person-to-person calls. 8.2.5 Process collect calls. 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls. 8.2.7 Process station-to-station calls. 8.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 8.2.9 Process emergency call trace originated by Public Safety Answering Points. 8.2.10 Process operator-assisted directory assistance calls. 8.2.11 Adhere to equal access requirements, providing Preferred local end users the same IXC access that BellSouth provides its own operator service. 8.2.12 Exercise at least the same level of fraud control in providing Operator Service to Preferred that BellSouth provides for its own operator service. 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by Preferred. 8.2.15 Provide call records to Preferred in accordance with ODUF standards. 8.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 8.3 Directory Assistance Service 8.3.1 Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 8.3.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by Preferred's end user. BellSouth shall provide calleroptional directory assistance call completion service at rates contained in Exhibit C to one of the provided listings. **Directory Assistance Service Updates** 8.3.3

- 8.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 8.3.3.1.1 New end user connections
- 8.3.3.1.2 End user disconnections
- 8.3.3.1.3 End user address changes
- 8.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 8.4 <u>Branding for Operator Call Processing and Directory Assistance</u>
- 8.4.1 BellSouth's branding feature provides a definable announcement to Preferred end users using Directory Assistance (DA)/ Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Preferred's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in Exhibit C.
- 8.4.2 BellSouth offers three branding offering option to Preferred when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from Preferred, the order is considered firm after ten (10) business days. Should Preferred decide to cancel the order, written notification to Preferred's BellSouth Account Executive is required. If Preferred decides to cancel after ten (10) business days from receipt of the branding order, Preferred shall pay all charges per the order.
- 8.4.4 Selective Call Routing using Line Class Codes (SCR-LCC)
- 8.4.4.1 Where Preferred resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route Preferred's end user calls to that provider through Selective Call Routing.
- 8.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Preferred to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.

- 8.4.4.4 Where available, Preferred specific and unique line class codes are programmed in each BellSouth end office switch were Preferred intends to service end users with customized OCP/DA branding. The line class codes specifically identify Preferred's end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Preferred intends to provide Preferred-branded OCP/DA to its end users in these multiple rate areas.
- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require Preferred to order dedicated transport and trunking from each BellSouth end office identified by Preferred, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Preferred Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for transport and trunks are as set forth in applicable BellSouth Tariffs.
- 8.4.4.6 The rates for SCR-LCC are as set forth in Exhibit C of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.7 Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Preferred to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.5 Branding via Originating Line Number Screening (OLNS)
- 8.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, Preferred shall not be required to purchase direct trunking.
- 8.4.5.2 For Bellsouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Preferred must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Preferred must submit a manual order form which requires, among other things, Preferred's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Preferred shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Preferred's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Preferred end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

- 8.4.5.3 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in Exhibit C of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Preferred applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Preferred shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in Exhibit C of this Attachment.
- 8.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicles (NAV) equipment for which Preferred requires service.
- 8.4.5.5 Directory Assistance customized branding uses:
- 8.4.5.5.1 the recording of Preferred
- 8.4.5.5.2 the loading of-the recording in switch.
- 8.4.5.6 Operator Call Processing customized branding uses:
- 8.4.5.6.1 the recording of Preferred
- 8.4.5.6.2 the loading of the recording each switch
- 8.4.5.6.3 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to Preferred's Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)

| | | 1 | AL | | FL | (| GA | K | Y | l l | LA | I | MS |] | NC | | SC | , | TN |
|----|--|------------|-------------------|----------|-------------|----------|-------------|-----------|-----------|---------|-------------|-----------|------------|----------|-------------|---------|-----------|----------|----------|
| | Type of Service | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discou | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount | Resale | Discount |
| | | | | | | | | | nt | | | | | | | | | | |
| 1 | Grandfathered | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 2 | Services (Note 1) Promotions - > 90 Days(Note 2) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 3 | Promotions - \leq 90 Days (Note 2) | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 4 | Lifeline/Link Up Services | Yes | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| 5 | 911/E911 Services | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| | N11 Services | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No | No | Yes | Yes | Yes | Yes | No | No | Yes | Yes |
| 7 | MemoryCall [®] Service | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 8 | Mobile Services | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| - | Federal Subscriber Line Charges | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 10 | Non-RecurCharges | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No |
| 11 | End User Line Chg- Number Portability | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| 12 | Public Telephone Access Svc(PTAS) | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | Yes | Yes |
| 13 | Inside Wire Maint Service Plan | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No | Yes | No |
| | Applicable No | | | | | | | | | | | | | | | | | | |
| | 1. Grandfathere | | | | | | | | | | | | | | | | | | |
| | 2. Where available | le for res | sale, prom | otions v | will be ma | de avail | able only t | o End Us | sers who | would h | nave quali | fied for | the promo | tion had | d it been p | rovided | by BellSo | uth dire | ctly. |
| | 3. Some of BellSo | outh's lo | cal exchar | nge and | toll teleco | mmunic | ations serv | vices are | not avail | able in | certain cei | ntral off | ices and a | reas. | | | | | |

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Preferred.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Preferred.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Preferred and pursuant to which BellSouth, its LIDB customers and Preferred shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Preferred's provision of billing number information to BellSouth for inclusion in

BellSouth's LIDB. Preferred understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Preferred, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection/Resale Agreement upon notice to Preferred's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Preferred has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Preferred of fraud alerts so that Preferred may take action it deems appropriate.

III. Responsibilities of the Parties

- A. BellSouth will administer all data stored in the LIDB, including the data provided by Preferred pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Preferred for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.
- B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Preferred's data from BellSouth's data, the following shall apply:

- (1) BellSouth will identify Preferred end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement. Preferred is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.
- BellSouth shall have no obligation to become involved in any disputes between Preferred and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Preferred. It shall be the responsibility of Preferred and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP ARRANGEMENTS

- BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. Preferred will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Preferred. BellSouth will not issue line-based calling cards in the name of Preferred's individual End Users. In the event that Preferred wants to include calling card numbers assigned by Preferred in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. Preferred will not be charged a fee for storage services provided by BellSouth to Preferred, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Preferred in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

Anonymous Call Rejection

Call Block

Section 1: Features to be included for purposes of calculating the average number of vertical services per line resold by Preferred:

Call Forwarding (CF) Variable

Call Return

Call Selector

Call Tracing

Call Waiting

Call Waiting Deluxe

Caller ID Basic

Caller ID Deluxe

Flexible CF

Flexible CF/Audio CN

Flexible CF+

Flexible CF+/Audio CN

Preferred CN

Remote Access to CF

Repeat Dialing

RingMaster I

RingMaster II

Speed Calling 30

Speed Calling 8

Three-Way Calling

Three- Way Calling w/ Transfer

Section 2: Features NOT included for purposes of calculating the average number of vertical services per line resold by Preferred:

Complete Choice

Area Plus, (3)

Area Plus with Complete Choice, (4)

Local Optional Service with Complete Choice (available in Louisiana only), and

Area Calling Plan with Complete Choice (available in Mississippi only)

| RESA | LE DIS | COUNTS AND RATES - Alabama | | | | | | | | | | | | Attachr | nent: 1 | Exhil | oit: C |
|--------|--------|-----------------------------|--------|------|-----|-------|------|--|-----------|-------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | _ | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | _ Nonrecurring Nonrecurring Disconnect | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Disconnect | | | oss | Rates(\$) | 1 | ı | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| APPLIC | ABLE [| DISCOUNTS | | | | | | | | | | | | | | | |
| | | Residence % | | | | | 16.3 | | | | | | | | | | |
| | | Business % | | | | | 16.3 | | | | | | | | | | |
| | | CSAs % | | | | | 16.3 | | | | | | | | | | |
| OPERA | TIONAL | SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| RESA | LE DIS | COUNTS AND RATES - Florida | | | | | | | | | | | | Attachr | nent: 1 | Exhil | bit: C |
|-------|---------|-------------------------------|--------|------|-----|-------|--|-------|-----------|-------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec Nonrecurring Nonrecurring Disconnect | | | | | | | oss | Rates(\$) | • | ' |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| APPLI | CABLE D | DISCOUNTS | | | | | | | | | | | | | | | |
| | | Residence % | | | | | 21.83 | | | | | | | | | | |
| | | Business % | | | | | 16.81 | | | | | | | | | | |
| | | CSAs % | | | | | 16.81 | | | | | | | | | | |
| OPER/ | TIONAL | . SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | • | | | | • | • | • | | | | | | |

| RESA | LE DIS | COUNTS AND RATES - Georgia | | | | | | | | | | | | Attachr | nent: 1 | Exhil | oit: C |
|-------|--------------------------------|-----------------------------|--------|------|-----|-------|--|-------|-----------|-------|----------|---------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | | | Incremental | | | |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | l_ | | | | | | | | Elec | | Manual Svc | | | |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | Nonrecurring Negrocurring Disc | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | | | |
| | | | | | | | Rec Nonrecurring Nonrecurring Disconnect | | | | | | | oss | Rates(\$) | • | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| APPLI | CABLE | DISCOUNTS | | | | | | | | | | | | | | | |
| | | Residence % | | | | | 20.3 | | | | | | | | | | |
| | | Business % | | | | | 17.3 | | | | | | | | | | |
| | | CSAs % | | | | | 17.3 | | | | | | | | | | |
| OPER/ | TIONAL | SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | | _ | | | | | | • | | | • | | | | | | |
| | | _ | | | | | | • | | | <u> </u> | | | | | | |

| RESA | LE DIS | COUNTS AND RATES - Kentucky | | | | | | | | | | | | Attachr | ment: 1 | Exhil | bit: C |
|--------|--------|-----------------------------|--------|------|-----|-------|-------|--|------------|-------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | _ Nonrecurring Nonrecurring Disconnect | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | D.o. | Nonrec | Disconnect | | | oss | Rates(\$) | l. | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| APPLIC | ABLE [| DISCOUNTS | | | | | | | | | | | | | | | |
| | | Residence % | | | | | 16.79 | | | | | | | | | | |
| | | Business % | | | | | 15.54 | | | | | | | | | | |
| | | CSAs % | | | | | 15.54 | | | | | | | | | | |
| OPERA | TIONAL | SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| RESA | LE DIS | COUNTS AND RATES - Louisiana | | | | | | | | | | | | Attachr | nent: 1 | Exhil | bit: C |
|-------|---------|-------------------------------|--------|------|-----|-------|--|-------|-----------|-------|----------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec Nonrecurring Nonrecurring Disconnect | | | | | | | oss | Rates(\$) | • | • |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| APPLI | CABLE D | DISCOUNTS | | | | | | | | | | | | | | | |
| | | Residence % | | | | | 20.72 | | | | | | | | | | |
| | | Business % | | | | | 20.72 | | | | | | | | | | |
| | | CSAs % | | | | | 9.05 | | | | | | | | | | |
| OPER/ | TIONAL | . SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | | | | | • | | | | | | • | | | | | | |
| | | | | | | | | | | | <u> </u> | | | | | | |

| RESA | LE DIS | COUNTS AND RATES - Mississippi | | | | | | | | | | | | Attachr | nent: 1 | Exhil | oit: C |
|-------|--------|--------------------------------|--------|------|-----|-------|-------|------------|-----------|-------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | |
| | | | | | | | Dee | Disconnect | | | oss | Rates(\$) | • | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| APPLI | CABLE | DISCOUNTS | | | | | | | | | | | | | | | |
| | | Residence % | | | | | 15.75 | | | | | | | | | | |
| | | Business % | | | | | 15.75 | | | | | | | | | | |
| | | CSAs % | | | | | 15.75 | | | | | | | | | | |
| OPER/ | TIONAL | SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | | | | | | | | • | | | | | | | | | |
| | | · | | | | | | | | | | | | | | | |

| RESA | LE DIS | COUNTS AND RATES - North Carolina | | | | | | | | | | | | Attachr | nent: 1 | Exhil | bit: C |
|-------|---------|-----------------------------------|--------|------|-----|-------|--|-------|-----------|-------|----------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | _ | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec Nonrecurring Nonrecurring Disconnect | | | | | | | oss | Rates(\$) | • | • |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| APPLI | CABLE D | DISCOUNTS | | | | | | | | | | | | | | | |
| | | Residence % | | | | | 21.5 | | | | | | | | | | |
| | | Business % | | | | | 17.6 | | | | | | | | | | |
| | | CSAs % | | | | | 17.6 | | | | | | | | | | |
| OPER/ | TIONAL | SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | | _ | | | | | | • | • | | • | | | | | | |
| | | _ | | | | | | • | | | <u> </u> | | | | | | |

| RESA | LE DIS | COUNTS AND RATES - South Carolina | | | | | | | | | | | | Attachr | nent: 1 | Exhil | bit: C |
|-------|---------|-----------------------------------|--------|------|-----|-------|--|-------|-----------|-------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | ''' | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec Nonrecurring Nonrecurring Disconnect | | | | | | | oss | Rates(\$) | • | ' |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| APPLI | CABLE D | DISCOUNTS | | | | | | | | | | | | | | | |
| | | Residence % | | | | | 14.8 | | | | | | | | | | |
| | | Business % | | | | | 14.8 | | | | | | | | | | |
| | | CSAs % | | | | | 8.98 | | | | | | | | | | |
| OPER/ | TIONAL | SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | _ | | | • | | | | • | • | • | | | | | | |

| RESA | LE DIS | COUNTS AND RATES - Tennessee | | | | | | | | | | | | Attachr | nent: 1 | Exhil | oit: C |
|-------|---------|------------------------------|--------|------|-----|-------|--|-------|-----------|-------|-------|-----------|-----------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | _ | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec Nonrecurring Nonrecurring Disconnect | | | | | | | oss | Rates(\$) | • | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| APPLI | CABLE D | DISCOUNTS | | | | | | | | | | | | | | | |
| | | Residence % | | | | | 16 | | | | | | | | | | |
| | | Business % | | | | | 16 | | | | | | | | | | |
| | | CSAs % | | | | | 16 | | | | | | | | | | |
| OPER/ | TIONAL | SUPPORT SYSTEMS (OSS) RATES | | | | | | | | | | | | | | | |
| | | Electronic LSR | | | | SOMEC | | 3.50 | 3.50 | 3.50 | 3.50 | | | | | | |
| | | Manual LSR | | | | SOMAN | | 19.99 | 19.99 | 19.99 | 19.99 | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | · | | | | | | | | |

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

| 1 | INTRODUCTION | 3 |
|-----------|--|-------|
| 2 | UNBUNDLED LOOPS | 4 |
| 3 | HIGH FREQUENCY SPECTRUM NETWORK ELEMENT | 25 |
| 4 | LOCAL SWITCHING | 35 |
| 5 | UNBUNDLED NETWORK ELEMENT COMBINATIONS | 42 |
| 6 | TRANSPORT, CHANNELIZATION AND DARK FIBER | 48 |
| 7 SCR | BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT REENING SERVICE | 53 |
| 8 | LINE INFORMATION DATABASE (LIDB) | 53 |
| 9 | SIGNALING | 56 |
| 10 | OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE |). 62 |
| 11 | AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) | 68 |
| 12 | CALLING NAME (CNAM) DATABASE SERVICE | 68 |
| 13 ADV | SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS VANCED INTELLIGENT NETWORK (AIN) ACCESS | |
| 14 | BASIC 911 AND E911 | 70 |
| 15 | OPERATIONAL SUPPORT SYSTEMS (OSS) | 71 |
| LII | OB Storage Agreement Exhib | it A |
| Rat | tes | it B |

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Preferred in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Preferred. The rates for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Preferred to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Preferred used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Preferred, and to the extent technically feasible, provide to Preferred access to its Network Elements for the provision of Preferred's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Preferred may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Preferred chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Preferred to the demarcation point associated with Preferred's collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Preferred may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 Rates
- 1.7.1 The prices that Preferred shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Preferred purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

- 1.7.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.7.3 If Preferred modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Preferred in accordance with FCC No. 1 Tariff, Section 5.
- 1.7.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Preferred's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available and cannot be made available through BellSouth's Unbundled Loop Modification process, then Preferred can use the Special Construction process to request that BellSouth place facilities in order to meet Preferred's loop requirements. Standard Loop intervals shall not apply to the Special Construction process.
- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.5 The Loop shall be provided to Preferred in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 Preferred may utilize the unbundled Loops to provide telecommunications services as long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Preferred has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Preferred shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by Preferred using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 Preferred will be responsible for testing and isolating troubles on the Loops. Preferred must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, Preferred will be required to provide the results of the Preferred test which indicate a problem on the BellSouth provided loop.
- Once Preferred has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If Preferred reports a trouble on a non-designed or designed loop and no trouble actually exists, BellSouth will charge Preferred for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status.

2.1.9 Order Coordination and Order Coordination-Time Specific

2.1.9.1 "Order Coordination" (OC) allows BellSouth and Preferred to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Preferred's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical

conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows Preferred to order a specific time for OC to take place. BellSouth will make every effort to accommodate Preferred's specific conversion time request. However, BellSouth reserves the right to negotiate with Preferred a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Preferred may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Preferred specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Preferred when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Preferred's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Preferred pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

| | Order Coordination (OC) | Order Coordination - Time Specific (OC-TS) | Test Points | DLR | Charge for Dispatch and Testing if No Trouble Found |
|--------------------|-------------------------------|---|------------------|------------------------------------|---|
| SL-1 | Chargeable Option | Chargeable Option | Not available | Chargeable Option – | Charged for Dispatch inside and outside |
| (Non- Designed) | | | | ordered as Engineering Information | Central Office |

| | | | | Document | |
|---|---|---|------------------------------------|---|--|
| UCL-ND (Non- Designed) | Chargeable Option | Not Available | Not Available | Chargeable Option – ordered as Engineering Information Document | Charged for Dispatch inside and outside Central Office |
| Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed) | Included | Chargeable Option | Included | Included | Charged for Dispatch outside Central Office |
| Unbundled Digital Loop (Designed) | Included | Chargeable Option (except on Universal Digital Channel) | Included (where appropriate) | Included | Charged for Dispatch outside Central Office |
| Unbundled Copper Loop (Designed) | Chargeable in accordance with Section 2 | Not available | Included | Included | Charged for Dispatch outside Central Office |

For UVL-SL1 and UCLs, Preferred must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Preferred will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in

two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by Preferred. Preferred may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Preferred may request further testing on new UVL-SL1 loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Preferred. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Preferred to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible)
- 2.3.2.3 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.4 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled HDSL Compatible Loop

- 2.3.2.6 4-wire Unbundled DS1 Digital Loop
- 2.3.2.7 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.8 DS3 Loop
- 2.3.2.9 STS-1 Loop
- 2.3.2.10 OC-3 Loop
- 2.3.2.11 OC-12 Loop
- 2.3.2.12 OC-48 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Preferred will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service.
- 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.
- 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR.

A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.

- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC-3 Loop/OC-12 Loop/OC-48 Loop. OC-3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 155.52 Mbps; OC-12 622.08 Mbps; and OC-48 2488 Mbps.
- 2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.
- 2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 **Unbundled Copper Loop – Designed (UCL-D)**

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 Ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Preferred.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by Preferred to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any

intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Preferred can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Preferred may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by Preferred to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 Preferred may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by Preferred, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Preferred will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders,

etc.), so that Preferred can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. Preferred will determine the type of service that will be provided over the loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.

- In those cases where Preferred has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length.
- 2.5.6 Preferred shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Preferred desires BellSouth to condition.
- 2.5.7 When requesting ULM for a loop that BellSouth has previously provisioned for Preferred Carrier Services, Inc., Preferred Carrier Services, Inc. will submit a service inquiry to BellSouth. If a spare loop facility that meets the loop modification specifications requested by Preferred Carrier Services, Inc. is available at the location for which the ULM was requested, Preferred Carrier Services, Inc. will have the option to change the loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the loop facility in lieu of providing ULM, Preferred Carrier Services, Inc. will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where Preferred has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Preferred. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to Preferred (e.g. hairpinning).
- 2.6.2 BellSouth will select one of the following arrangements:
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.

- 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. Preferred will then have the option of paying the one-time SC rates to place the loop.

2.7 <u>Network Interface Device (NID)</u>

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Preferred to connect Preferred's Loop facilities to the enduser's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 Preferred may access the end user's customer-premises wiring by any of the following means and Preferred shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 1) BellSouth shall allow Preferred to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 2) Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 3) Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the

customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 4) Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Preferred's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Preferred to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to Preferred's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. Preferred may request BellSouth to do additional work to the NID on a time and material basis. When Preferred deploys its own local loops with respect to multiple-line termination devices, Preferred shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth crossconnect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If Preferred requests a UCSL and it is not available, Preferred may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Preferred's use on this cross-connect panel. Preferred will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, Preferred shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Preferred's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Preferred is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Preferred's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the Website address: http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate Preferred's request for Unbundled Sub-Loops, Preferred may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Preferred will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before Preferred can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Preferred's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, Preferred will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Preferred requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by Preferred for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber

configurations represents the point at which the network branches out to serve individual subscribers.

- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end-users premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire ("Provisioning Party") will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing Multi-Dwelling Units (MDUs) and/or Multi-Tenant Units (MTUs) in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, Preferred will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Preferred for each pair activated commensurate to the price specified in Preferred's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2-wire or 4-wire communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of Preferred's loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 Preferred will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases in which there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, Preferred may request, through the BellSouth Special Construction process, a determination of costs to provide the sub-loop feeder element to Preferred. Preferred will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder (USLF DS3 and above)
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with the SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.

- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 **Unbundled Loop Concentration (ULC)**

- 2.8.5.1 BellSouth will provide to Preferred Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
 BellSouth loops to be concentrated onto two or more DS1s. The high-speed
 connection from the concentrator will be at the electrical DS1 level and will
 connect to Preferred at Preferred's collocation site. System B will allow up to 192
 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be
 upgraded to a System B. A minimum of two DS1s is required for each system
 (i.e., System A requires two DS1s and System B would require an additional two
 DS1s or four in total). All DS1 interfaces will terminate to Preferred's collocation
 space. ULC service is offered with concentration (2 DS1s for 96 channels) or
 without concentration (4 DS1s for 96 channels) and with or without protection. A
 Loop Interface element will be required for each loop that is terminated onto the
 ULC system.

2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, Preferred may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- 2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Preferred's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Preferred's sub-loops to be

concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Preferred's demarcation point associated with Preferred's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.

2.8.6.3 Preferred is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected by a BellSouth technician to a cross-connect panel within the BellSouth RT/cross-box and shall allow Preferred's sub-loops to be placed on the USLC and transported to Preferred's collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with Preferred's collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Preferred to utilize Dark Fiber Loops.

2.8.7.2 Requirements

- 2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.2.2 Preferred is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to Preferred information regarding the location, availability and performance of Dark Fiber

Loop within ten (10) business days after receiving a Service Inquiry ("SI") from Preferred.

2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Preferred within twenty (20) business days after Preferred submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Preferred to connect Preferred provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup (LMU)**

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Preferred LMU information so that Preferred can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Preferred intends to install and the services Preferred wishes to provide. This section addresses LMU as a preordering transaction, distinct from Preferred ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Preferred LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Preferred as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC owning the loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility owned by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.
- 2.9.1.5 Preferred may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Preferred and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said

Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Preferred's ability to provide advanced data services over the ordered loop type. Further, if Preferred orders loops that do not require a specific facility medium (i.e. copper only) or loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Preferred is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 Preferred may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Preferred needs further loop information in order to determine loop service capability, Preferred may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 <u>Loop Reservations</u>

- 2.9.3.1 For a Mechanized LMUSI, Preferred may reserve up to ten Loop facilities. For a Manual LMUSI, Preferred may reserve up to three Loop facilities.
- 2.9.3.2 Preferred may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Preferred. During and prior to Preferred placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Preferred does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 **Ordering of Other UNE Services**

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Preferred will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, Preferred does not reserve facilities upon an initial LMUSI, Preferred's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where Preferred has reserved multiple Loop facilities on a single reservation, Preferred may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Preferred, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Preferred. If the ordered Loop type is not available, Preferred may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide Preferred access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Preferred the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Preferred shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Preferred on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High

Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Preferred requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, Preferred shall pay for the Loop to be restored to its original state.

- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Preferred desires to continue providing xDSL service on such Loop, Preferred shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Preferred notice in a reasonable time prior to disconnect, which notice shall give Preferred an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Preferred purchases the full stand-alone loop, Preferred may elect the type of loop it will purchase. Preferred will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Preferred purchases a voice grade Loop, Preferred acknowledges that such Loop may not remain xDSL compatible.
- Only one competitive local exchange carrier (CLEC) shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2 <u>Provisioning of High Frequency Spectrum and Splitter Space</u>

- 3.2.1 BellSouth will provide Preferred with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Preferred must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 Preferred may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of Preferred's submission of an error

free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.

- 3.2.1.3 Once a splitter is installed on behalf of Preferred in a central office in which Preferred is located, Preferred shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Preferred shall pay the electronic or manual ordering charges as applicable when Preferred orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for Preferred's data.

3.3 **BellSouth Provided Splitter**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Preferred access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Preferred's xDSL equipment in Preferred's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Preferred with a carrier notification letter, informing Preferred of change. Preferred shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. Preferred shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to Preferred's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Preferred's DS0 termination point as possible. Preferred shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Preferred on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Preferred DS0 at such time that a Preferred end user's service is established.

3.4 **CLEC Provided Splitter**

3.4.1 Preferred may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Preferred may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4 shall apply.

3.4.2 Any splitters installed by Preferred in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Preferred may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering**

- 3.5.1 Preferred shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide Preferred the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide Preferred access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Preferred shall pay the rates for such services, as described in Exhibit B.

3.6 **Maintenance and Repair**

- 3.6.1 Preferred shall have access for repair and maintenance purposes to any loop for which it has access to the High Frequency Spectrum. If Preferred is using a BellSouth owned splitter, Preferred may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If Preferred provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Preferred will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 Preferred shall inform its end users to direct data problems to Preferred, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Preferred, BellSouth will notify Preferred. Preferred will

provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Preferred will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Preferred's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

3.7.1 General

- 3.7.2 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end-users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. Preferred shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Preferred will not provide voice and data services.
- 3.7.3 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Preferred or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- 3.7.4 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing Preferred for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Preferred or its authorized agent to determine if the loop is compatible for Line Splitting Service. Preferred or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and Preferred or its authorized agent submits an LSR to BellSouth to change the loop.

3.8 **Provisioning Line Splitting and Splitter Space**

3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Preferred or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross

connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.8.2 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

3.9 Ordering

- 3.9.1 Preferred shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.9.2 BellSouth shall provide Preferred the Local Service Request ("LSR") format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide Preferred access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Preferred shall pay the rates for such services as described in Exhibit B.
- 3.9.5 BellSouth will provide loop modification to Preferred on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

 HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

3.10 Maintenance

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Preferred will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 Preferred shall inform its end users to direct data problems to Preferred, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.10.3 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.10.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.10.5 If Preferred is not the data provider, Preferred shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

3.11 Remote Site High Frequency Spectrum

- 3.11.1 General
- 3.11.2 BellSouth shall provide Preferred access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.11.3 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Preferred the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems.

BellSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Preferred shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.11.4 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.11.5 BellSouth will provide Loop Modification to Preferred on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a loop for access to the High Frequency spectrum if modification of that loop significantly degrades BellSouth's voice service. If Preferred requests modifications on a sub-loop longer than 18,000 ft. and requested modifications significantly degrades the voice services on the loop, Preferred shall pay for the loop to be restored to its original state.
- 3.11.6 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Preferred desires to continue providing xDSL service on such sub-loop, Preferred shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give Preferred notice in a reasonable time prior to disconnect, which notice shall give Preferred an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and Preferred purchases the full stand-alone sub-loop, Preferred may elect the type of sub-loop it will purchase. Preferred will pay the appropriate recurring and nonrecurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event Preferred purchases a voice grade Loop, Preferred acknowledges that such sub-loop may not remain xDSL compatible.
- Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular sub-loop.
- 3.12 Provisioning of High Frequency Spectrum and Splitter Space
- 3.12.1 BellSouth will provide Preferred with access to the High Frequency Spectrum as follows:

- 3.12.1.1 To order High Frequency Spectrum on a particular sub-loop, Preferred must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such sub-loop.
- 3.12.1.2 Preferred may provide its own splitters or may order splitters in a remote site once the Preferred has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of Preferred's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.12.1.3 Once a splitter is installed on behalf of Preferred in a remote site in which Preferred is located, Preferred shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and Preferred shall pay applicable for High Frequency Spectrum end-user activation.

3.13 BellSouth Owned Splitter

- 3.13.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. The Preferred's meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). Preferred will provide a cable facility to the BellSouth FDI. BellSouth will splice the Preferred's cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect the Preferred's cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to the Preferred's xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.13.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in the Preferred's Remote Terminal (RT) collocation space and routed back to the Preferred's network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide Preferred with a carrier notification letter informing Preferred of change. Preferred shall purchase ports on the splitter in increments of 24 ports.
- 3.13.3 BellSouth will install the splitter in (i) a common area close to Preferred's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Preferred's DS0 termination point as possible. Preferred shall have access to the splitter for test purposes regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified Preferred DS0 at such time that a Preferred end user's service is established.

3.14 **CLEC Owned Splitter**

- 3.14.1 Preferred may at its option purchase, install and maintain splitters in its collocation arrangements. Preferred may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. Preferred will be required to activate cable pairs in no less than 8 (eight) pair increments.
- Any splitters installed by Preferred in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Preferred may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.15 **Ordering**

- 3.15.1 Preferred shall use BellSouth's Remote Splitter Ordering Document ("RSOD") to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.15.2 BellSouth will provide Preferred the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.15.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.15.4 BellSouth will provide Preferred access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Preferred shall pay the rates for such services as described in Exhibit B.
- 3.15.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for Preferred's data.

3.16 **Maintenance and Repair**

- 3.16.1 Preferred shall have access for repair and maintenance purposes to any sub-loop for which it has access to the High Frequency Spectrum. If Preferred is using a BellSouth owned splitter, Preferred may access the sub-loop at the point where the data signal exits. If Preferred provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.16.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Preferred will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.16.3 Preferred shall inform its end users to direct data problems to Preferred, unless both voice and data services are impaired, in which event the end users should call BellSouth.

- 3.16.4 Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.16.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Preferred, BellSouth will notify Preferred. Preferred will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Preferred will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Preferred's access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Preferred for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Preferred for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include but are not limited to the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include but are not limited to the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Preferred

when Preferred serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.

- 4.2.3 In the event that Preferred orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Preferred the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Preferred's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Preferred purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Preferred local end user, or originated by a BellSouth local end user and terminated to a Preferred local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Preferred the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Preferred shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 Where Preferred purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Preferred end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Preferred the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Preferred shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Preferred the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.9 **Unbundled Port Features**

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the- BFR/NBR process.
- 4.2.9.4 BellSouth will provide to Preferred selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Preferred will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.10 **Remote Call Forwarding**

- 4.2.10.1 As an option, BellSouth shall make available to Preferred an unbundled port with Remote Call Forwarding capability ("URCF service"). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Preferred will ensure that the following conditions are satisfied:
- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge Preferred the rates set forth in Exhibit B for unbundled local switching, tandem

switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

4.2.11 **Provision for Local Switching**

- 4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Preferred all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Preferred.

4.2.12 Local Switching Interfaces.

- 4.2.12.1 Preferred shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.12.1.2 Coin phone signaling;
- 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.12.1.4 Two-wire analog interface to PBX;
- 4.2.12.1.5 Four-wire analog interface to PBX;

- 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 <u>Tandem Switching</u>

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 Technical Requirements

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Preferred and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.

- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Preferred.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Preferred's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Preferred's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Preferred's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Preferred. AIN Selective Carrier Routing will provide Preferred with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 Preferred shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Preferred, the routing of Preferred's end user calls shall be pursuant to information provided by Preferred and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering AIN Selective Carrier Routing Regional Service, Preferred shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each Preferred end user activated,

there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. Preferred shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.

- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN_SCR Central Office Identification Form Form C, AIN_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to Preferred's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Preferred, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The non-recurring End Office Establishment Charge will be billed to Preferred following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to Preferred following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Preferred following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);

- 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services Preferred seeks to offer;
- 4.5.2.3 BellSouth has not permitted Preferred to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has Preferred obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.

5 Unbundled Network Element Combinations

5.1 For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by Preferred are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by Preferred are not already combined by BellSouth in the location requested by Preferred but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" network elements shall mean that the particular network elements requested by Preferred are not elements that BellSouth combines for its use in its network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled loops and unbundled dedicated transport as defined in Section 6. BellSouth shall provide Preferred with EELs where they are available.
- 5.2.2 BellSouth will provide access to EELs in the combinations set forth in Section 5.4.1 below.
- 5.2.3 EELs are intended to provide service connectivity from an end user's location through that end user's SWC to Preferred's collocation space in a BellSouth central office. The circuit must be connected to the Preferred's switch for the purpose of provisioning circuit telephone exchange service to the Preferred's enduser customers. Preferred may connect EELs within the Preferred's collocation space to other transport terminating into Preferred's switch. Preferred may also connect the local loops listed in Section 5.3.1.3 to an appropriate Unbundled Local Channel to form additional EELs which terminate in Preferred's switch. Provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below, the circuit may, upon Preferred's request, terminate to a CLEC's Point of Presence ("POP"). Preferred will provide a significant amount of local exchange service

over the requested combination, as described in Section 5.3.1 et seq. below. Upon BellSouth's request, Preferred shall indicate under what local usage option Preferred seeks to qualify. Preferred shall be deemed to providing a significant amount of local exchange service over the requested combination if one of the options listed in Section 5.3.1 et seq. is met. BellSouth shall have the right to audit Preferred's EELs as specified in Section 5.3.3 below.

5.3 Conversions from Special Access Service to EELs

- 5.3.1 Preferred may not convert existing special access services to combinations of loop and transport network elements, whether or not Preferred self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Preferred uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Preferred requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Preferred shall provide to BellSouth a certification that Preferred is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Preferred seeks to qualify for conversion of special access circuits. Preferred shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.1.1 **Option 1:** Preferred certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Preferred's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Preferred is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. Preferred can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.1.2 **Option 2:** Preferred certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The loop-transport combination must terminate at Preferred's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport

combinations to be connected to BellSouth tariffed services; or

- 5.3.1.3 **Option 3:** Preferred certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Preferred does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- In addition, there may be extraordinary circumstances where Preferred is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 5.3.1 et seq. In such case, Preferred may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon Preferred's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.3 BellSouth may, at its sole discretion, audit Preferred's records in order to verify compliance with the local usage option provided by Preferred pursuant to Section 5.3.1. The audit shall be conducted by a third party independent auditor, and Preferred shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Preferred shall reimburse BellSouth for the cost of the audit. If, based on the audit, Preferred is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth will convert such combinations of loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill Preferred for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that Preferred is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions of this Agreement incorporated herein by this reference.
- 5.3.4 In the event Preferred converts special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section, Preferred shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

- 5.4 Rates
- 5.4.1 Currently Combined EELs listed below in Sections 5.4.1.1-5.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit B of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the nonrecurring and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.1.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.4.1.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.4.1.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.4.1.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop
- 5.4.1.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.4.1.6 DS1 Interoffice Channel + DS1 Local Loop
- 5.4.1.7 DS3 Interoffice Channel + DS3 Local Loop
- 5.4.1.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 5.4.1.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.4.1.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.4.1.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 5.4.1.12 4wire VG Interoffice Channel + 4-wire VG Local Loop

- 5.4.1.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 5.4.1.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
- 5.4.2 Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit B of this Attachment. Ordinarily combined EELs not listed in Sections 5.4.1.1-5.4.1.14 shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.3 To the extent that Preferred requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the Bona Fide Request Process.

5.5 UNE Port/Loop Combinations

- 5.5.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, as long as such combinations are Ordinarily Combined in BellSouth's network.
- 5.5.3 Except as set forth in Section 5.5.4 below, BellSouth shall provide UNE port/loop combinations described in Section 5.5.6 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit B. Except as set forth in Section 5.5.4 below, BellSouth shall provide UNE port/loop combinations not described in Section 5.5.6 below or Not Typically Combined Combinations in accordance with the Bona Fide Request process.
- 5.5.4 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.5.4.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1,

1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Preferred if Preferred's customer has 4 or more DS0 equivalent lines.

- Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 5.5.5 BellSouth shall make 911 updates in the BellSouth 911 database for Preferred's UNE port/loop combinations. BellSouth will not bill Preferred for 911 surcharges. Preferred is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.6 Combination Offerings
- 5.5.6.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.5.6.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6 **Other UNE Combinations**

5.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Preferred in addition to those specifically referenced in this Section 5 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent Preferred requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

5.6.2 Rates

The rates for Ordinarily Combined UNE Combinations shall be the sum of the recurring rates and nonrecurring rates for the stand-alone network elements as set forth in Exhibit B of this Attachment. The rates for Currently Combined UNE Combinations shall be the sum of the recurring rates for the stand-alone network elements as set forth in Exhibit B, in addition to a nonrecurring charge set forth in Exhibit B. To the extent Preferred requests a Not Typically Combined Combination, or to the extent Preferred requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Preferred for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Preferred.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;

- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Preferred exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Preferred to connect such interoffice facilities to equipment designated by Preferred, including but not limited to, Preferred's collocated facilities; and
- Permit, to the extent technically feasible, Preferred to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:

6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between Preferred's Point of Presence ("POP") and Preferred's collocation space in the BellSouth Serving Wire Center for Preferred's POP, and 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations. 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways: 6.2.1.3.1 As capacity on a shared UNE facility. 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Preferred. 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators. 6.2.2 **Technical Requirements** 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Preferred designated traffic. 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards. 6.2.2.3 For DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards. 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 6.2.2.4.1 DS0 Equivalent; 6.2.2.4.2 DS1; 6.2.2.4.3 DS3; and 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Preferred shall specify the termination points for Dedicated

Transport.

- 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.2.7 BellSouth Technical References:
- 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.2.7.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Preferred may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems and COCIs:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.2.3 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- Voice Grade, Digital Data and ISDN can be activated on a DS1 Channelization System through the use of a COCI.
- 6.3.2.5 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.2.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements

- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Preferred's channelization equipment must adhere strictly to form and protocol standards. Preferred must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 DS0 to DS1 Channelization
- 6.3.3.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.3.3 DS1 to DS3 Channelization
- 6.3.3.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.3.4 DS1 to STS Channelization
- 6.3.3.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

6.4 **Dark Fiber Transport**

- Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between Preferred's collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from Preferred's POP to Preferred's collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Preferred to utilize Dark Fiber Transport.
- 6.4.2 Requirements
- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or

- (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.2.2 Preferred is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.2.3 BellSouth shall use its best efforts to provide to Preferred information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Preferred. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Preferred within twenty (20) business days after Preferred submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Preferred to connect Preferred provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Preferred's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Preferred.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Preferred must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be

the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to Preferred any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Preferred's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Preferred what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.3 Within two (2) weeks after a request by Preferred, BellSouth shall provide Preferred with a list of the customer data items, which Preferred would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of Preferred data to the LIDB shall be solely at the direction of Preferred. Such direction from Preferred will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Preferred data upon Preferred's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Preferred customer records will be missing from LIDB, as measured by Preferred audits. BellSouth will audit Preferred records in LIDB against DBAS to identify record mismatches and provide this data to a designated Preferred contact person to resolve the status of the records and BellSouth will update system appropriately.

BellSouth will refer record of mis-matches to Preferred within one business day of audit. Once reconciled records are received back from Preferred, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Preferred to negotiate a time frame for the updates, not to exceed three business days.

- 8.2.10 BellSouth shall perform backup and recovery of all of Preferred's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Preferred with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Preferred and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Preferred data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Preferred in writing.
- 8.2.13 BellSouth shall provide Preferred performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Preferred at least at parity with BellSouth Customer Data. BellSouth shall obtain from Preferred the screening information associated with LIDB Data Screening of Preferred data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Preferred under the BFR/NBR process as set forth in Attachment 11.
- 8.2.14 BellSouth shall accept queries to LIDB associated with Preferred customer records and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. Preferred shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Preferred shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 **Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Preferred-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).

- 9.2.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.4.1 An A-link layer shall consist of two links.
- 9.2.4.2 A B-link layer shall consist of four links.
- 9.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.2.4.4 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.4.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.5 Interface Requirements
- 9.2.5.1 There shall be a DS1 (1.544 Mbps) interface at Preferred's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated

Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Preferred local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Preferred local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Preferred or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Preferred database, then Preferred agrees to provide BellSouth with the Destination Point Code for Preferred database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Preferred or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

9.4.1 When technically feasible and upon request by Preferred, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Preferred's SS7 network to exchange TCAP queries and responses with a Preferred SCP.

- 9.4.2 SS7 AIN Access shall provide Preferred SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Preferred SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Preferred SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Preferred or Preferred-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Preferred local switching systems; and,
- 9.4.3.1.2 A B-link interface from Preferred local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Preferred local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Preferred switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Preferred local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Preferred switching system has a valid signaling relationship.

9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Preferred from any signaling point or network interconnected through BellSouth's SS7 network where the Preferred SCP has a valid signaling relationship.

9.5 **Service Control Points/Databases**

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.6 <u>Local Number Portability Database</u>

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 **SS7 Network Interconnection**

9.7.1 SS7 Network Interconnection is the interconnection of Preferred local signaling transfer point switches or Preferred local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Preferred local or tandem switching systems, and

other third-party switching systems directly connected to the BellSouth SS7 network.

- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Preferred or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a Preferred local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Preferred local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Preferred local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Preferred local STPs and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements

- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Preferred or Preferred-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Preferred local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from Preferred STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Preferred local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Preferred switching system has a valid signaling relationship.

10 Operator Services (Operator Call Processing and Directory Assistance)

- Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.
- 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 10.2.1 Process 0+ and 0- dialed local calls.
- 10.2.2 Process 0+ and 0- intraLATA toll calls.
- 10.2.3 Process calls that are billed to Preferred end user's calling card that can be validated by BellSouth.
- 10.2.4 Process person-to-person calls.

| 10.2.5 | Process collect calls. |
|------------|---|
| 10.2.6 | Provide the capability for callers to bill to a third party and shall also process such calls. |
| 10.2.7 | Process station-to-station calls. |
| 10.2.8 | Process Busy Line Verify and Emergency Line Interrupt requests. |
| 10.2.9 | Process emergency call trace originated by Public Safety Answering Points. |
| 10.2.10 | Process operator-assisted directory assistance calls. |
| 10.2.11 | Adhere to equal access requirements, providing Preferred local end users the same IXC access as provided to BellSouth end users. |
| 10.2.12 | Exercise at least the same level of fraud control in providing Operator Service to Preferred that BellSouth provides for its own operator service. |
| 10.2.13 | Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. |
| 10.2.14 | Direct customer account and other similar inquiries to the customer service center designated by Preferred. |
| 10.2.15 | Provide call records to Preferred in accordance with ODUF standards specified in Attachment 7. |
| 10.2.16 | The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. |
| 10.3 | <u>Directory Assistance Service</u> |
| 10.3.1 | Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. |
| 10.3.2 | Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Preferred's end user, BellSouth shall provide calleroptional directory assistance call completion service at rates contained in this Attachment to one of the provided listings. |
| 10.3.3 | <u>Directory Assistance Service Updates</u> |
| 10.3.3.1 | BellSouth shall update end user listings changes daily. These changes include: |
| 10.3.3.1.1 | New end user connections; |

- 10.3.3.1.2 End user disconnections;
- 10.3.3.1.3 End user address changes.
- These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.4 **Branding for Operator Call Processing and Directory Assistance**

- 10.4.1 BellSouth's branding feature provides a definable announcement to Preferred end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Preferred to have its calls custom branded with Preferred's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.
- 10.4.2 BellSouth offers three branding offering options to Preferred when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 10.4.3 Upon receipt of the custom branding order from Preferred, the order is considered firm after ten business days. Should Preferred decide to cancel the order, written notification to Preferred's Local Contract Manager is required. If Preferred decides to cancel after ten business days from receipt of the custom branding order, Preferred shall pay all charges per the order.

10.4.4 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 10.4.4.1 Where Preferred purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route Preferred's end user calls to that provider through Selective Call Routing.
- Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Preferred to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 10.4.4.4 Where available, Preferred specific and unique line class codes are programmed in each BellSouth end office switch where Preferred intends to serve end users with customized OCP/DA branding. The line class codes specifically identify

Preferred's end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Preferred intends to provide Preferred -branded OCP/DA to its end users in these multiple rate areas.

- 10.4.4.5 BellSouth Branding is the default branding offering.
- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require Preferred to order dedicated trunking from each BellSouth end office identified by Preferred, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Preferred Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Preferred to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.
- 10.4.4.9 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.4.10 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Preferred shall not be required to purchase dedicated trunking.
- 10.4.4.11 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Preferred must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Preferred must submit a manual order form which requires, among other things, Preferred's OCN and a forecast for the traffic volume anticipated for each

BellSouth TOPS during the peak busy hour. Preferred shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Preferred's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Preferred end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

- 10.4.4.12 BellSouth Branding is the default branding offering.
- 10.4.4.13 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Preferred applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Preferred shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where Preferred is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.4.5 **Facilities Based Carrier Branding**

- 10.4.5.1 All Service Levels require Preferred to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Unbranding is the default branding offering.
- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Preferred requires service.
- 10.4.5.5 Directory Assistance customized branding uses:
- 10.4.5.5.1 the recording of Preferred;
- the loading of the recording in each switch.
- 10.4.5.6 Operator Call Processing customized branding uses:
- 10.4.5.6.1 the recording of Preferred;

- 10.4.5.6.2 the loading of the recording in each switch (North Carolina);
- 10.4.5.6.3 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

10.5 <u>Directory Assistance Database Service (DADS)</u>

- BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Preferred end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Preferred agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Preferred agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- BellSouth shall initially provide Preferred with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30-45 days after receiving an order from Preferred to prepare the Base File.
- BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Preferred's previous update. Delivery of updates will commence immediately after Preferred receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Preferred mutually develop CONNECT: Direct TM electronic connectivity. Preferred will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.4 Preferred authorizes the inclusion of Preferred Directory Assistance listings in the BellSouth Directory Assistance products including but not limited to DADS. Any other use is not authorized.

10.6 **Direct Access to Directory Assistance Service**

Direct Access to Directory Assistance Service (DADAS) will provide Preferred's directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all

available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide Preferred with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to Preferred by BellSouth upon subscription to the service. Subscription to DADAS requires that Preferred utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.

10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- BellSouth shall provide Preferred access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Preferred after Preferred provides end user information for input into the ALI/DMS database.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Preferred requests otherwise and shall be updated if Preferred requests, provided Preferred supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface), it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for Preferred end users shall meet industry standards.
- 12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Preferred the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Preferred shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than 60 days prior to Preferred's access to BellSouth's CNAM Database Services and shall be addressed to Preferred's Local Contract Manager.
- BellSouth's provision of CNAM Database Services to Preferred requires interconnection from Preferred to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Preferred shall provide its own CNAM SSP. Preferred's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Preferred elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Preferred desires to query.
- 12.6 If Preferred queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 12.7 The mechanism to be used by Preferred for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Preferred in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Preferred to provide accurate information to BellSouth on a current basis.

- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Preferred CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access

- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Preferred the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Preferred. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect Preferred service logic and data from unauthorized access.
- When Preferred selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Preferred to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 Preferred access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Preferred to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Service Provisioning. BellSouth will provide to Preferred a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Preferred will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the

appropriate 10-digit directory number as stated on the list provided by BellSouth. Preferred will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Preferred will be required to begin using E911 procedures.

- 14.3 E911 Service Provisioning. Preferred shall install a minimum of two dedicated trunks originating from the Preferred serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Preferred will be required to provide BellSouth daily updates to the E911 database. Preferred will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Preferred will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Preferred shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Preferred beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to Preferred shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- 14.6 The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which Preferred may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing

purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.

- 15.3 Denial/Restoral OSS Charge
- 15.3.1 In the event Preferred provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- 15.4.1 Preferred will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.4.3 Network Elements and Other Services Manual Additive
- The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that Preferred creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Preferred.
- C. Special billing number a ten-digit number that identifies a billing account established by Preferred.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Preferred that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Preferred.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Preferred.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Preferred and pursuant to which BellSouth, its LIDB customers and Preferred shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Preferred's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Preferred understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Preferred, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Preferred's account team and/or Local

Version 3Q02: 09/06/02

Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Preferred has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Preferred of fraud alerts so that Preferred may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Preferred pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Preferred for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Preferred's data from BellSouth's data, the following terms and conditions shall apply:

- 1. BellSouth will identify Preferred's end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users.
- 2. BellSouth shall have no obligation to become involved in any disputes between Preferred and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Preferred. It shall be the responsibility of Preferred and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

- 1. BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. Preferred will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Preferred. BellSouth will not issue line-based calling cards in the name of Preferred's individual End Users. In the event that Preferred wants to include calling card numbers assigned by Preferred in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. Preferred will not be charged a fee for storage services provided by BellSouth to Preferred as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Preferred in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

| UNBUNDLED N | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|--------------|---|--|----------|-----------------------|----------------|-------------------|-----------------|-----------------|-------------------|-----------------|--|---------------|-----------------|--|---------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | | | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | _ | | | | |
| OAT LOOK! | NATE ELEMENTO | m | | 200 | 0000 | | | IIII ΣΟ(ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonred | curring | Nonrecurring | Disconnect | 1 | l | OSS | Rates(\$) | l | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| The "Zone" | shown in the sections for stand-alone loops or loops as part | of a com | hinatio | n refers to Geograph | ically Deavers | aged LINE Zones | | | | | | | | | COMPAN | COMPAN |
| | interconnection.bellsouth.com/become_a_clec/html/interconnection. | | | ir refers to Geograph | loany Doavere | aged OITE Zones | . 10 11011 0000 | grapinouny Doa | voluged of the ze | To Designation | is by centra | i Onioc, reic | i to interret w | obolio. | | |
| | JPPORT SYSTEMS | CCIIOI1.11 | 1 | ı | 1 | 1 | - | | 1 | | | ı — — | | | 1 | |
| | Electronic Service Order: CLEC should contact its contract | ot nogot | intor it | it profess the state | enocific aloc | tronic corvice o | rdoring charge | ne ae ordorod l | y the State Co | mmissions T | ho oloctron | ic convice o | rdoring charg | o currently or | ntained in th | ic rato |
| | the BellSouth regional electronic service ordering charge. | | | | | | | | | | | | | | | .s rate |
| | | | | | | | | | | | | | | | | On Fan |
| | Any element that can be ordered electronically will be bill | | | | | | | | | | | | | | | |
| | nents that cannot be ordered electronically at present per t | | | | e in this cate | gory reflects the | e charge that v | vould be billed | to a CLEC ond | ce electronic o | ordering cap | abilities co | me on-line to | r that elemen | t. Otherwise, | the manual |
| | harge, SOMAN, will be applied to a CLECs bill when it sub | mits ar | LSR | o BellSouth. | | | | | | | | | 1 | | • | |
| | ectronic OSS Charge, per LSR, submitted via BST's OSS | | | | | | | | | | | | | | | |
| | eractive interfaces (Regional) | <u> </u> | | | SOMEC | | 3.50 | | | | 1 | | | ļ | ļ | |
| | anual Service Order Charge, per LSR, Disconnect Only (AL) | | | | SOMAN | | | | 1.97 | | | | | 1 | | |
| | TE ADVANCEMENT CHARGE | <u> </u> | | | I | | | | | | | | | ļ | | |
| | e Expedite charge will be maintained commensurate with | BellSou | th's F | CC No.1 Tariff, Secti | on 5 as appli | icable. | | | | | | | | | | |
| UN | IE Expedite Charge per Circuit or Line Assignable USOC, per | | | | | | | | | | | | | | | |
| Day | | | | ALL UNE | SDASP | | 200.00 | | | | | | | | | |
| | HANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| | NALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | | 15.66 | | | | |
| | Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | | 15.66 | | | | |
| 2-W | Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | | 15.66 | | | | |
| Loc | op Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 34.16 | | | | | 15.66 | | | | |
| Loc | op Testing - Basic Additional Half Hour | | | UEANL | URETA | | 19.85 | | | | | 15.66 | | | | |
| CLE | EC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | |
| | VL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | 15.66 | | | | |
| Eng | gineering Information Document (EI) | | | UEANL | UEANM | | 13.44 | | | | | | | | | |
| Mar | anual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 8.15 | | | | | | | | | |
| Ord | der Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | |
| (pe | er LSR) | | | UEANL | OCOSL | | 18.09 | | | | | | | | | |
| 2-WIRE Un | bundled COPPER LOOP | | | | | | | | | | | | | | | |
| 2-W | Nire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 11.20 | 34.14 | 15.10 | 21.25 | 4.15 | | 15.66 | | | | |
| 2 W | Wire Unbundled Copper Loop - Non-Designed - Zone 2 | | 2 | UEQ | UEQ2X | 13.27 | 34.14 | 15.10 | 21.25 | 4.15 | | 15.66 | | | | |
| 2 W | Vire Unbundled Copper Loop - Non-Designed - Zone 3 | | 3 | UEQ | UEQ2X | 15.07 | 34.14 | 15.10 | 21.25 | 4.15 | | 15.66 | | | | |
| | der Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | | | |
| | signed (per loop) | | | UEQ | USBMC | | 8.15 | | | | | | | | | |
| | gineering Information Document | | | UEQ | | | 13.44 | | | | | 15.66 | | | | |
| | op Testing - Basic 1st Half Hour | | | UEQ | URET1 | | 34.16 | | | | | 15.66 | | | | |
| | op Testing - Basic Additional Half Hour | | | UEQ | URETA | | 19.85 | | | | | 15.66 | | | | |
| | EC to CLEC Conversion Charge Without Outside Dispatch | | | · · - | 1 | 1 | | | | | | | | t | 1 | |
| | CL-ND) | | | UEQ | UREWO | | 14.27 | 7.43 | | | | 15.66 | | I | Ì | 1 |
| | CHANGE ACCESS LOOP | | | | | | 21 | | | | | .0.00 | | 1 | 1 | |
| | NALOG VOICE GRADE LOOP | | | 1 | 1 | 1 | | | | | | | | t | 1 | |
| | Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | 1 | 1 | 1 | | | | | | | | t | 1 | |
| | ne 1 | | 1 | UEPSR UEPSB | UEALS | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | | 15.66 | | I | Ì | 1 |
| | Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | + '- | 52. OK 62. 6B | CE/IEO | 12.50 | 37.01 | 17.50 | 20.43 | 0.00 | | 10.00 | | <u> </u> | 1 | — |
| | ne 1 | | 1 | UEPSR UEPSB | UEABS | 12.58 | 37.81 | 17.56 | 23.49 | 5.30 | | 15.66 | | 1 | | 1 |
| | Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | <u> </u> | 52. OK 621 6B | SE, IDO | 12.00 | 57.01 | 17.50 | 20.43 | 0.00 | | 10.00 | | | - | |
| | ne 2 | | 2 | UEPSR UEPSB | UEALS | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | | 15.66 | | 1 | | 1 |
| | Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | OLI OK OLI OB | JEALO | 21.00 | 57.01 | 17.50 | 25.45 | 5.50 | 1 | 13.00 | | | 1 | |
| | ne 2 | | 2 | UEPSR UEPSB | UEABS | 21.05 | 37.81 | 17.56 | 23.49 | 5.30 | | 15.66 | | 1 | | 1 |
| | Nire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | OLFON UEFOD | ULADO | ∠1.∪5 | 31.01 | 17.30 | 23.49 | 5.30 | | 15.00 | | | 1 | |
| | ne 3 | 1 | 3 | UEPSR UEPSB | UEALS | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | 1 | 15.66 | | I | Ì | 1 |
| | Nire Analog Voice Grade Loop-Service Level 1-Line Splitting- | - | 3 | OLF ON OEFOD | ULALO | 34.34 | 31.01 | 17.30 | 23.49 | 5.30 | | 13.00 | | | | |
| | | | 3 | UEPSR UEPSB | UEABS | 34.34 | 37.81 | 47.50 | 23.49 | 5.30 | | 45.00 | | I | Ì | 1 |
| | ne 3 | - | 3 | UEPSK UEPSB | OEAR2 | 34.34 | 37.81 | 17.56 | 23.49 | 5.30 | | 15.66 | | | | |
| | Rates for Line Splitting | - | 4 | LIEDDY | LIEDLY | 40.70 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | <u> </u> | 1 | UEPRX | UEPLX | 12.70 | | | | | | | | - | | ├ |
| | Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | <u> </u> | 2 | UEPRX | UEPLX | 21.19 | | | | | | | | - | | ├ |
| | Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 | | 3 | UEPRX | UEPLX | 34.80 | | | | | 1 | | | 1 | | ├ |
| | HANGE ACCESS LOOP | | | | _ | | | | | | | | | | | └ |
| I I2-WIRE AN | NALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |

Version 3Q02: 09/06/02

| UNBUND | LEC | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attach | ment: 2 | Exhil | bit: B |
|----------|-------------|---|--|------|-----|-----------|-------|--------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|-------------|--|
| 0.120.12 | | 7.4.4.4.1.4 | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | l | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | Υ | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | <u> </u> |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | 1 |
| | | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | ŀ | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | _ | | 1 | | | | | | | | | | | 1 |
| | | Ground Start Signaling - Zone 3 | <u> </u> | 3 | UEA | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | <u> </u> | | UEA | OCOSL | | 18.09 | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | i |
| - | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | - | UEA | UEARZ | 14.30 | 00.00 | 55.00 | 41.24 | 7.44 | | 13.00 | | | | |
| | | Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | 1 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | OLA | OLARZ | 22.00 | 00.00 | 33.00 | 71.27 | 7.44 | | 13.00 | | | | — |
| | | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | 1 |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | 00.14 | 18.09 | 00.00 | 77.27 | 7 | | 10.00 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.72 | 36.36 | | | | 15.66 | | | | |
| 4-V | VIRE | ANALOG VOICE GRADE LOOP | | | 1 | | 1 | J2 | 33.30 | 1 | | | .0.00 | | 1 | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 18.09 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.72 | 36.36 | | | | 15.66 | | | | |
| 2-V | | ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | [|
| | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | [|
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | 1 |
| | | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 18.09 | | | | | | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | | | UDN | UREWO | | 91.63 | 44.16 | | | | 15.66 | | | | |
| 2-V | | Universal Digital Channel (UDC) COMPATIBLE LOOP 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | | | | | | | | | | | | + |
| | | 2-wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | UDC | UDC2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | i |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | - ' | - | UDC | UDCZX | 21.00 | 117.24 | 19.11 | 52.00 | 10.54 | 1 | 13.66 | | | | + |
| | | 2-Wile Offiversal Digital Chairner (ODC) Compatible Loop - Zorie | | 2 | UDC | UDC2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | i |
| | | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | · · | | 000 | ODOZX | 02.00 | 117.24 | 70.77 | 02.00 | 10.04 | | 10.00 | | | | |
| | | 3 | 1 | 3 | UDC | UDC2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | i |
| | | CLEC to CLEC Conversion Charge without outside dispatch | <u> </u> | | UDC | UREWO | .0.00 | 91.63 | 44.16 | 02.00 | 10.01 | | 15.66 | | | | |
| 2-V | VIRE | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOF | | 0.1.2.7.0 | | 01.00 | | İ | | | 10.00 | | | | |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | ſ |
| | | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 11.01 | 110.00 | 68.00 | 47.24 | 7.44 | | 15.66 | | 1 | | 1 |
| | | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 12.73 | 110.00 | 68.00 | 47.24 | 7.44 | | 15.66 | | | | <u> </u> |
| | Ţ | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | · | | | | | | | | 1 |
| | | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 14.30 | 110.00 | 68.00 | 47.24 | 7.44 | | 15.66 | | | | 1 |
| | | Order Coordination for Specified Conversion Time (per LSR) | ļ | | UAL | OCOSL | | 18.09 | | | | | | | | | |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | | 1141 634 | | | | | | | 4 | | 1 | | 1 |
| | | facility reservaton - Zone 1 | | 1 | UAL | UAL2W | 11.01 | 90.00 | 57.00 | 47.24 | 7.44 | | 15.66 | | | | + |
| | | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 12.73 | 90.00 | 57.00 | 47.24 | 7.44 | | 15.66 | | | | 1 |
| - | | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | | UAL | UALZVV | 12.73 | 90.00 | 57.00 | 41.24 | 7.44 | | 13.66 | | | | |
| | | facility reservaton - Zone 3 | | 3 | UAL | UAL2W | 14.30 | 90.00 | 57.00 | 47.24 | 7.44 | | 15.66 | | | | i |
| \vdash | | Order Coordination for Specified Conversion Time (per LSR) | | - | UAL | OCOSL | 14.30 | 18.09 | 37.00 | 71.24 | 7.44 | | 10.00 | | | | |
| | | CLEC to CLEC Conversion Charge without outside dispatch | † | | UAL | UREWO | | 86.20 | 40.40 | I | | <u> </u> | 15.66 | | | | |
| 2-V | VIRE | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | T - | | 1 | 55.20 | .5.70 | 1 | | | | | 1 | | |
| l f | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | T | 1 | | 1 | | | 1 | | | | | 1 | | |
| | | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 8.74 | 110.00 | 68.00 | 47.24 | 7.44 | | 15.66 | | 1 | | 1 |
| | İ | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 10.17 | 110.00 | 68.00 | 47.24 | 7.44 | | 15.66 | | <u> </u> | | L |
| | | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | _ | | | | | | | | | 1 |
| | | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 11.44 | 110.00 | 68.00 | 47.24 | 7.44 | | 15.66 | | | | <u> </u> |
| 1 1 | | Order Coordination for Specified Conversion Time (per LSR) | 1 | | UHL | OCOSL | | 18.09 | | | | 1 | 1 | | | | 1 |

| <u>NRO</u> NDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|-----------------|---|-------------|------|------|----------------|----------------|------------------|----------------|----------------|-------|-------|---|--|--|-------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incrementa Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 | | | UHL | UHL2W | 8.74 | 90.00 | 57.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | 1 | UHL | UHLZVV | 8.74 | 90.00 | 57.00 | 47.24 | 7.44 | | 15.00 | | | | + |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL2W | 10.17 | 90.00 | 57.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | İ | İ | † |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 11.44 | 90.00 | 57.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.09 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | 15.66 | | | | |
| 4-WIR | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | | | | | | | | | | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | UHL | UHL4X | 13.95 | 440.00 | CO 00 | 54.70 | 0.70 | | 45.00 | | | | |
| | and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry | | - 1 | UHL | UHL4X | 13.95 | 148.36 | 68.00 | 51.70 | 9.73 | - | 15.66 | | - | - | + |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 15.56 | 148.36 | 68.00 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | OTIL | OT IL-IX | 10.00 | 140.00 | 00.00 | 01.70 | 0.70 | | 10.00 | | | | + |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 15.25 | 148.36 | 68.00 | 51.70 | 9.73 | | 15.66 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 18.09 | | | | | | | | | 1 |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 13.95 | 94.00 | 57.00 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | _ | | | | | | | | | | | | | |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 15.56 | 94.00 | 57.00 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 15.25 | 94.00 | 57.00 | 51.70 | 9.73 | | 15.66 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 15.25 | 18.09 | 57.00 | 51.70 | 9.73 | - | 13.00 | | - | - | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.14 | 40.40 | | | | 15.66 | | | | + |
| 4-WIR | E DS1 DIGITAL LOOP | | | | | | | | | | | | | | | 1 |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | USL | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | _ |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 18.09 | 40.05 | | | | 1= 00 | | | | |
| 4 14/10 | CLEC to CLEC Conversion Charge without outside dispatch E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | | USL | UREWO | | 101.09 | 43.05 | | | | 15.66 | | | - | + |
| 4-VVIK | 4 Wire Unbundled Digital 19.2 Kbps | | 1 | UDL | UDL19 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | + |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 2 | UDL | UDL19 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | + |
| | 4 Wire Unbundled Digital 19.2 Kbps | | 3 | UDL | UDL19 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | 1 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | 1 |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | | 2 | UDL | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | 00.00 | 18.09 | 00.00 | 50.44 | 14.50 | | 45.00 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | | UDL | UDL64 UDL64 | 26.09 35.95 | 126.27 126.27 | 88.80 88.80 | 59.14 59.14 | 14.50 | | 15.66 15.66 | | | - | + |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | | UDL | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | + |
| | Order Coordination for Specified Conversion Time (per LSR) | | J | UDL | OCOSL | 57.00 | 18.09 | 00.00 | 33.14 | 14.50 | | 13.00 | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.13 | 49.75 | | | | 15.66 | | | | † |
| 2-WIR | E Unbundled COPPER LOOP | | | | | | | | | | | | | | | 1 |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 1 | | 1 | UCL | UCLPB | 11.01 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | _ | | | | | | | | | | | | | |
| | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 12.73 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 14.30 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | I | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLPB | 14.30 | 8.15 | 8.15 | 41.24 | 7.44 | | 13.00 | | | | + |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | JOLIVIO | | 0.13 | 0.13 | | | | | | — | <u> </u> | |
| | inquiry and facility reservation - Zone 1 | 1 | 1 | UCL | UCLPW | 11.01 | 91.46 | 54.30 | 47.24 | 7.44 | | 15.66 | | 1 | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | - | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | I | 2 | UCL | UCLPW | 12.73 | 91.46 | 54.30 | 47.24 | 7.44 | | 15.66 | | | | |
| 1 | 2-Wire Unbundled Copper Loop/Short without manual service | 1 | 3 | UCL | UCLPW | 14.30 | 91.46 | 54.30 | 47.24 | 7.44 | | l | | | | |
| | inquiry and facility reservation - Zone 3 | | | | | | | | | | | 15.66 | | | 1 | |

| ONRONDE | ED NETWORK ELEMENTS - Alabama | | | | 1 | 1 | | | | | - | | | ment: 2 | | bit: B |
|-----------|---|-------------|----------|------------------|----------------|--------|---------------|---------------|--------------|-------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001111 | | Rates(\$) | 001141 | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 31.42 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | - | OOL | OCLZL | 31.42 | 112.40 | 05.50 | 71.27 | 7.44 | | 13.00 | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2L | 55.01 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 80.00 | 112.46 | 65.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | ļ |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | = | | | | | | | | |
| | inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Long - without manual service | - 1 | 1 | UCL | UCL2W | 31.42 | 91.46 | 54.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 55.01 | 91.46 | 54.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | - | | UCL | UCLZVV | 33.01 | 31.40 | 34.30 | 47.24 | 7.44 | | 13.00 | | | | |
| | inquiry and facility reservation - Zone 3 | 1 | 3 | UCL | UCL2W | 80.00 | 91.46 | 54.30 | 47.24 | 7.44 | | 15.66 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | | | | | | | | | | | | | |
| | (UCL-Des) | | | UCL | UREWO | | 97.23 | 42.48 | | | | 15.66 | | | | ļ |
| 4-WI | RE COPPER LOOP | | | | | | | | | | | | | | | ļ |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | 1 | UCL | UCL4S | 17.36 | 405.04 | 88.05 | 51.70 | 9.73 | | 45.00 | | | | |
| | and facility reservation - Zone 1 4-Wire Copper Loop/Short - including manual service inquiry | | 1 | UCL | UCL4S | 17.36 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 20.76 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | OOL | UUL4U | 20.70 | 100.21 | 00.03 | 31.70 | 9.73 | | 13.00 | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 28.21 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 8.15 | 8.15 | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | 1 | 1 | UCL | UCL4W | 17.36 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | ļ |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | ١. | 2 | | 1101 414 | 00.70 | 444.04 | 07.05 | 54.70 | 0.70 | | 45.00 | | | | |
| | facility reservation - Zone 2 4-Wire Copper Loop/Short - without manual service inquiry and | - 1 | 2 | UCL | UCL4W | 20.76 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 28.21 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | - | Ŭ | UCL | UCLMC | 20.21 | 8.15 | 8.15 | 01.70 | 0.70 | | 10.00 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 49.35 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | <u> </u> |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 92.45 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | <u> </u> |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 127.39 | 135.21 | 88.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 127.39 | 8.15 | 8.15 | 51.70 | 9.73 | | 15.00 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 1 | OOL | OCLIVIC | | 0.13 | 0.13 | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | - 1 | 1 | UCL | UCL4O | 49.35 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | - 1 | 2 | UCL | UCL4O | 92.45 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | _ | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 3 | l l | 3 | UCL UCL | UCL4O UCLMC | 127.39 | 114.21 | 67.05 | 51.70 | 9.73 | | 15.66 | | | | . |
| | Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC conversion Charge without outside dispatch | | | UCL | UREWO | | 8.15 97.23 | 8.15 42.48 | | | | 15.66 | | | | |
| LOOP MODI | | | 1 | UCL | UKLWO | | 91.23 | 42.40 | | | | 13.00 | | | | |
| 1 | Tioanon | | | UAL, UHL, UCL, | | | | | | | | | | | | |
| | | | | UEQ, ULS, UEA, | | | | | | | | | | | | |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire | | | UEANL, UDL, UDC, | | | | | | | | | | | | |
| | pair less than or equal to 18k ft | | <u> </u> | UDN, UDL, USL | ULM2L | | 0.00 | 0.00 | | | | 15.66 | | | | <u> </u> |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire | | | 1101 1110 1150 | LILMOO | | 170 51 | 470 51 | | | | 45.00 | | | | |
| | greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire | | <u> </u> | UCL, ULS, UEQ | ULM2G | | 170.51 | 170.51 | | | | 15.66 | | | | |
| | less than or equal to 18K ft | | | UHL, UCL | ULM4L | | 0.00 | 0.00 | | | | 15.66 | | | | |
| | Unbundled Loop Modification Removal of Load Coils - 4 Wire | | t | OI IL, OOL | JLIVITL | | 0.00 | 0.00 | | | | 10.00 | | | <u> </u> | † |
| | pair greater than 18k ft | l . | 1 | UCL | ULM4G | | 170.51 | 170.51 | | | 1 | 15.66 | | l | | |

| NARANDL | ED NETWORK ELEMENTS - Alabama | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|-----------|--|-------------|----------|---|----------------|----------------|----------------|----------------|----------------|--------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | ı | | UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULMBT | | 32.41 | 32.41 | | | | 15.66 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub- | Loop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | ı | | UEANL | USBSA | | 244.42 | | | | | 15.66 | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up | ı | | UEANL | USBSB | | 22.64 | | | | | 15.66 | | | | <u> </u> |
| | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up | I | <u> </u> | UEANL | USBSC | | 177.45 | | | | | 15.66 | | | | |
| | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up | I | | UEANL | USBSD | | 55.15 | | | | | 15.66 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN2 | 11.21 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | | |
| | Zone 2 | | 2 | UEANL | USBN2 | 11.94 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | | <u> </u> |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN2 | 16.86 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | | <u> </u> |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | | UEANL | USBMC | | 8.15 | 8.15 | | | | | | | | <u> </u> |
| | Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN4 | 8.46 | 79.03 | 44.19 | 49.71 | 9.07 | | 15.66 | | | | |
| | Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 2 | UEANL | USBN4 | 16.67 | 79.03 | 44.19 | 49.71 | 9.07 | | 15.66 | | | | |
| | Zone 3 | | 3 | UEANL | USBN4 | 32.57 | 79.03 | 44.19 | 49.71 | 9.07 | | 15.66 | | | | <u> </u> |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.15 | 8.15 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR2 | 2.27 | 53.01 | 18.17 | 45.25 | 6.70 | | 15.66 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.15 | 8.15 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR4 | 5.16 | 59.25 | 24.41 | 49.71 | 9.07 | | 15.66 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 8.15 | 8.15 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | 1 | UEF | UCS2X | 6.22 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | | | UEF | UCS2X | 8.76 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF | UCS2X | 11.27 | 65.80 | 30.96 | 45.25 | 6.70 | | 15.66 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.15 | 8.15 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | | UEF | UCS4X | 6.11 | 79.03 | 44.19 | 49.71 | 9.07 | | 15.66 | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF UEF | UCS4X UCS4X | 12.61 15.36 | 79.03 79.03 | 44.19 44.19 | 49.71 49.71 | 9.07 9.07 | | 15.66 15.66 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 8.15 | 8.15 | | | | | | | | |
| Unbı | undled Sub-Loop Modification | | 1 | OL: | CODINO | | 0.10 | 0.10 | | | | | | | | + |
| | Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 175.78 | 5.10 | | | | 15.66 | | | | |
| | Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR | | | UEF | ULM4X | | 175.78 | 5.10 | | | | 15.66 | | | | |
| | Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded | | | UEF | ULM4T | | 278.20 | 6.11 | | | | 15.66 | | | | |
| Unbu | undled Network Terminating Wire (UNTW) | | | | | | | | | | | | | | | |
| Netw | Unbundled Network Terminating Wire (UNTW) per Pair rork Interface Device (NID) | | | UENTW | UENPP | 0.40 | 30.01 | | | | | 15.66 | | | | |
| | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 43.23 | 28.38 | | | | 15.66 | | | 1 | |
| | Network Interface Device (NID) - 1-6 lines | | 1 | UENTW | UND16 | | 63.97 | 49.11 | | | 1 | 15.66 | | 1 | 1 | + |

| ONBOND | DLED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|---|--|----------|-----------------|----------------|----------------|------------------|-----------------|----------------|----------------|--------|---|--|--|---|-------------|
| CATEGORY | RY RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Nonrec | urrina | Nonrecurring | Dissennest | | | 220 | Rates(\$) | | |
| | | | | | | Rec | First | arring Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | 1 | 5.87 | 5.87 | FIISL | Auu i | SOWIEC | 15.66 | JOWAN | JOWAN | SOWAN | JOWAN |
| | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC4 | | 5.87 | 5.87 | | | | 15.66 | | | | + |
| SUB-LOOP: | | | | OLIVIW | ONDO- | | 0.01 | 0.07 | | | | 10.00 | | | | + |
| | ib-Loop Feeder | | | | | | | | | | | | | | | |
| | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | | UEA, | | | | | | | | | | | | |
| | Distribution Facility set-up | | | UDN,UCL,UDL,UDC | USBFW | | 244.42 | | | | | 15.66 | | | | |
| | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair | | | UEA, | | | | | | | | | | | | |
| | set-up | | | UDN,UCL,UDL,UDC | | | 22.64 | 22.64 | | | | 15.66 | | | | |
| | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 519.95 | 11.32 | | | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 1 | ļ | 1 | UEA | USBFA | 8.03 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | ļ | ļ | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | 1 | _ | l | | | | |] | | | | | 1 | 1 | |
| \vdash | Grade - Zone 2 | ļ | 2 | UEA | USBFA | 12.00 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | 1 |
| | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | | | 110054 | 00.00 | 00.00 | 50.40 | 54.54 | 40.07 | | 45.00 | | | | |
| | Voice Grade - Zone 3 | | 3 | UEA | USBFA | 20.39 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | - |
| | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 18.09 | | | | | | | | | + |
| | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 | | 4 | UEA | USBFB | 8.03 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | ' | UEA | USBFB | 8.03 | 93.00 | 56.48 | 54.51 | 13.07 | | 15.00 | | | | + |
| | Grade - Zone 2 | | 2 | UEA | USBFB | 12.00 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | | UEA | USBFB | 12.00 | 93.00 | 30.46 | 34.51 | 13.07 | | 15.00 | | | | + |
| | Grade - Zone 3 | | 3 | UEA | USBFB | 20.39 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Order Coordination for Specified Time Conversion, per LSR | | 3 | UEA | OCOSL | 20.55 | 18.09 | 30.40 | 34.51 | 13.07 | | 13.00 | | | | + |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | OLA | CCCCL | | 10.00 | | | | | | | | | + |
| | Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.03 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | <u> </u> | OLA | OOD! O | 0.00 | 50.00 | 00.40 | 04.01 | 10.01 | | 10.00 | | | | + |
| | Voice Grade - Zone 2 | | 2 | UEA | USBFC | 12.00 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | | | | | | | | | | | | | | |
| | Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 20.39 | 93.00 | 56.48 | 54.51 | 13.67 | | 15.66 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 18.09 | | | | | | | | | 1 |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | 1 |
| | Grade - Zone 1 | | 1 | UEA | USBFD | 19.21 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFD | 23.47 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice | | | | | | | | | | | | | | | |
| | Grade - Zone 3 | | 3 | UEA | USBFD | 39.63 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 18.09 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | 1 | | l | | | | | | | | | | 1 | 1 | |
| \vdash | Grade - Zone 1 | ļ | 1 | UEA | USBFE | 19.21 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | | | 1 |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | l | _ | | HODET | | | = | 22.2- | | | , | | | | |
| | Grade - Zone 2 | | 2 | UEA | USBFE | 23.47 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | 1 | | |
| | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | 1 | _ | | LICDEE | 20.00 | 407.50 | 70.00 | 60.05 | 47.40 | | 45.00 | | 1 | 1 | |
| \vdash | Grade - Zone 3 | | 3 | UEA UEA | USBFE OCOSL | 39.63 | 107.56 | 70.09 | 62.05 | 17.40 | | 15.66 | | 1 | | + |
| \vdash | Order Coordination For Specified Conversion Time, Per LSR | | 4 | | | 44.07 | 18.09 | 20.00 | 55.01 | 40.00 | | 45.00 | | | | + |
| | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | <u> </u> | 1 2 | UDN UDN | USBFF USBFF | 14.87 21.69 | 106.16 106.16 | 68.69 68.69 | 55.64 55.64 | 13.29 13.29 | | 15.66 15.66 | | | | + |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | 1 | 3 | UDN | USBFF | 21.69 32.51 | 106.16 | 68.69 | 55.64 55.64 | 13.29 | | 15.66 | | 1 | 1 | + |
| | Order Coordination For Specified Conversion Time, Per LSR | | J | UDN | OCOSL | 32.31 | 18.09 | 00.09 | 33.04 | 13.29 | | 13.00 | | 1 | | + |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | 1 | 1 | UDC | USBFS | 14.87 | 106.16 | 68.69 | 55.64 | 13.29 | | 15.66 | | | | + |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | 1 | 2 | UDC | USBFS | 21.69 | 106.16 | 68.69 | 55.64 | 13.29 | | 15.66 | | | | + |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | 1 | 3 | UDC | USBFS | 32.51 | 106.16 | 68.69 | 55.64 | 13.29 | | 15.66 | | 1 | 1 | † |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 55.09 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | † |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 124.69 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | İ | İ | † |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | | USL | USBFG | 294.62 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | 1 |
| | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 18.09 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 5.75 | 83.78 | 46.32 | 53.02 | 10.67 | | 15.66 | | | | 1 |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | | | | | | | | | | |
| 1 1 | 2 | l | 2 | UCL | USBFH | 4.93 | 83.78 | 46.32 | 53.02 | 10.67 | 1 | 15.66 | | | | 1 |

| ONBONDLE | D NETWORK ELEMENTS - Alabama | | | | | 1 | | | | | | | | ment: 2 | | bit: B |
|--|---|--|------|-------|--------|----------|----------|-----------|--------------|-------|------------------------|------------------------------------|---------------------------------------|---------------------------------------|--------------------------------|--|
| | | | | | | | | | | | Svc Order Submitted | Svc Order Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Elec per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Manual Sve Order vs. Electronic- Disc Add'l |
| | | | | | | | NI | | T 81 | B' | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | 001111 | | Rates(\$) | 001141 | 001141 |
| | Habitadad Cub Lasa Fasder Lasa O Mira Canasa Lasa 7-a-a | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | 3 | UCL | USBFH | 3.96 | 83.78 | 46.32 | 53.02 | 10.67 | | 15.66 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | 3 | UCL | OCOSL | 3.90 | 18.09 | 40.32 | 55.02 | 10.07 | | 13.00 | | | | + |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFJ | 12.71 | 100.99 | 63.53 | 57.90 | 13.26 | | 15.66 | | | | + |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | | UCL | USBFJ | 9.69 | 100.99 | 63.53 | 57.90 | 13.26 | | 15.66 | | | | + |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | | UCL | USBFJ | 14.37 | 100.99 | 63.53 | 57.90 | 13.26 | | 15.66 | | | | + |
| | Order Coordination For Specified Conversion Time, per LSR | | Ŭ | UCL | OCOSL | 14.01 | 18.09 | 00.00 | 07.00 | 10.20 | | 10.00 | | | | 1 |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 19.20 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 2 | UDL | USBFN | 21.64 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | | UDL | USBFN | 23.75 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | 1 |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | Ť | 002 | 005.11 | 200 | 101.00 | 0 1.00 | 02.00 | | | 10.00 | | | | |
| | Zone 1 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | 1 | UDL | USBFO | 19.20 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Zone 2 | | 2 | UDL | USBFO | 21.64 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | l | _ | LIDI | LICREO | 00 7- | 404.0- | 04.00 | 20.05 | 47.00 | | 45.00 | | | | |
| | Zone 3 | | 3 | UDL | USBFO | 23.75 | 101.85 | 64.38 | 62.05 | 17.40 | - | 15.66 | | - | 1 | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 18.09 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1 | | 1 | UDL | USBFP | 19.20 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2 | | 2 | UDL | USBFP | 21.64 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3 | | 3 | UDL | USBFP | 23.75 | 101.85 | 64.38 | 62.05 | 17.40 | | 15.66 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UDL | OCOSL | | 18.09 | | | | | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | .oop Feeder | | | | | | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Per Mile Per Month | ı | | UE3 | 1L5SL | 13.55 | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | ı | | UE3 | USBF1 | 332.40 | 3,400.58 | 407.00 | 160.47 | 90.97 | | 15.66 | | | | |
| | Sub Loop Feeder – STS-1 – Per Mile Per Month | ı | | UDLSX | 1L5SL | 13.55 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | ı | | UDLSX | USBF7 | 357.36 | 3,400.58 | 407.00 | 160.47 | 90.97 | | 15.66 | | | | |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month | - 1 | | UDLO3 | 1L5SL | 10.28 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month | 1 | | UDLO3 | USBF5 | 54.89 | | | | | | | | | | |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | ı | | UDLO3 | USBF2 | 538.69 | 3,400.58 | 407.00 | 160.47 | 90.97 | | 15.66 | | | | |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | | | UDL12 | 1L5SL | 12.66 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
| | Month | - 1 | | UDL12 | USBF6 | 620.18 | | | | | | | | | | |
| | Sub Loop Feeder - OC-12 - Facility Termination Per Month | ı | | UDL12 | USBF3 | 1,729.00 | 3,400.58 | 407.00 | 160.47 | 90.97 | | 15.66 | | | | |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | Ī | | UDL48 | 1L5SL | 41.51 | | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month | I | | UDL48 | USBF9 | 310.30 | | | | | | | | | | |
| | Sub Loop Feeder - OC-48 - Facility Termination Per Month | ı | | UDL48 | USBF4 | 1,495.00 | 3,586.58 | 407.00 | 160.47 | 90.97 | | 15.66 | | | | |
| | Sub Loop Feeder - OC-12 Interface On OC-48 | ı | | UDL48 | USBF8 | 350.09 | 804.67 | 407.00 | 160.47 | 90.97 | | 15.66 | | | | |
| UNBUNDLED | LOOP CONCENTRATION | | | | | | | | | | | | | | | |
| | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 364.17 | 325.41 | 325.41 | | | | 15.66 | | | | |
| | Unbundled Loop Concentration - System B (TR008) | | | ULC | UCT8B | 43.70 | 135.59 | 135.59 | | | | 15.66 | | | | |
| | Unbundled Loop Concentration - System A (TR303) | | | ULC | UCT3A | 395.12 | 325.41 | 325.41 | | | | | | | | |
| | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 73.64 | 135.59 | 135.59 | | | | 15.66 | | | | |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | | | ULC | UCTCO | 4.16 | 63.29 | 46.07 | 16.79 | 4.70 | | 15.66 | | | | |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite Card) | | | UDN | ULCC1 | 6.60 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration - UDC Loop Interface (Brite Card) | | | UDC | ULCCU | 6.60 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | 1 | | | | 3.50 | | | 5.55 | 0.00 | | .0.00 | 1 | 1 | | 1 |
| | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 1.65 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card) | | | UEA | ULCCR | 9.81 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card) | | | UEA | ULCC4 | 5.85 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|---------------|--|-------------|----------|-------------------------------------|----------------|-----------------|------------------|-----------|--|-------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - TEST CIRCUIT Card | | | ULC | UCTTC | 28.60 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface | | | UDL | ULCC7 | 8.67 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | UDL | ULCC1 | 0.07 | 10.54 | 10.46 | 5.39 | 5.36 | | 13.00 | | | | |
| | Interface | | | UDL | ULCC5 | 8.67 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | | | | | | | | 0.00 | | | | | | | |
| | Interface | | | UDL | ULCC6 | 8.67 | 10.54 | 10.48 | 5.39 | 5.36 | | 15.66 | | | | |
| UNE OTHER, I | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,U ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| LINE OTHER | PROVISIONING ONLY - NO RATE | | | ENIW | UNECN | 0.00 | 0.00 | | - | | | | | | | |
| ONE OTTIER, I | TROVISIONING ONET - NO RATE | | | | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| | rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | | | | | | | | | | | | | |
| | rate | | | UEA,USL,UCL,UDL | USBFR CCOSF | 0.00 | 0.00 | | 1 | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - | | | USL | CCOSF | 0.00 | 0.00 | | - | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPACI | TY UNBUNDLED LOCAL LOOP | | | 002 | COOL | 0.00 | 0.00 | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | | | | | | | | | | | | | |
| | month | | | UE3 | 1L5ND | 8.38 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Facility Termination per month | | | UE3 | UE3PX | 308.98 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month | | | UDLSX | 1L5ND | 8.38 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 319.83 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | | |
| LOOP MAKE- | | | | | | | | | | | | | | | | |
| | Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). | | | UMK | UMKLW | | 20.00 | 20.00 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | UIVIK | UIVIKLVV | | 20.00 | 20.00 | | | | | | | | |
| | queried (Manual). | | | UMK | UMKLP | | 21.00 | 21.00 | | | | | | | | |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | | 1 | İ | |
| | spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.59 | 0.59 | | | | | | | | |
| | ENCY SPECTRUM | | | | | | | | | | | | | | | |
| | SHARING | | | | | | | | | | | | | | | |
| SPLII | TERS-CENTRAL OFFICE BASED | | | 111.0 | LII CDA | 455.07 | 400.70 | 0.00 | 477.00 | 0.00 | | 45.00 | | | | |
| - | Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity | | | ULS ULS | ULSDA ULSDB | 155.97 38.99 | 188.79 188.79 | 0.00 | 177.98 177.98 | 0.00 | | 15.66 15.66 | | | | |
| | Line Sharing Splitter, Per System, 8 Line Capacity | | | ULS | ULSD8 | 12.73 | 377.58 | 0.00 | 355.96 | 0.00 | | 15.66 | | | | |
| | Line Sharing opinter, i et dystern, o Eine Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | <u> </u> | | OLO | OLODO | 12.73 | 311.30 | 0.00 | 333.30 | 0.00 | | 13.00 | | | | |
| | deactivation (per LSOD) | | | ULS | ULSDG | | 86.47 | 0.00 | 49.84 | 0.00 | | 15.66 | | | | |
| END U | ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | SPEC | TRUM | | | | | | | | | | | | | |
| | Line Sharing - per Line Activation (BST Owned splitter) | | | ULS | ULSDC | 0.61 | 18.51 | 10.60 | 10.01 | 4.92 | | 15.66 | | | | |
| | Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter | | | ULS | ULSDS | | 16.39 | 8.19 | | | | 15.66 | |] | | |
| | Line Sharing - per Subsequent Activity per Line | | | | | | | | | | | | | | | |
| | Rearrangement(DLEC Owned Splitter | | | ULS | ULSCS | | 16.39 | 8.19 | | | | 15.66 | | | | |
| | Line Sharing - per Line Activation (DLEC owned Splitter) | | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.02 | 9.83 | | 15.66 | | ļ | ļ | |
| | SPLITTING | <u> </u> | ! | | | | | | 1 | | | | | | | <u> </u> |
| I IEND U | ISER ORDERING-CENTRAL OFFICE BASED | 1 | | UEPSR UEPSB | UREOS | 0.61 | | | | | | | | - | | |
| i | | | | | | | | | | | | | | | | • |
| | Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical | - | | UEPSR UEPSB | UREBP | 0.61 | 37.01 | 21.19 | 20.02 | 9.83 | | 15.66 | | | | |

| | DLLL | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-----------------------|------|--|-------------|----------|--------------------|----------------|----------------|------------------|-----------------|----------------|-------|--------|----------------|--|--|-------------------------|------------------------|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | No | RATES(\$) | | P. | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - | Incrementa Charge - |
| | | | | | | | Rec | Nonred First | urring Add'l | Nonrecurring | Add'l | COMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| ь | EMOT | E SITE HIGH FREQUENCY SPECTRUM | | | | | | FIRST | Add I | First | Addi | SOWIEC | SOWAN | SUMAN | SUMAN | SOWAN | SOMAN |
| | | ERS-REMOTE SITE | | | | 1 | | | | | | | | | | | + |
| - 3 | | Remote Site Line Share BellSouth Owned Splitter, 24 Port | - | | ULS | ULSRB | 38.18 | 221.09 | 0.00 | 254.79 | 0.00 | | 15.66 | | | | + |
| \vdash | | Remote Site Line Share Cable Pair Activation CLEC Owned at | • | | OLO | OLOND | 00.10 | 221.00 | 0.00 | 204.10 | 0.00 | | 10.00 | | | | + |
| ì | | RS and Deactivation | 1 | | ULS | ULSTG | | 74.38 | 0.00 | 46.77 | 0.00 | | 15.66 | | | | |
| E' | | ER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM | / AKA | REMOT | | | | | | | | | | | | | 1 |
| | | Remote Site Line Share Line Activationfor End User Served at RS, BST Splitter | 1 | | ULS | ULSRC | 0.61 | 37.01 | 21.19 | 20.02 | 9.83 | | 15.66 | | | | |
| | | RS Line Share Line Activation for End User served at RS, CLEC | | | | | | | | | | | | | | | |
| | | Splitter | I | | ULS | ULSTC | 0.61 | 37.01 | 21.19 | 20.02 | 9.83 | | 15.66 | | | | |
| | | EDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | NTEROFFICE CHANNEL DEDICATED TRANSPORT - minimus | m billin | g perio | od - below DS3=one | month, DS3/ | STS-1=four mo | nths | | | | | | | | | |
| L IN | | FFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | I | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.008838 | | | | | | | | | | |
| | I | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | U1TVX | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | | Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.008838 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination | | | U1TVX | U1TR2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | I | Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.008838 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination | | | U1TVX | U1TV4 | 18.73 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TDX | 1L5XX | 0.008838 | | | | | | | | | | |
| | - | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination | | | U1TDX | U1TD5 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | - I | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TDX | 1L5XX | 0.008838 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TDX | U1TD6 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | ı | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month | | | U1TD1 | 1L5XX | 0.18 | | | | | | | | | | |
| | - | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination | | | U1TD1 | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| | 1 | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TD3 | 1L5XX | 4.09 | | | | | | | | | | |
| | - | Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month | | | U1TD3 | U1TF3 | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | 15.66 | | | | |
| $\sqcup \!\!\! \perp$ | | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month | | | U1TS1 | 1L5XX | 4.09 | | | | | | | | | | <u> </u> |
| | - | Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination | | | U1TS1 | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 58.46 | | 15.66 | | | | <u> </u> |
| | | CHANNEL - DEDICATED TRANSPORT | | | DC2 | DC2/CTC 4 | | | | | | | | | | 1 | |
| Nº | | OCAL CHANNEL DEDICATED TRANSPORT - minimum billing Local Channel - Dedicated - 2-Wire Voice Grade | g perio | u - belo | | | | 193.10 | 33.17 | 36.64 | 3.20 | | 15.66 | | | | + |
| +-+ | | Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | ULDVX ULDVX | ULDV2 ULDR2 | 13.97 13.97 | 193.10 193.10 | 33.17 | 36.64 36.64 | 3.20 | | 15.66 15.66 | | | 1 | |
| \vdash | | Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat | | | UNDVX | ULDV4 | 14.93 | 193.10 | 33.60 | 27.11 | 3.67 | | 15.66 | | - | 1 | + |
| \vdash | | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1 | ULDF1 | 35.76 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | | | | + |
| - | | Local Channel - Dedicated - DS1 - Zone 2 | | 2 | ULDD1 | ULDF1 | 49.98 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | | | 1 | † |
| | | Local Channel - Dedicated - DS1 - Zone 3 | | 3 | ULDD1 | ULDF1 | 107.63 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month | | | ULDD3 | 1L5NC | 6.92 | | | | | | | | | | |
| | | Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 | ULDF3 | 416.54 | 451.52 | 463.94 | 119.49 | 83.58 | | 15.66 | _ | | | |
| . — | | Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 6.92 | | | | | | | | | | |
| | | Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 408.49 | 451.52 | 463.94 | 119.49 | 83.58 | | 15.66 | | | | • |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|---|--|--|----------|---------|--|--------|-----------|--|------------|----------|---|-------------------------|--|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - | | Incremental Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| 1 | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Channel | | | UDF | 1L5DC | 60.32 | | | | | | | | | | |
| | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 639.09 | 137.87 | 317.06 | 197.66 | | 15.66 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 22.34 | | | | | | | | | | |
| | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 639.09 | 137.87 | 317.06 | 197.66 | | 15.66 | | | | |
| | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | Thereof per month - Local Loop | | <u> </u> | UDF | 1L5DL | 60.32 | 200 00 | 107.07 | 047.00 | 107.00 | | 45.00 | | | | ļ |
| OVY 400500 | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 639.09 | 137.87 | 317.06 | 197.66 | | 15.66 | | | | |
| OAA ACCESS | TEN DIGIT SCREENING 8XX Access Ten Digit Screening, Per Call | | | OHD | + | 0.00056 | | | | | | | | - | 1 | ┼ |
| — | 8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | טו וט | + | 0.00056 | | | | | | | | 1 | 1 | |
| | Number Reserved | | | OHD | N8R1X | | 2.58 | 0.44 | | | | 15.66 | | | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | | | מויס | INDIVIA | 1 | 2.00 | 0.44 | | | | 13.00 | | 1 | 1 | |
| | POTS Translations | 1 | | OHD | |] | 5.94 | 0.81 | 4.57 | 0.54 | | 15.66 | | 1 | | |
| | 8XX Access Ten Digit Screening, Per 8XX No. Established With | † | | U. 10 | _ | | 5.54 | 0.01 | 4.57 | 0.54 | <u> </u> | 10.00 | | | 1 | |
| | POTS Translations | 1 | | OHD | N8FTX |] | 5.94 | 0.81 | 4.57 | 0.54 | | 15.66 | | 1 | | |
| | 8XX Access Ten Digit Screening, Customized Area of Service | | | | | | | | | | | | | | | |
| | Per 8XX Number | | | OHD | N8FCX | | 2.58 | 1.29 | | | | 15.66 | | | | |
| | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | | | | | | | | | | | | | |
| | Routing Per CXR Requested Per 8XX No. | | | OHD | N8FMX | | 3.02 | 1.73 | | | | 15.66 | | | | |
| | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 3.02 | 0.44 | | | | 15.66 | | | | |
| | 8XX Access Ten Digit Screening, Call Handling and Destination | | | | | | | | | | | | | | | |
| | Features | | | OHD | N8FDX | | 2.58 | | | | | 15.66 | | | | l |
| | 8XX Access Ten Digit Screening, w/ 8FL No. Delivery | | | OHD | | 0.000565 | | | | | | | | | | |
| | 8XX Access Ten Digit Screening, w/ POTS No. Delivery | | | OHD | | 0.000565 | | | | | | | | | | |
| LINE INFORM | ATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | LIDB Common Transport Per Query | | | OQT | | 0.00002 | | | | | | | | | | |
| | LIDB Validation Per Query | | | OQU | | 0.012002 | | | | | | | | | | |
| | LIDB Originating Point Code Establishment or Change | | <u> </u> | OQT, OQU | NRPBX | | 34.32 | 42.08 | | | | 15.66 | | | | . |
| SIGNALING (| CCS7 Signaling Connection, Per 56Kbps Facility | | | | _ | 15.46 | 35.53 | 35.53 | 10.11 | 16.44 | | 45.00 | | | | |
| | CCS7 Signaling Connection, Per Sokops Facility CCS7 Signaling Termination, Per STP Port | | | LIDB | PT8SX | | 35.53 | 35.53 | 16.44 | 16.44 | | 15.66 | | | | |
| | CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per Call Setup Message | | <u> </u> | UDB | P185X | 130.83 0.0000142 | | | | | | | | | | <u> </u> |
| | CCS7 Signaling Usage, Per Can Setup Message | | | UDB | | 0.0000142 | | | | | 1 | | | | | |
| | CCS7 Signaling Osage, Fell TCAP Message CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | 15.66 | | | | |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | ODB | 111177 | 13.40 | 33.33 | 33.33 | 10.44 | 10.44 | | 13.00 | | | | 1 |
| | link) | | | UDB | TPP++ | 15.46 | 35.53 | 35.53 | 16.44 | 16.44 | | 15.66 | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.0000142 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 650.33 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code | | | | | | | | | | | | | | | |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 29.01 | 29.01 | 35.57 | 35.57 | | 15.66 | | | | |
| E911 SERVICI | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade | | | | | 13.97 | 193.10 | 33.17 | 36.64 | 3.20 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.008838 | | | | | | | | | | L |
| 1 | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | | | | | | | | | | | | | |
| | Termination | ļ | | | _ | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | ļ | | |
| | Local Channel - Dedicated - DS1 - Zone 1 | ļ | | | | 35.76 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | | | ļ | ↓ |
| | Local Channel - Dedicated - DS1 - Zone 2 | <u> </u> | <u> </u> | | | 49.98 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | | | | ↓ |
| | Local Channel - Dedicated - DS1 - Zone 3 | | <u> </u> | | + | 107.63 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | | | ļ. | |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | - | | + | 0.18 | | | | | - | | | | 1 | |
| 1 | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| CALLING NAT | ME (CNAM) SERVICE | | | | + | 00.16 | 09.27 | 01.01 | 10.33 | 14.44 | | 10.00 | | 1 | | + |
| SALLING NAI | CNAM For DB Owners - Service Establishment | 1 | | OQV | + | | 22.95 | | 21.11 | | | | | | 1 | |
| - | CNAM For Non DB Owners - Service Establishment | | | OQV | + | | 22.95 | | 21.11 | | | | | | | + |
| | CNAM For DB Owners - Service Provisioning With Point Code | † | | ~ v | _ | | 22.33 | | 41.11 | | <u> </u> | | | | 1 | |
| | Establishment | 1 | 1 | OQV | |] | 990.88 | 732.84 | 268.93 | 197.74 | | | | Ì | | |

| UNBUNDLE | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--------------|--|-------------|----------|-----|--------|----------|----------|-----------|--------------|--------------|--------|-----------|--|----------|-------------------------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonrec | RATES(\$) | Nonrecurring | ı Dicconnect | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CNAM For Non DB Owners - Service Provisioning With Point | | | | | | 11131 | Addi | 1 1130 | Addi | COMILO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | Code Establishment | | | OQV | | | 342.33 | 245.14 | 275.25 | 197.74 | | | | | | |
| | CNAM for DB Owners, Per Query | | | OQV | | 0.000902 | | | | - | | | | | | |
| | CNAM for Non DB Owners, Per Query | | | OQV | | 0.000902 | | | | | | | | | | |
| LNP Query Se | ervice | | | | | | | | | | | | | | | |
| | LNP Charge Per query | | | | | 0.000757 | | | | | | | | | | |
| | LNP Service Establishment Manual | | | | | | 12.52 | | 11.51 | | | 15.66 | | | | |
| | LNP Service Provisioning with Point Code Establishment | | | | | | 593.49 | 303.20 | 268.93 | 197.74 | | 15.66 | | | | |
| OPERATOR C | CALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| INWARD OPF | RATOR SERVICES | | | | + | 0.20 | | | | | | | | - | - | 1 |
| T | Inward Operator Services - Verification, Per Minute | <u> </u> | <u> </u> | 1 | 1 | 1.15 | | | | | | | | 1 | 1 | 1 |
| | Inward Operator Services - Verification and Emergency Interrupt - Per Minute | | | | | 1.15 | | | | | | | | | | |
| BRANDING - | OPERATOR CALL PROCESSING | | | | | 0 | | | | | | | | | 1 | |
| | ty based CLEC | | | | | | | | | | | | | | 1 | |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 15.66 | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | CBAOL | | 500.00 | 500.00 | | | | 15.66 | | | | |
| UNEP | CLEC | | | | 02/102 | | 000.00 | 000.00 | | | | 10.00 | | | 1 | |
| 1 | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | 15.66 | | | 1 | |
| | Loading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | | | 500.00 | 500.00 | | | | 15.66 | | | | |
| Unbra | anding via OLNS for UNEP CLEC | | | | | | 000.00 | 000.00 | | | | 10.00 | | | | |
| 0 | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | 15.66 | | | 1 | |
| DIRECTORY / | ASSISTANCE SERVICES | | | | | | 1,200.00 | ., | | | | | | | 1 | |
| DIREC | CTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.275 | | | | | | | | | | |
| DIREC | CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (| DACC) | | | | | | | | | | | | | | |
| | Directory Assistance Call Completion Access Service (DACC), | | | | | | | | | | | | | | | |
| | Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| | BER SERVICES INTERCEPT ACCESS SERVICE | | | | | | | | | | | | | | | |
| | ASSISTANCE SERVICES | | | | | | | | | | | | | | | |
| DIREC | CTORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | 0.04 | | | | | | | | | - | |
| | Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | | | | | | | - | |
| BRANDING - | DIRECTORY ASSISTANCE | | | | DBSOF | 150.00 | | | | | | | | - | - | |
| | ty Based CLEC | | | | | | | | | | | | | | | |
| I aciiit | Recording and Provisioning of DA Custom Branded | | | | | | | | | | | | | | | |
| | Announcement | 1 | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | | 15.66 | | 1 | I | |
| | Loading of Custom Branded Announcement per Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | 15.66 | | | | |
| UNEP | CLEC | 1 | 1 | | | | | | | | | | | | | |
| | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | 15.66 | | | | |
| | Loading of DA Custom Branded Announcement per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | | | | 15.66 | · | | | |
| Unbra | anding via OLNS for UNEP CLEC | | 1 | | 1 | | , | , | | | | | | 1 | 1 | Ì |
| | Loading of DA per OCN (1 OCN per Order) | | i – | | | | 420.00 | 420.00 | | | | 15.66 | | | 1 | |
| | Loading of DA per Switch per OCN | 1 | 1 | | | | 16.00 | 16.00 | | | | 15.66 | | | | |
| SELECTIVE R | | | | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per | [| | | | | | | | | | | | | | |
| | Switch | | | | USRCR | | 84.70 | 84.70 | 14.11 | 14.11 | | 15.66 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|--|-------------|------|--|--------|--------|----------|-----------|--------------|------------|-------|---|--|--|---|--------------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | • | oss | Rates(\$) | | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 1,205.26 | 1,205.26 | 0.51 | 0.51 | | 15.66 | | | | |
| | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | | 859.71 | 859.71 | 22.49 | 22.49 | | 15.66 | | | | ĺ |
| | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.22 | | | | | | | | | | |
| | Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 7.83 | | | | | | | | | | ĺ |
| | Virtual Collocation - Cable Support Structure, per entrance | | | | | | | | | | | | | | | |
| | cable | | | AMTFS | ESPSX | 14.97 | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connects (loop) | | | UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX UEA,UHL,UCL,UDL, | UEAC2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | | | | AMTFS, UAL, UDN, | | | | | | | | | | | | |
| | Virtual Collocation - 4-wire Cross Connects (loop) | | | UNCVX, UNCDX | UEAC4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | 15.66 | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.84 | 20.89 | 15.20 | 7.38 | 5.92 | | 15.66 | | | | |
| | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, | CINCZF | 2.04 | 20.09 | 15.20 | 1.30 | 5.92 | | 13.00 | | | | |
| | Virtual Collocation - 4-Fiber Cross Connects Virtual collocation - Special Access & UNE, cross-connect per | | | UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF USL, ULC, AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, | CNC4F | 5.69 | 25.55 | 19.86 | 9.71 | 8.25 | | 15.66 | | | | |
| | DS1 | | | UNLD1 | CNC1X | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | | 15.66 | | | | |
| | Virtual collocation - Special Access & UNE, cross-connect per | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, | | | | | | | | | | | | |
| | DS3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | UDLSX, UNLD3 | CND3X | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | | 15.66 | | | | |
| | Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | AMTFS | VE1CB | 0.0026 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | AMTFS | VE1CD | 0.0038 | | | | | | | | | | |
| | Support Structure,per cable Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | AMTFS | VE1CC | | 535.37 | | | | | 15.66 | | | | |
| | Cable Support Structure, per cable | | 1 | AMTFS | VE1CE | | 535.37 | | | | | 15.66 | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,518.57 | 1,518.57 | 265.99 | 265.99 | | 15.66 | | 1 | | 1 |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 653.83 | 653.83 | 378.24 | 378.24 | | 15.66 | | | | |
| | Virtual Collocaiton Cable Records - VG/DS0 Cable, per each | | | | T | | 222.00 | 222.00 | | 5:3:21 | | | | | | İ |
| | 100 pair | 1 | | AMTFS | VE1BC | | 9.62 | 9.62 | 11.79 | 11.79 | | 15.66 | | 1 | | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 4.50 | 4.50 | 5.52 | 5.52 | | 15.66 | | | | 1 |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 15.75 | 15.75 | | 19.32 | | 15.66 | | | | 1 |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 168.97 | 168.97 | 154.25 | 154.25 | | 15.66 | | | | |
| | Virtual collocation - Security Escort - Basic, per half hour | <u></u> | | AMTFS | SPTBX | | 16.93 | 10.73 | | | | 15.66 | | | | |
| | Virtual collocation - Security Escort - Overtime, per half hour | | | AMTFS | SPTOX | | 22.05 | 13.86 | | | | 15.66 | | | | |
| | Virtual collocation - Security Escort - Premium, per half hour | | | AMTFS | SPTPX | | 27.17 | 16.98 | | | | 15.66 | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per half hour | | | AMTFS | CTRLX | | 27.93 | 10.73 | | | | 15.66 | | | | |
| | Virtual collocation - Maintenance in CO - Overtime, per half hour | L | | AMTFS | SPTOM | | 36.47 | 13.86 | | | | 15.66 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ment: 2 | | bit: B |
|--------------|--|-------------|------|--------------|----------------|----------|----------------------|-----------------|-----------------------|---------------------|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | Disconnect Add'l | SOMEC | SOMAN | OSS SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | | | | | | | | | 11130 | Auu i | JOHILO | | JOWAN | JONIAN | JOHIAN | JOHIAN |
| VIRTUAL COL | Virtual collocation - Maintenance in CO - Premium per half hour | | | AMTFS | SPTPM | | 45.02 | 16.98 | | | | 15.66 | | | | |
| VIKTUAL COL | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | 1 | 1 |
| | Wire Analog - Res | | | UEPSR | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | | | | \ | | 10.00 | | 0.00 | | | 4.5.00 | | | | |
| | Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | UEPSP | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Voice Grade PBX Trunk - Res | | | UEPSE | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | | | UEPSB | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | ISDN | | | UEPSX | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | | | | | | | | | | | | |
| | ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | UEPTX | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| | ISDN DS1 | | | UEPEX | VE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.44 | | 15.66 | | | | |
| VIRTUAL COL | | | | 02.12% | | 0.00 | .2.00 | 11.01 | 0.00 | 0.11 | | 10.00 | | | | |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | | | | | | | | | | | | | | | |
| PHYSICAL CO | Splitting | | | UEPSR, UEPSB | VE1LS | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| PHISICAL CC | Physical Collocation-2 Wire Cross Connects (Loop) for Line | | | | + | | | | | | | | | | | |
| | Splitting | | | UEPSR, UEPSB | PE1LS | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | 15.66 | | | | |
| AIN SELECTIV | /E CARRIER ROUTING | | | | | | | | | | | | | | | |
| - | Regional Service Establishment End Office Establishment | | | SRC SRC | SRCEC SRCEO | | 101,098.91 169.88 | 169.88 | 8,590.70 1.70 | 1.70 | | 15.66 15.66 | | | - | - |
| | Query NRC, per query | | | SRC | SKCEU | 0.002749 | 109.00 | 169.00 | 1.70 | 1.70 | | 13.00 | | | | |
| AIN - BELLSC | UTH AIN SMS ACCESS SERVICE | | | | | | | | | | | | | | | |
| | AIN SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | |
| | Initial Setup | | | A1N | CAMSE | | 39.44 | 39.44 | 40.69 | 40.69 | | 15.66 | | | | |
| | AIN SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 7.83 | 7.83 | 9.09 | 9.09 | | 15.66 | | | | |
| | AIN SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 7.83 | 7.83 | 9.09 | 9.09 | | 15.66 | | | | |
| | AIN SMS Access Service - User Identification Codes - Per User | | | | | | | | | | | | | | | |
| - | ID Code AIN SMS Access Service - Security Card, Per User ID Code, | | | A1N | CAMAU | | 35.00 | 35.00 | 27.06 | 27.06 | | 15.66 | | | - | - |
| | Initial or Replacement | | | A1N | CAMRC | | 41.88 | 41.88 | 11.71 | 11.71 | | 15.66 | | | | |
| | AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | | | 0.002188 | | | | | | | | | | |
| | AIN SMS Access Service - Session, Per Minute | | | | | 0.59 | | | | | | | | | | |
| | AIN SMS Access Service - Company Performed Session, Per Minute | | | | | 0.73 | | | | | | | | | | |
| AIN - BELLSC | UTH AIN TOOLKIT SERVICE | | | | | 0.75 | | | | | | | | | | |
| | AIN Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | |
| | Initial Setup | | | CAM | BAPSC | | 39.44 | 39.44 | 40.69 | 40.69 | | 15.66 | | | | |
| - | AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPVX | | 4,202.17 | 4,202.17 | | | | 15.66 | | | | |
| | DN, Term. Attempt | | | | BAPTT | | 7.83 | 7.83 | 9.09 | 9.09 | | 15.66 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, Off-Hook Delay | | | | BAPTD | | 7.83 | 7.83 | 9.09 | 9.09 | | 15.66 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate | | | | BAPTM | | 7.83 | 7.83 | 9.09 | 9.09 | | 15.66 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | DN, 10-Digit PODP | | | | BAPTO | | 34.47 | 34.47 | 14.36 | 14.36 | | 15.66 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP | | | | BAPTC | | 34.47 | 34.47 | 14.36 | 44.00 | | 15.66 | | | | |
| | AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | DAPIC | | 34.47 | 34.47 | 14.36 | 14.36 | | 15.00 | | | | |
| | DN, Feature Code | | | | BAPTF | | 34.47 | 34.47 | 14.36 | 14.36 | | 15.66 | | | | |
| | AIN Toolkit Service - Query Charge, Per Query | | | | | 0.05 | _ | • | | • | | | | | | |

| UNBL | INDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhib | bit: B |
|-------------|--------|--|----------|--------|-----------------|---------------|-----------------|----------------|----------------|----------------|----------------|--------------|-----------|--------------|---------------|---------------|--|
| 330 | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit | | | | | | | | | | | | | | | |
| | | Subscription, Per Node, Per Query | | | | | 0.00582 | | | | | | | | | | 1 |
| | | AIN Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | | | | | | | | | | | 1 |
| | | Account, Per 100 Kilobytes | | | | | 0.05 | | | | | | | | | | l |
| | | AIN Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | | | | | | | | | | | | i |
| | | Subscription | | | CAM | BAPMS | 10.17 | 7.83 | 7.83 | 5.50 | 5.50 | | 15.66 | | | | . |
| | | AIN Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | | | | | | | | | | i . |
| | | Subscription | | | CAM | BAPLS | 2.87 | 8.66 | 8.66 | | | | 15.66 | | | | L |
| | | AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service | | | | | | | | | | | | | | | i . |
| | | Subscription | | | CAM | BAPDS | 7.39 | 7.83 | 7.83 | 5.50 | 5.50 | | 15.66 | | | | |
| | | AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit | | | | | | | | | | | 4= 00 | | | | i |
| | | Service Subscription | | | CAM | BAPES | 0.10 | 8.66 | 8.66 | | | | 15.66 | | | | |
| ENHAN | | TENDED LINK (EELs) New Density Zone 1 EELs are available in the following MSA | | | Mismi Fl. Ft. I | dendele F' | Atlanta Ca No | Orleans 1.4 | | | | | | | | | + |
| | | | | | | | Atlanta, Ga; Ne | w Orleans, LA, | | | | | | | | | |
| - | | Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem | | | | | | 4 4 . 0 | A - I - OI | | | | | | | | <u> </u> |
| | | In all states, EEL network elements shown below also apply t | | | | | | | | | | | | UNES.(Non-re | curring rates | do not apply. | / |
| - | | In All States the EEL network elements apply to ordinarily co | | | | itch As is Ch | arge.) wnen o | dering ordinar | ily combined i | network eiemei | nts, Non-recur | ring rates d | о арріу. | | | | + |
| - | 2-WIRE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EKOFF | ICE IR | ANSPORT (EEL) | | | | | | | | | | | | + |
| | | First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 44.00 | 88.00 | 55.00 | 47.24 | 7.44 | | 45.00 | | | | ĺ |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | ' | UNCVX | UEALZ | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | 1 |
| | | First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | UNCVA | UEALZ | 22.00 | 00.00 | 55.00 | 41.24 | 7.44 | | 15.66 | | | | |
| | | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | 1 |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVA | ULALZ | 30.14 | 88.00 | 33.00 | 47.24 | 7.44 | 1 | 13.00 | | | | |
| | | per month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | 1 |
| | | Interoffice Transport - Dedicated - DS1 combination - Facility | | | ONOTA | TESAA | 0.10 | | | | | | | | | | |
| | | Termination per month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | i . |
| | | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 107.19 | 91.04 | 62.57 | 10.54 | 9.79 | | 15.66 | | | | — |
| | | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 0.56 | 6.58 | 4.72 | 10.04 | 0.70 | | 15.66 | | | | — |
| | | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | ONOVA | 10110 | 0.00 | 0.00 | 7.72 | | | | 10.00 | | | | |
| | | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | 1 |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | - | | | | | | | | |
| | | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | i . |
| | | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | | | | | | | | | | | | | | |
| | | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | i |
| | | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | | | | | | | | | |
| | | per month | | | UNCVX | 1D1VG | 0.56 | 6.58 | 4.72 | | | | 15.66 | | | | i |
| | | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | | Is Charge | <u> </u> | | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | <u> </u> | <u></u> | L |
| | 4-WIRE | VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | ANSPORT (EEL) | | | | | | | | | | | | |
| 1 | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | l | | | | | | | | | | | |] | | 1 |
| | | Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | 1 |
| | | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | . |
| | | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | i . |
| | | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | . |
| | | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | i . |
| | | Per Month | | | UNC1X | 1L5XX | 0.18 | | | | | | 15.66 | | | | ├ |
| 1 | | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | l | | LINGAY | | | | | | | | 4- 4- | | Ì | | 1 |
| <u> </u> | | Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | 1 | |
| | | Channelization - Channel System DS1 to DS0 combination Per | | | LINIOAV | | 407.40 | 04.04 | 00.57 | 40.54 | 0.70 | | 45.00 | | | | i |
| - | | Month | 1 | | UNC1X | MQ1 | 107.19 | 91.04 | 62.57 | 10.54 | 9.79 | - | 15.66 | | - | | |
| 1 | | Voice Grade COCI - DS1 to DS0 Channel System combination - | l | | LINCVY | 1011/0 | 0.50 | 0.50 | 4.70 | | | | 45.00 | | | | 1 |
| | | per month Additional 4-Wire Analog Voice Grade Loop in same DS1 | - | | UNCVX | 1D1VG | 0.56 | 6.58 | 4.72 | - | | | 15.66 | | - | - | |
| 1 | | Interoffice Transport Combination - Zone 1 | l | 1 | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | 1 |
| - | | Additional 4-Wire Analog Voice Grade Loop in same DS1 | 1 | | ONOVA | ULAL4 | 25.54 | 131.97 | ±51 | 35.14 | 14.50 | 1 | 15.00 | | | | |
| 1 | | Interoffice Transport Combination - Zone 2 | l | 2 | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | Ì | | 1 |
| | | Interemee Hansport Combination - Zone Z | | | 0140 47 | JLAL4 | 30.30 | 151.37 | ₹.51 | JJ. 14 | 14.30 | <u> </u> | 10.00 | | l . | l | |

| ONBONDL | ED NETWORK ELEMENTS - Alabama | | | 1 | | | | | | | 1 - | | | ment: 2 | | bit: B |
|----------|--|-------------|-------|------------------------|-------|--------|--------|-----------|--------------|-------|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | UNCVX | 1D1VG | 0.56 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4-WIB | RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTER | FEICE | | | | 3.35 | 3.35 | 0.90 | 0.90 | | 13.00 | | | | |
| 4-1111 | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | INTERC | 1 | TRANSPORT (EEE) | ' | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | - | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 107.19 | 91.04 | 62.57 | 10.54 | 9.79 | | 15.66 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4-WIR | RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | TRANSPORT (EEL) | | | | | | | | | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | Ŭ | UNC1X | 1L5XX | 0.18 | 120.27 | 00.00 | 00.11 | | | 10.00 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per Month | | | UNC1X | MQ1 | 107.19 | 91.04 | 62.57 | 10.54 | 9.79 | | 15.66 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 1.19 | 6.58 | 4.72 | 10.54 | 3.13 | | 15.66 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | | | | | | | | | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 3 | | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | combination - per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 1D1DD | 1.19 | 6.58 | 4.72 | 0.05 | 2.5- | | 15.66 | | | | |
| 4-WIR | Is Charge EDS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | EROFFI | CE TR | UNC1X ANSPORT (EEL) | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |

| NRONDLE | D NETWORK ELEMENTS - Alabama | | 1 | ı | | | | | | | | | | nent: 2 | | bit: B |
|---------|--|-------------|--------|----------------|--------|----------|--------|-----------|--|-------|---|---|---|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | ROFFI | CE TRA | | 011000 | | 0.00 | 0.00 | 0.50 | 0.00 | | 10.00 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | Ů | UNC3X | 1L5XX | 4.09 | 202.11 | 101.01 | | | | 10.00 | | | | |
| | Interoffice Transport - Dedicated - DS3 - Facility Termination per month | | | UNC3X | U1TF3 | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | 15.66 | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 176.20 | 178.14 | 93.97 | 33.26 | 31.83 | | 15.66 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.47 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1 | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.47 | 6.58 | 4.72 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge | | | UNC3X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 2-WIR | E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TF | RANSPORT (EEL) | | | | | | | | | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.38 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 22.85 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 36.14 | 88.00 | 55.00 | 47.24 | 7.44 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month | | | UNCVX | 1L5XX | 0.008838 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| 4 WID | Is Charge E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | EBOE | ICE TO | UNCVX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4-WIRI | 4-WireVG Loop used with 4-wire VG Interoffice Transport | LKUFF | ICE IF | MINOPURI (EEL) | 1 | | | | | | | | | | | |
| | Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport | | 1 | UNCVX | UEAL4 | 25.34 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport | | 2 | UNCVX | UEAL4 | 38.58 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per | | 3 | UNCVX | UEAL4 | 60.02 | 131.97 | 94.51 | 59.14 | 14.50 | | 15.66 | | | | |
| | Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade | | | UNCVX | 1L5XX | 0.008838 | | | | | | | | | | |
| | combination - Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | U1TV4 | 18.73 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| ı | Is Charge | l | 1 | UNCVX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | I | |

| ONBONDL | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | 1 - | | | nent: 2 | | bit: B |
|----------|--|--|-----------------|----------------|--------------|-----------------|----------------|---------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | High Capacity Unbundled Local Loop - DS3 combination - Per | | | | | | | | | | | | | | | |
| | Mile per month | | | UNC3X | 1L5ND | 8.89 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month | | | UNC3X | UE3PX | 327.71 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 4.09 | 451.52 | 203.94 | 119.49 | 03.30 | | 13.00 | | | 1 | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | 1 | CHOOK | 120/01 | 4.00 | | | | | | | | | | |
| | Termination per per month | | | UNC3X | U1TF3 | 703.52 | 278.75 | 162.76 | 60.20 | 58.46 | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC3X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| STS1 | DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF | FICE TF | RANSP | ORT (EEL) | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month | | | UNCSX | 1L5ND | 8.89 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - | | | UNCOA | ILSIND | 0.09 | | | | | | | | | | |
| | Facility Termination per month | | | UNCSX | UDLS1 | 339.21 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | | | | | | | | | | | | 1 | |
| | per month . | | | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UNCSX | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 58.46 | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | • | | | | | | | | | | | | | | |
| 0.140 | Is Charge |))T (EE) | | UNCSX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 2-WII | RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination | KI (EEL | .) | | + | | | | | | | | | | | |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | - '- | ONONA | OTLEX | 21.00 | 117.24 | 13.11 | 32.00 | 10.54 | | 13.00 | | | | |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.18 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combintion - Facility | | | | = | | | | 40.05 | | | 4= 00 | | | | |
| | Termination per month Channelization - Channel System DS1 to DS0 combination - | | | UNC1X | U1TF1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | - |
| | per month | | | UNC1X | MQ1 | 107.19 | 91.04 | 62.57 | 10.54 | 9.79 | | 15.66 | | | | |
| - | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | CHOTA | IVIQ I | 107.10 | 31.04 | 02.07 | 10.04 | 0.70 | | 10.00 | | | | |
| | combination - per month | | | UNCNX | UC1CA | 2.56 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.88 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | _ | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 32.85 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3 | | 3 | UNCNX | U1L2X | 48.55 | 117.24 | 79.77 | 52.88 | 10.54 | | 15.66 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | 3 | UNCINA | UTLZX | 46.55 | 117.24 | 19.11 | 32.00 | 10.54 | | 13.00 | | | | |
| | combintaion- per month | | | UNCNX | UC1CA | 2.56 | 6.58 | 4.72 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4-WII | RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | RANSPORT (EEL) | | | | | 1 | | | | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | LINCAY | LICL VV | 82.55 | 050.47 | 457.54 | 44.70 | 44.74 | | 45.00 | | | | |
| | Zone 1 First DS1 Loop in STS1 Interoffice Transport Combination - | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | - | | 55200 | 104.10 | 202.41 | 107.04 | 44.70 | | | 10.00 | | | | |
| <u> </u> | Zone 3 | <u></u> | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | <u> </u> | 15.66 | | | <u> </u> | <u></u> |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | <u> </u> | UNCSX | 1L5XX | 4.09 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | | | | | | | | | | | | 1 | |
| | Termination | | <u> </u> | UNCSX | U1TFS | 701.37 | 278.75 | 162.76 | 60.20 | 58.46 | | 15.66 | | | 1 | |
| | STS1 to DS1 Channel System conbination per month DS3 Interface Unit (DS1 COCI) combination per month | | 1 | UNCSX UNC1X | MQ3 UC1D1 | 176.20 13.47 | 178.14 6.58 | 93.97 4.72 | 33.26 | 31.83 | | 15.66 | | | | |
| - | Additional DS1Loop in STS1 Interoffice Transport Combination - | 1 | 1 | UNU IA | וטוטט | 13.47 | 0.58 | 4.72 | | | | | | | + | |
| | Zone 1 | | 1 | UNC1X | USLXX | 82.55 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | 1 | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ment: 2 | 1 | bit: B |
|--|--|-------------|----------|-------------------|----------------|-----------------|------------------|----------------|--|---------------|-------|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | A LITTLE OF DOUBLE CONTROL OF THE CO | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2 | | 2 | UNC1X | USLXX | 154.18 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | ONOTA | OOLXX | 134.10 | 202.41 | 107.04 | 44.70 | 11.71 | | 15.00 | | | | |
| | Zone 3 | | 3 | UNC1X | USLXX | 314.52 | 252.47 | 157.54 | 44.70 | 11.71 | | 15.66 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.47 | 6.58 | 4.72 | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINGOV | 111000 | | 5 50 | 5.50 | 0.00 | 0.00 | | 45.00 | | | | |
| 4-1//15 | Is Charge RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | EEICE 1 | DANG | UNCSX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4-4411 | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | FFICE | INANG | I LEL | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | 3 | GINODA | ODESO | 31.08 | 120.27 | 00.00 | Jy. 14 | 14.30 | | 10.00 | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.008838 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD5 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINODY | 111000 | | 5 50 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4-WIE | Is Charge RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | FEICE 1 | FRANS | UNCDX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| 4-4411 | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | FFICE | KANS | I LEL | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.09 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.95 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 37.88 | 126.27 | 88.80 | 59.14 | 14.50 | | 15.66 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | 3 | ONODA | ODLO4 | 37.00 | 120.21 | 00.00 | 39.14 | 14.50 | | 13.00 | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.008838 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD6 | 15.12 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCDX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| ADDITIONAL | NETWORK ELEMENTS | | 1 | ONODA | 014000 | | 5.55 | 3.33 | 0.30 | 0.90 | | 13.00 | | | | |
| | n used as a part of a currently combined facility, the non-recurr | ng cha | rges de | not apply, but a | Switch As Is c | harge does app | ly. | | | | | | | | | |
| | n used as ordinarily combined network elements in All States, t | | | | | As Is Charge of | loes not. | | | | | | | | | |
| Nonre | ecurring Currently Combined Network Elements "Switch As Is" | Charge | (One a | pplies to each co | mbination) | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | J.1377 | 311000 | | 5.59 | 0.00 | 5.90 | 0.30 | | 10.00 | | | | |
| | Is Charge - 56/64 kbps | | | UNCDX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge - DS1 | | ļ | UNC1X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3 | | | UNC3X | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | ! | 0.4007 | 011000 | | 5.59 | 5.59 | 0.30 | 0.30 | | 13.00 | | | 1 | † |
| | Is Charge - STS1 | | | UNCSX | UNCCC | | 5.59 | 5.59 | 6.98 | 6.98 | | 15.66 | | | | <u> </u> |
| NOTE | E. Local Channel - Dedicated Transport - minimum billing period | d - Belo | w DS3 | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Local Channel - Dedicated - 4-Wire Voice Grade | | <u> </u> | UNCXV | ULDV2 ULDV4 | 13.97 14.93 | 193.10 193.53 | 33.17 33.60 | 36.64 37.11 | 3.20 3.67 | | 15.66 15.66 | | | | ļ |
| | Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNCXV UNC1X | ULDV4 ULDF1 | 14.93 35.76 | 193.53 177.47 | 153.72 | 37.11 22.19 | 3.67 15.26 | | 15.66 15.66 | | | | - |
| | Local Channel - Dedicated - DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 49.98 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | | | 1 | † |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 107.63 | 177.47 | 153.72 | 22.19 | 15.26 | | 15.66 | | | <u></u> | |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 6.92 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | <u> </u> | UNC3X | ULDF3 | 416.54 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination | | ! | UNCSX | 1L5NC ULDFS | 6.92 408.49 | 451.52 | 263.94 | 119.49 | 83.58 | | 15.66 | | | 1 | |
| Ontio | pnal Features & Functions: | | 1 | ONCOV | ULDFS | 408.49 | 451.52 | 203.94 | 119.49 | 83.58 | | 10.00 | | - | 1 | - |
| | TIPLEXERS | - | 1 | | + | | | | | | | | | 1 | 1 | t |

| UNRU | JNDLE | D NETWORK ELEMENTS - Alabama | | | • | | | | | | | | | | ment: 2 | | bit: B |
|----------|----------|--|-------------|----------------|----------------------|-----------------|-----------------|-----------------|-----------|--------------|------------|---|---|--|--|---|--|
| CATEG | GORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | + | _ | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates(\$) | | I |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 101.06 | 91.04 | 62.57 | 10.54 | 9.79 | | 15.66 | | | | |
| | | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | | | | | | | | | | | | | | | |
| | | month (2.4-64kbs) | | | UDL | 1D1DD | 1.12 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | | month | | | UDN | UC1CA | 2.41 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 0.53 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | 15.66 | | | | |
| | | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 166.13 | 178.14 | 93.97 | 33.26 | 31.83 | | 15.66 | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Loop per month | | | USL | UC1D1 | 12.70 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Local Channel per | | | | | | | | | | | | | | | |
| | | month | | | ULDD1 | UC1D1 | 12.70 | 6.58 | 4.72 | | | | 15.66 | | | | |
| | | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel | l | | LUTDA | 110454 | 40 =0 | 0 =0 | 4 = | 1 | | | 45.00 | | 1 | | |
| LINIDIII | UDLED! | per month LOCAL EXCHANGE SWITCHING(PORTS) | | <u> </u> | U1TD1 | UC1D1 | 12.70 | 6.58 | 4.72 | | | } | 15.66 | | ! | ļ. | 1 |
| UNBUN | | | | | | | | | | - | | | | | | | |
| - | | nge Ports Although the Port Rate includes all available features in GA, I | KY I A | L & TN + | he desired features | will need to b | ne ordered usin | n retail IISOCe | • | + | | } | | | + | | 1 |
| | | E VOICE GRADE LINE PORT RATES (RES) | I, LA | <u>α πν, ι</u> | lie desired realures | will fleed to i | Je ordered usir | ig retail 0300s | • | + + | | 1 | | | | | |
| | Z-VVIIXL | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | 1 | 15.66 | | | | |
| | | Exonange Forto 2 Wile Funding Eine Fort 1965. | | | OLI OIL | OLITE | 1.00 | 2.00 | 2.21 | 1.72 | 1.00 | | 10.00 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | | Exorange Forto E Trife Funding Elife Fort With Galler ID Troo. | | | OL: OIX | 020 | 1.00 | 2.00 | | | | | 10.00 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled AL extended local | | | | | | | | | | | | | | | |
| | | dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAR | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | | | | | | | | | | | | | |
| | | with Caller ID (LUM) | | | UEPSR | UEPAP | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | | Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan | | | | | | | | | | | | | | | |
| | | without Caller Id | | | UEPSR | UEPWA | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | | Capability | | | UEPSR | UEPRT | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | FEATU | - | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSR | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | 2-WIRE | VOICE GRADE LINE PORT RATES (BUS) | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | | |
| | | Bus Date O.M. NO. of the Health of Part 19th | | | UEPSB | UEPBL | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | | Exchange Ports - 2-Wire VG unbundled Line Port with | | | LIEDOD | LIEDDO | 4.00 | 0.00 | 2.27 | 4.40 | 1.33 | | 45.00 | | | | |
| | 1 | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.38 | 2.38 | 2.21 | 1.42 | 1.33 | | 15.66 | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | 1 | Exchange Ports - 2-Wire VG unbundled AL extended local | | | UEPSB | UEPBU | 1.30 | 2.30 | 2.21 | 1.42 | 1.33 | 1 | 15.66 | | | | |
| | | dialing parity Port with Caller ID - Bus. | | | UEPSB | UEPAW | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | + | Exhange Ports - 2-Wire VG unbundled incoming only port with | | | OLI OD | OLI AVV | 1.50 | 2.30 | 2.21 | 1.72 | 1.55 | 1 | 13.00 | | | | |
| | | Caller ID - Bus | | | UEPSB | UEPB1 | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | 1 | Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan | 1 | - | | 32. 2. | 00 | 2.00 | 2.21 | 2 | 00 | | .5.50 | | <u> </u> | | 1 |
| 1 | | without Caller ID | l | | UEPSB | UEPWB | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | I | | |
| | 1 | 2-Wire voice unbundled Incoming Only Port without Caller ID | | 1 | | | | | | | | Ì | | | | | |
| | | Capability | l | | UEPSB | UEPBE | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | I | | |
| | | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | FEATU | IRES | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | EXCHA | ANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | ļ | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | ļ | <u> </u> | UEPSP | UEPPO | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | ļ | | |
| | 1 | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | ļ | <u> </u> | UEPSP | UEPP1 | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | ļ | |
| | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | l | 1 | UEPSP | UEPLD | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | |] | |
| | | 2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port | | | UEPSP | UEPA2 | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |

| UNBUNDLED N | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachr | nent: 2 | Exhi | oit: B |
|--|---|----------|--|---|---|--|--|--|--------------------------------------|------------------------------|--------------|---|--------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | | Incrementa |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | _ |
| | | Interi | _ | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | | | | | | | | | • | • | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'I | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Auu i | DISC 1St | DISC Add I |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | NAMOS | SOMAN | SOMAN | SOMAN | SOMAN |
| 0.17 | Mar Mar Hall and Hall O Mar DDV Harras David | | | UEPSP | UEPXA | 4.00 | | | 13.94 | 0.90 | SOWIEC | | JOWAN | JOWAN | SOWAN | SOWAN |
| | Nire Vice Unbundled 2-Way PBX Usage Port | | | | | 1.38 | 31.27 | 14.85 | | | | 15.66 | | | | |
| | Vire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| 2-V | Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| 2-V | Vire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | pable Port | | | UEPSP | UEPXE | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | 02. 0. | OLI AL | | 011.27 | 1 1.00 | 10.01 | 0.00 | | 10.00 | | | | |
| | | | | LIEDOD | LIEDVI | 4.00 | 24.07 | 44.05 | 42.04 | 0.00 | | 45.00 | | | | |
| | ministrative Calling Port | | | UEPSP | UEPXL | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | om Calling Port | | Ь | UEPSP | UEPXM | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | L |
| 2-V | Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | scount Room Calling Port | l | 1 | UEPSP | UEPXO | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | |] |] |
| | Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 1.38 | 31.27 | 14.85 | 13.94 | 0.90 | | 15.66 | | | | |
| | bsequent Activity | - | | UEPSP | USASC | 0.00 | | 0.00 | 13.34 | 0.90 | | | | | | - |
| | | | <u> </u> | UEFSP | USASC | 0.00 | 0.00 | 0.00 | | | | 15.66 | | | | |
| FEATURES | | | | L | ļ | | | | | | | | | | | ļ |
| | Available Vertical Features | | | UEPSP UEPSE | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| EXCHANG | E PORT RATES (COIN) | | | | | | | | | | | | | | | |
| Exc | change Ports - Coin Port | | | | | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| | ansmission/usage charges associated with POTS circuit sv | vitched | usage | will also apply to c | ircuit switche | | | | ission by B-Ch | annels associ | ated with 2- | wire ISDN n | orts. | | | |
| | cess to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | Boguest Bro | 2000 | |
| | | avalla | ne om | y tiliough brk/New | Dusilless Re | quest Frocess. | Rates for the | раскет саравн | ities will be de | termineu via t | ie bolia riu | e Kequest/r | New Dusiness | Request Pro | cess. | |
| | CAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | E PORT RATES | | | | | | | | | | | | | | | |
| | change Ports - 2-Wire DID Port | | | UEPEX | UEPP2 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | 15.66 | | | | |
| Exc | change Ports - DDITS Port - 4-Wire DS1 Port with DID | | | | | | | | | | | | | | | |
| car | pability | | | UEPDD | UEPDD | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | | 15.66 | | | | |
| | change Ports - 2-Wire ISDN Port (See Notes below.) | | | UEPTX UEPSX | U1PMA | 9.79 | 72.77 | 52.99 | 47.79 | 10.74 | | 15.66 | | | | |
| | Features Offered | | | UEPTX UEPSX | UEPVF | 1.98 | 0.00 | 0.00 | 47.70 | 10.74 | | 10.00 | | | | |
| | | vitabad | | | | | | | issian by B Ch | annala accasi | atad with 3 | wire ICDN n | orto | | | |
| | ansmission/usage charges associated with POTS circuit sv | | | | | | | | | | | | | | | |
| | cess to B Channel or D Channel Packet capabilities will be | avalla | ole oni | | | | | | ities will be de | termined via t | ne Bona Fid | e Request/r | New Business | Request Pro | cess. | |
| Exc | change Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exc | change Ports - 4-Wire ISDN DS1 Port | | | UEPEX | UEPEX | 84.32 | 203.81 | 101.56 | 79.18 | 20.06 | | 15.66 | | | | |
| UNBUNDL | ED PORT with REMOTE CALL FORWARDING CAPABILITY | | | | | | | | | | | | | | | |
| | ED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | | | | | | | | | | | | |
| | bundled Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| Oili | builded Remote Call I of Warding Service, Area Calling, Res | | | OLI VIX | OLIVAC | 1.50 | 2.50 | 2.21 | 1.72 | 1.55 | | 13.00 | | | | |
| l | | | | | | 4.00 | | | | | | 4= 00 | | | | |
| | bundled Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| Unl | bundled Remote Call Forwarding Service, InterLATA - Res | | | | | | | | | | | | | | | |
| | | | | UEPVR | UERTE | 1.38 | 2.38 | 2.27 | 1.42 | 1.33 | | 15.66 | | | | |
| Uni | bundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR UEPVR | UERTE UERTR | | | | 1.42 1.42 | 1.33 1.33 | | 15.66 15.66 | | | | |
| Uni Non-Recur | bundled Remote Call Forwarding Service, IntraLATA - Res | | | | | 1.38 | 2.38 | 2.27 | | | | | | | | |
| Non-Recur | bundled Remote Call Forwarding Service, IntraLATA - Res rring | | | | | 1.38 | 2.38 | 2.27 | | | | | | | | |
| Non-Recur Un | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - | | | UEPVR | UERTR | 1.38 | 2.38 2.38 | 2.27 2.27 | | | | 15.66 | | | | |
| Non-Recur Uni Sw | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - vitch-as-is | | | | | 1.38 | 2.38 | 2.27 | | | | | | | | |
| Non-Recur Unl Sw Unl | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - vitch-as-is bundled Remote Call Forwarding Service - Conversion with | | | UEPVR UEPVR | UERTR USAC2 | 1.38 | 2.38 2.38 0.10 | 2.27 2.27 0.10 | | | | 15.66 | | | | |
| Non-Recur Uni Sw Uni allo | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - ritch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) | | | UEPVR | UERTR | 1.38 | 2.38 2.38 | 2.27 2.27 | | | | 15.66 | | | | |
| Non-Recur Uni Sw Uni allo | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - vitch-as-is bundled Remote Call Forwarding Service - Conversion with | | | UEPVR UEPVR | UERTR USAC2 | 1.38 | 2.38 2.38 0.10 | 2.27 2.27 0.10 | | | | 15.66 | | | | |
| Non-Recur Uni Sw Uni allo | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - ritch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) | | | UEPVR UEPVR | UERTR USAC2 | 1.38 | 2.38 2.38 0.10 | 2.27 2.27 0.10 | | | | 15.66 | | | | |
| Non-Recur Uni Sw Uni allo UNBUNDL | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - vitch-as-is bundled Remote Call Forwarding Service - Conversion with bundled Remote Call Forwarding Service - Conversion with bundled Remote Call Forwarding Service - Conversion with bundled Remote Call Forwarding - Bus | | | UEPVR UEPVR UEPVR | USAC2 USACC | 1.38 1.38 | 2.38 2.38 0.10 | 2.27 2.27 0.10 | 1.42 | 1.33 | | 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni allo UNBUNDL | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - ritch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) | | | UEPVR UEPVR | UERTR USAC2 | 1.38 | 2.38 2.38 0.10 | 2.27 2.27 0.10 | | | | 15.66 | | | | |
| Non-Recur Uni Sw Uni alla UNBUNDL | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - vitch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVR UEPVR UEPVR | USAC2 USACC USACC | 1.38 1.38 | 2.38 2.38 0.10 0.10 | 2.27 2.27 0.10 0.10 | 1.42 | 1.33 | | 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni uni allc UNBUNDLI Uni | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - itch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus | | | UEPVR UEPVR UEPVR UEPVB UEPVB | USAC2 USACC UERAC UERAC | 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 | 2.27 2.27 0.10 0.10 2.27 | 1.42 | 1.33 1.33 | | 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni alic UNBUNDLI Uni Uni Uni | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - itch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB | USAC2 USACC UERAC UERAC UERLC UERTE | 1.38 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 2.38 | 2.27 2.27 0.10 0.10 2.27 2.27 | 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 | | 15.66 15.66 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni alic UNBUNDLI Uni Uni Uni Uni | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - vitch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, InterLATA - Bus bundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVR UEPVR UEPVR UEPVB UEPVB | USAC2 USACC UERAC UERAC | 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 | 2.27 2.27 0.10 0.10 2.27 | 1.42 | 1.33 1.33 | | 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni alic UNBUNDLI Uni Uni Uni Uni | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - itch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB | USAC2 USACC UERAC UERAC UERLC UERTE UERTR | 1.38 1.38 1.38 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 2.38 | 2.27 2.27 0.10 0.10 2.27 2.27 2.27 2.27 | 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 | | 15.66 15.66 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni alic UNBUNDLI Uni Uni Uni Uni Uni | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - vitch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, InterLATA - Bus bundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB | USAC2 USACC UERAC UERAC UERLC UERTE | 1.38 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 2.38 | 2.27 2.27 0.10 0.10 2.27 2.27 | 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 | | 15.66 15.66 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni alla UNBUNDLI Uni Uni Uni Uni Uni Exx | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - itch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, InterLATA - Bus bundled Remote Call Forwarding Service, IntraLATA - Bus bundled Remote Call Forwarding Service Expanded and ception Local Calling | | | UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB | USAC2 USACC UERAC UERAC UERLC UERTE UERTR | 1.38 1.38 1.38 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38 | 2.27 2.27 0.10 0.10 2.27 2.27 2.27 2.27 | 1.42 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 | | 15.66 15.66 15.66 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni alic UNBUNDLI Uni Uni Uni Uni Uni Uni Uni Uni Non-Recur | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - vitch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, InterLATA - Bus bundled Remote Call Forwarding Service, IntraLATA - Bus bundled Remote Call Forwarding Service Expanded and ception Local Calling rring | | | UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB | USAC2 USACC UERAC UERAC UERLC UERTE UERTR | 1.38 1.38 1.38 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38 | 2.27 2.27 0.10 0.10 2.27 2.27 2.27 2.27 | 1.42 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 | | 15.66 15.66 15.66 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni alic UNBUNDLI Uni Uni Uni Uni Uni Uni Uni Uni Uni Uni | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - vitch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, InterLATA - Bus bundled Remote Call Forwarding Service interLATA - Bus bundled Remote Call Forwarding Service Expanded and ception Local Calling rring bundled Remote Call Forwarding Service - Conversion - | | | UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB | USAC2 USACC UERAC UERAC UERIC UERTE UERTR | 1.38 1.38 1.38 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38 | 2.27 2.27 0.10 0.10 2.27 2.27 2.27 2.27 2.27 | 1.42 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 | | 15.66 15.66 15.66 15.66 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni alla UNBUNDLI Uni Uni Uni Uni Uni Uni Uni Uni Sw Non-Recur Uni Sw | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - witch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, InterLATA - Bus bundled Remote Call Forwarding Service Expanded and ception Local Calling rring bundled Remote Call Forwarding Service - Conversion - witch-as-is | | | UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB | USAC2 USACC UERAC UERAC UERLC UERTE UERTR | 1.38 1.38 1.38 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38 | 2.27 2.27 0.10 0.10 2.27 2.27 2.27 2.27 | 1.42 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 | | 15.66 15.66 15.66 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni alic UNBUNDLI Uni Uni Uni Uni Uni Uni Sx Non-Recur Uni Sw Uni Uni Uni Uni Uni Uni Uni Uni Uni Uni | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - itch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, InterLATA - Bus bundled Remote Call Forwarding Service intraLATA - Bus bundled Remote Call Forwarding Service Expanded and ception Local Calling rring bundled Remote Call Forwarding Service - Conversion - itch-as-is bundled Remote Call Forwarding Service - Conversion with | | | UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB | USAC2 USACC UERAC UERAC UERTE UERTE UERTR UERVJ USAC2 | 1.38 1.38 1.38 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38 | 2.27 2.27 0.10 0.10 2.27 2.27 2.27 2.27 2.27 | 1.42 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 | | 15.66 15.66 15.66 15.66 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sw Uni alla UNBUNDLI Uni Uni Uni Uni Uni Uni Uni Sw Uni Sw Uni alla | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - vitch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, IntraLATA - Bus bundled Remote Call Forwarding Service, IntraLATA - Bus bundled Remote Call Forwarding Service Expanded and ception Local Calling rring bundled Remote Call Forwarding Service - Conversion - vitch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) | | | UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB | USAC2 USACC UERAC UERAC UERIC UERTE UERTR | 1.38 1.38 1.38 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38 | 2.27 2.27 0.10 0.10 2.27 2.27 2.27 2.27 2.27 | 1.42 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 | | 15.66 15.66 15.66 15.66 15.66 15.66 15.66 | | | | |
| Non-Recur Uni Sim Uni Uni uli UNBUNDLI Uni Uni Uni Uni Uni Uni Uni Sim Sim Uni Sim Uni Ini Ini Ini Ini Ini Ini Ini Ini Ini I | bundled Remote Call Forwarding Service, IntraLATA - Res rring bundled Remote Call Forwarding Service - Conversion - itch-as-is bundled Remote Call Forwarding Service - Conversion with owed change (PIC and LPIC) ED REMOTE CALL FORWARDING - Bus bundled Remote Call Forwarding Service, Area Calling - Bus bundled Remote Call Forwarding Service, Local Calling - Bus bundled Remote Call Forwarding Service, InterLATA - Bus bundled Remote Call Forwarding Service intraLATA - Bus bundled Remote Call Forwarding Service Expanded and ception Local Calling rring bundled Remote Call Forwarding Service - Conversion - itch-as-is bundled Remote Call Forwarding Service - Conversion with | | | UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB | USAC2 USACC UERAC UERAC UERTE UERTE UERTR UERVJ USAC2 | 1.38 1.38 1.38 1.38 1.38 1.38 | 2.38 2.38 0.10 0.10 2.38 2.38 2.38 2.38 | 2.27 2.27 0.10 0.10 2.27 2.27 2.27 2.27 2.27 | 1.42 1.42 1.42 1.42 1.42 | 1.33 1.33 1.33 1.33 | | 15.66 15.66 15.66 15.66 15.66 15.66 15.66 | | | | |

| UNB | UNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|----------|--|-------------|--------|----------------------|-------------|----------------|---------------|-----------|--|----------------|---------|---|-------------|--------------|--|--|
| CATE | - | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | | Incremental Charge - | Incremental Charge - |
| | | | | | | | Rec | Nonre | curring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | End Office Switching Function, Per MOU | | | | | 0.0007025 | | | | | | | | | | <u> </u> |
| | | End Office Trunk Port - Shared, Per MOU | | | | | 0.0001638 | | | | | | | | | | <u> </u> |
| | Tander | n Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | | | | 0.000095 | | | | | | | | | | ļ |
| | C | Tandem Trunk Port - Shared, Per MOU | | | | 1 | 0.0002015 | | | 1 | | | | | | - | |
| | Comm | on Transport Common Transport - Per Mile, Per MOU | | | | + | 0.0000023 | | | - | | - | | | - | - | |
| | | Common Transport - Fer Mile, Fer Milo | | | | | 0.0003224 | | | | | | | | | | 1 |
| UNBU | NDI FD F | PORT/LOOP COMBINATIONS - COST BASED RATES | | | | + | 0.0003224 | | | | | | | | | | |
| CITEC | | ased Rates are applied where BellSouth is required by FCC ar | nd/or St | ate Co | mmission rule to pro | ovide Unbun | dled Local Swi | ching or Swit | ch Ports. | | | | | | | | † |
| | | es shall apply to the Unbundled Port/Loop Combination - Cos | | | | | | | | ed Port section | of this Rate E | xhibit. | | | | | |
| | | fice and Tandem Switching Usage and Common Transport Us | | | | | | | | | | | n Port/Loop | Combination | ns. | | |
| | | st and additional Port nonrecurring charges apply to Not Curr | | | | | | | | | | | | | | 1 | |
| | 2-WIRE | VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | | | | 1 | | | | | | 1 | ĺ | | | | |
| | UNE P | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.70 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.19 | | | | | | | | | | |
| | | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 34.80 | | | | | | | | | | |
| | UNE L | pop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 11.55 | | | | | | | | | | <u> </u> |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 20.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 33.65 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (Res) | | | LIEBBY | | | 10.10 | 10.00 | 2121 | | | 15.00 | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| - | | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| - | - | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | - | 15.66 | | | | - |
| | | 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res | | | UEPRX | UEPAR | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID | | | UEPRX | UEPAP | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID | | | UEPRX | UEPWA | 1.10 | 40.13 | 13.00 | 24.31 | 0.00 | | 13.00 | | | | |
| | | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | 02.100 | 02 | | | | | | | | | | | |
| | | Capability | | | UEPRX | UEPRT | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPRX | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| | NONRE | CURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is | | | UEPRX | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| | ADDITI | ONAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | HEDDY | 110.400 | 0.00 | 0.00 | 0.00 | | | | 45.00 | | | | |
| - | 0.14(15) | Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | 1 | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | 1 | 15.66 | | 1 | | |
| | | | | | | + | | | | - | | | | | | | |
| - | UNE P | ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 | - | 1 | | 1 | 12.70 | | | + | | - | | | | | |
| - | + | 2-Wire VG Loop/Port Combo - Zone 1 | - | 2 | | 1 | 21.19 | | | + | | - | | | | | |
| | + | 2-Wire VG Loop/Port Combo - Zone 2 | | 3 | 1 | | 34.80 | | | | | | | | t | t | |
| | UNF 1 | pop Rates | | _ | | <u> </u> | 500 | | | | | | | | - | - | † |
| - | 3.1L L | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 11.55 | | | † | | | | | 1 | 1 | |
| | 1 | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 20.04 | | | 1 | | | | | 1 | 1 | |
| | 1 | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 33.65 | | | 1 | | | | | 1 | 1 | |
| | 2-Wire | Voice Grade Line Port (Bus) | | | | 1 | | | | 1 | | | | | | 1 | 1 |
| | | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire voice unbundled port outgoing only - bus | | | UEPBX | UEPBO | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus | | | UEPBX | UEPAW | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |

| ONRONDLED V | NETWORK ELEMENTS - Alabama | | | 1 | | | | | | | 1 - | _ | | ment: 2 | | bit: B |
|-------------|---|-------------|------|---------|---------|-------|--------|-----------|--------------|------------|-------|---|--|--|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-V | Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | Wire Voice Unbundled Alabama Business Dialing Plan without aller ID | | | UEPBX | UEPWB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | Wire voice unbundled Incoming Only Port without Caller ID | | | UEPBX | UEPBE | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | UMBER PORTABILITY | | | 02. 5% | 02.02 | 0 | 10.10 | 10.00 | 201 | 0.00 | | 10.00 | | | t | |
| | ocal Number Portability (1 per port) | | | UEPBX | LNPCX | 0.35 | | | | | | | | | | |
| FEATURES | S | | | | | | | | | | | | | | | |
| | l Features Offered | | | UEPBX | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | JRRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| Sw | Wire Voice Grade Loop / Line Port Combination - Conversion - witch-as-is | | | UEPBX | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| ADDITION | IAL NRCs | | | | | | | | | | | | | | | |
| | Wire Voice Grade Loop/Line Port Combination - Subsequent ctivity | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 15.66 | | | | |
| 2-WIRE VO | OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) | | | | | | | | | | | | | | | |
| | Loop Combination Rates | | | | | | | | | | | | | | | |
| | Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 12.70 | | | | | | | | | | |
| | Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.19 | | | | | | | | | | |
| | Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 34.80 | | | | | | | | | | |
| UNE Loop | | | | | | | | | | | | | | | | |
| | Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 11.55 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 20.04 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL 1) - Zone 3 ice Grade Line Port Rates (RES - PBX) | | 3 | UEPRG | UEPLX | 33.65 | | | | | | | | | | |
| 2-V | Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | LIEBBO | LIEDDD | 4.45 | 20.00 | 00.44 | 07.40 | 2.00 | | 45.00 | | | | |
| Re | UMBER PORTABILITY | | | UEPRG | UEPRD | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | ocal Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.66 | | | - | - |
| FEATURE | | | | OLI NO | LIVI OI | 5.15 | 0.00 | 0.00 | | | | 13.00 | | | | |
| | l Features Offered | | | UEPRG | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | JRRING CHARGES (NRCs) - CURRENTLY COMBINED | | | 02. 110 | 02. v. | 1.00 | 0.00 | 0.00 | | | | 10.00 | | | | |
| | Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | onversion - Switch-As-Is | | | UEPRG | USAC2 | | 7.91 | 1.90 | | | | 15.66 | | | | |
| ADDITION | IAL NRCs | | | | | | | | | | | | | | | |
| | Wire Voice Grade Loop/ Line Port Combination (PBX) - ubsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.66 | | | | |
| PB | BX Subsequent Activity - Change/Rearrange Multiline Hunt | | | OLI NO | 00/102 | 0.00 | | | | | | | | | | |
| | roup OICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | | | 7.32 | 7.32 | | | | 15.66 | | | | |
| | /Loop Combination Rates | | | | | | | | | | | | | | - | - |
| | Wire VG Loop/Port Combo - Zone 1 | | 1 | | + | 12.70 | | | | | | | | | | |
| | Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 21.19 | | | | | | | | | | |
| | Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 34.80 | | | | | | | | | | |
| UNE Loop | | | | | | | | | | | | | | | | |
| | Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 11.55 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 20.04 | | | | | | | | | | |
| | Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 33.65 | | | | | | | | | | |
| 2-Wire Voi | ice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | ļ | ļ | |
| Lin | ne Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | ne Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | ne Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| 2-V | Wire Voice Unbundled 2-Way Combination PBX Alabama | | | | | | | | | | | | | | | |
| | alling Port | | | UEPPX | UEPA2 | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.15 | 69.08 | 32.41 | | 6.20 | | 15.66 | | ļ | ļ | |
| | Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | 1 | |
| | Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | ļ | . | |
| [2-V | Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | l | 15.66 | | l | 1 | <u> </u> |

| <u>ONBOND</u> LED NE | TWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachr | nent: 2 | Exhi | bit: B |
|----------------------|---|-------------|--|--------|--------|-------|--------|-----------|--------------|-------|--------------|---|--|---|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| 0.145 | With the second of the second | | | LIEDDY | LIEDVD | 4.45 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | re Voice Unbundled PBX LD Terminal Switchboard Port re Voice Unbundled PBX LD Terminal Switchboard IDD | | | UEPPX | UEPXD | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | + |
| | ble Port | | | UEPPX | UEPXE | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | re Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | OLITA | OLI AL | 1.15 | 03.00 | 32.41 | 37.43 | 0.20 | | 13.00 | | | | + |
| | nistrative Calling Port | | | UEPPX | UEPXL | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | re Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | 02.17 | 02.7.2 | 0 | 00.00 | 02 | 07.10 | 0.20 | | 10.00 | | | 1 | |
| | n Calling Port | | | UEPPX | UEPXM | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | re Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | - | | | | | | | | | | |
| Disco | ount Room Calling Port | | | UEPPX | UEPXO | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | e Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 1.15 | 69.08 | 32.41 | 37.43 | 6.20 | | 15.66 | | | | |
| | BER PORTABILITY | | | | | | | | | | | | | | | |
| | Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.66 | | | | |
| FEATURES | | | | | | | | | | | | | | | | |
| | eatures Offered | | | UEPPX | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| NONRECURE | RING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | re Voice Grade Loop/ Line Port Combination (PBX) - | | | LIEDDY | 110400 | | 7.04 | 4.00 | | | | 45.00 | | | | |
| ADDITIONAL | ersion - Switch-As-Is | | | UEPPX | USAC2 | | 7.91 | 1.90 | | | | 15.66 | | | - | |
| | re Voice Grade Loop/ Line Port Combination (PBX) - | | | | - | | | | | | | | | | | + |
| | equent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | Subsequent Activity - Change/Rearrange Multiline Hunt | | | UEPPA | U3A32 | 0.00 | 0.00 | 0.00 | | | | 15.00 | | | | + |
| Groun | | | | | | | 7.32 | 7.32 | | | | 15.66 | | | | |
| | CE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | т | | | | | 7.52 | 1.02 | | | | 13.00 | | | | + |
| | op Combination Rates | | | | + | | | | | | | | | | | + |
| | re VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 12.70 | | | | | | | | | | |
| | re VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 21.19 | | | | | | | | | | |
| | re VG Coin Port/Loop Combo – Zone 3 | | 3 | | | 34.80 | | | | | | | | | | |
| UNE Loop Ra | ates | | | | | | | | | | | | | | | 1 |
| 2-Wire | e Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 11.55 | | | | | | | | | | |
| | e Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 20.04 | | | | | | | | | | |
| | e Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 33.65 | | | | | | | | | | |
| | Grade Line Ports (COIN) | | | | | | | | | | | | | | | |
| | re Coin 2-Way without Operator Screening and without | | | | | | 40.40 | | | | | 4= 00 | | | | |
| | king (AL, KY, LA, MS) | | | UEPCO | UEPRF | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| 2-VVir | re Coin 2-Way with Operator Screening (AL, KY) | | | UEPCO | UEPRE | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | - | |
| | re Coin 2-Way with Operator Screening and Blocking: 011, 076, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | e Coin 2-Way with Operator Screening and 011 Blocking | | | ULFCO | OLFKA | 1.13 | 40.19 | 19.03 | 24.51 | 0.03 | | 13.00 | | | | + |
| | LA, MS) | | 1 | UEPCO | UEPRB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | I | |
| | re Coin 2-Way with Operator Screening & Blocking: | | | | 525 | 1.10 | 40.10 | 10.00 | 24.01 | 0.00 | | 10.00 | | | † | |
| | 976, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | l | UEPCO | UEPCD | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | 1 | |
| 2-Wire | re Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | 1 |
| (AL, F | | | | UEPCO | UEPRK | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| 2-Wire | e Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 900/976, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | e Coin Outward Operator Screening & Blocking: 900/976, | | | | | | | | | | | | | | | |
| | DD, 011+, and Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | re 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | re Coin Outward Smartline with 900/976 (all states except | | 1 | | | | | | | | | | | | I | |
| LA) | LINE COIN DODT/I COD /DC' | | | UEPCO | UEPCR | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | 1 | |
| | UNE COIN PORT/LOOP (RC) | | | LIEDCO | LIBECT | 4.50 | 40.40 | 19.83 | 24.91 | 0.00 | | 45.00 | | | | + |
| | Coin Port/Loop Combo Usage (Flat Rate) BER PORTABILITY | | | UEPCO | URECU | 1.56 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | - | + |
| | Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | + |
| | RING CHARGES - CURRENTLY COMBINED | | | 021 00 | LIVIOA | 0.35 | | | | | | | | | t | + |
| | re Voice Grade Loop / Line Port Combination - Conversion - | | | | _ | | | | | | | | | | I | |
| | th-as-is | | 1 | UEPCO | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | I | |
| ADDITIONAL | | | | | | | 50 | 00 | | | | .0.00 | | | † | |

| ONBONDI | LED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|----------|---|-------------|--|--------|-----------|--|--------|-----------|--|-------|-------|-----------|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | Pi- | 1 | Submitted | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonred | | Nonrecurring | | COMEC | COMAN | | Rates(\$) | COMAN | COMAN |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | _ | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Activity | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 15.66 | | | | |
| 2-W | IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | FINE | OPT (| | U3A32 | | 0.00 | 0.00 | | | 1 | 13.00 | | | | 1 |
| | E Port/Loop Combination Rates | | J (| I I | | 1 | | | | | | | | | | |
| 0.112 | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 15.76 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 24.23 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 37.52 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 14.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 22.85 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 36.14 | | | | | | | | | | |
| 2-W | ire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire voice Grade unbundled Alabama extended local dialing | | | | | | | | | | | | | | | |
| | parity port with Caller ID - res | | | UEPFR | UEPAR | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire voice unbundles res, low usage line port with Caller ID | | | | | | | | | | | | | | | |
| | (LUM) | | | UEPFR | UEPAP | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled Alabama Residence Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPFR | UEPWA | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| INT | EROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | <u> </u> | UEPFR | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | 41 = 3.07 | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.008838 | | | | | | | | | | |
| FEA | ATURES | | | LIEDED | LIEDVE | 4.00 | 0.00 | 0.00 | | | | 45.00 | | | | |
| 1.00 | All Features Offered CAL NUMBER PORTABILITY | | | UEPFR | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| LOC | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | 1 | UEPFR | LINPUX | 0.33 | | | | | 1 | | | | | - |
| NON | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | 1 | | | | | | | | 1 | | | | | - |
| | Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 8.48 | 1.87 | | | | 15.66 | | | | |
| - | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | 1 | OLITIK | UUAUZ | 1 | 0.40 | 1.07 | | | | 13.00 | | | | |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 8.48 | 1.87 | | | | 15.66 | | | | |
| 2-W | IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | FINE | PORT (| | UUAUU | | 0.40 | 1.07 | | | | 13.00 | | | | |
| | Port/Loop Combination Rates | | J | 1 | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 15.76 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 24.23 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 37.52 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 14.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 22.85 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 36.14 | | | | | | | | | | |
| 2-W | ire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | | | UEPFB | UEPBO | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire voice Grade unbundled Alabama extended local dialing | | | l | l | | | | | | | | | 1 | 1 | |
| ļļ_ | parity port with Caller ID - bus | | <u> </u> | UEPFB | UEPAW | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled Alabama Business Dialing Plan without | 1 | 1 | LIEDED | LIEDWS | 1.00 | 20.00 | o | 40.00 | o | | 45.00 | | 1 | I | |
| | Caller ID | | | UEPFB | UEPWB | 1.38 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | 1 | 1 | |
| LOC | CAL NUMBER PORTABILITY | | | LIEDED | LNDCV | 0.05 | | | | | | | | 1 | 1 | |
| 15:77 | Local Number Portability (1 per port) EROFFICE TRANSPORT | | 1 | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INII | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | ├ | | - | + | | | | | | | | | | | + |
| 1 1 | Termination | 1 | 1 | UEPFB | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | 1 | | 1 | 1 | 1 | 1 |

| UNBUNDL | LED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ment: 2 | | bit: B |
|-----------|--|-------------|------|--|----------------|--------------|------------------|----------------|----------------|--------------|---|---|---|---|---|--|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile |) | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.008838 | | | | | | | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 1.98 | 0.00 | 0.00 | | | | 15.66 | | | | |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | LIEDED | 110400 | | 0.40 | 4.07 | | | | 45.00 | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 8.48 | 1.87 | | | | 15.66 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | UEPFB | USACC | | 8.48 | 1.87 | | | | 15.66 | | | | |
| 2 14/1 | Combination - Conversion - Switch with change IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX | | - | UEPFB | USACC | | 0.40 | 1.07 | | | | 15.00 | | | | |
| | E Port/Loop Combination Rates | , | 1 | | | | | | | | | | | | | |
| ONL | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | 1 | 1 | | + | 15.76 | | | | | | | | | - | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | 1 | 2 | | + | 24.23 | | | | | | | | | - | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | 1 | 3 | 1 | 1 | 37.52 | | | | | | | | 1 | 1 | |
| UNE | E Loop Rates | 1 | Ť | | | 51.02 | | | | | | | | | 1 | |
| 1-1- | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 14.38 | | | | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 22.85 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 36.14 | | | | | | | | | | |
| 2-Wi | ire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | ; | | UEPFP | UEPPC | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Alabama | | | | | | | | | | | | | | | |
| | Calling Port | | | UEPFP | UEPA2 | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPFP UEPFP | UEPXA UEPXB | 1.38 1.38 | 119.27 | 69.85 | 61.18 61.18 | 8.34 8.34 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port | | 1 | UEPFP | UEPXB | 1.38 | 119.27 119.27 | 69.85 69.85 | 61.18 | 8.34 | | 15.66 15.66 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | - | UEPFP | UEPXD | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| - | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | + | 1 | UEFFF | UEPAD | 1.30 | 119.27 | 09.00 | 01.10 | 0.34 | | 15.00 | | | | |
| | Capable Port | | | UEPFP | UEPXE | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | OLITI | OLI AL | 1.50 | 113.21 | 03.03 | 01.10 | 0.54 | | 13.00 | | | | |
| | Administrative Calling Port | | | UEPFP | UEPXL | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | 02 | 02. AL | 1.00 | | 00.00 | 011.10 | 0.01 | | 10.00 | | | | |
| | Room Calling Port | | | UEPFP | UEPXM | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | 1 | I | I |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | 2 | | | 22.00 | 20 | 2.01 | | .5.50 | | İ | İ | |
| | Discount Room Calling Port | | | UEPFP | UEPXO | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | 1 | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 1.38 | 119.27 | 69.85 | 61.18 | 8.34 | | 15.66 | | | | |
| LOC | CAL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFP | LNPCP | 3.15 | 0.00 | 0.00 | | | | 15.66 | _ | | | |
| INTE | EROFFICE TRANSPORT | | | | | | | - | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFP | U1TV2 | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | • | | l | 1 | | | | | | | | | 1 | I | |
| | or Fraction Mile | 1 | | UEPFP | 1L5XX | 0.008838 | | | | | | | | | | |
| FEA | ATURES | - | 1 | HEDED | LIED) (E | 100 | 0.00 | 0.00 | | | | 45.00 | | | - | |
| NON | All Features Offered | - | - | UEPFP | UEPVF | 1.98 | 0.00 | 0.00 | 1 | | | 15.66 | | | ! | + |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | + | 1 | | + | | | | | | | | | | | - |
| | Combination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 8.48 | 1.87 | | | | 15.66 | | 1 | I | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | + | 1 | OLFIF | USAUZ | | 0.48 | 1.07 | 1 | | | 10.00 | | 1 | t | + |
| | Combination - Conversion - Switch with change | | | UEPFP | USACC | | 8.48 | 1.87 | | | | 15.66 | | 1 | I | |
| UNBUNDL F | D PORT/LOOP COMBINATIONS - COST BASED RATES | 1 | 1 | 02.11 | 30,100 | | 0.40 | 1.07 | | | | 10.00 | | | - | |
| | IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUN | K PORT | | 1 | 1 | | | | | | | | | 1 | 1 | |
| | E Port/Loop Combination Rates | 1 | 1 | | | | | | | | | | | İ | 1 | 1 |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 22.40 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 30.88 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | | 44.17 | | | | | İ | | | | 1 | |

| ONRON | NDLE | NETWORK ELEMENTS - Alabama | | | | | | | | | | | 1 - | | | ment: 2 | | bit: B |
|--------|--------|---|-------------|--|--------|---------|----------------|----------|--------|-----------|--|------------|---|---|--|--|---|----------|
| CATEGO | DRY | RATE ELEMENTS | Interi m | Zone | В | cs | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | | | News | | I Name and a series of | Diagonuset | | | 220 | Detec(f) | l | |
| | | | | | | | | Rec | Nonrec | | Nonrecurring | | 201150 | 001111 | | Rates(\$) | 0011411 | 001111 |
| | INITIA | op Rates | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 | | 1 | UEPPX | | UECD1 | 14.38 | | | | | | | | | | + |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | | UECD1 | 22.85 | | | | | | | | | | + |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | | UECD1 | 36.14 | | | - | | | | | | - | + |
| | | ort Rate | | 3 | OLFFX | | OLCDI | 30.14 | | | - | | | | | | - | + |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 8.02 | 207.31 | 73.74 | 107.14 | 11.20 | | 15.66 | | | | + |
| | | CURRING CHARGES - CURRENTLY COMBINED | | | UEPPA | | UEPDI | 0.02 | 207.31 | 13.14 | 107.14 | 11.20 | | 15.00 | | | | + |
| r | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | | | | + |
| | | Switch-as-is | | | UEPPX | | USAC1 | | 7.31 | 1.87 | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | OLITA | | OOACT | | 7.51 | 1.07 | | | | | | | | + |
| | | with BellSouth Allowable Changes | | | UEPPX | | USA1C | | 7.31 | 1.87 | | | | | | | | |
| ٠, | | ONAL NRCs | | | JLI FA | | JUNIO | | 1.31 | 1.07 | | | | | | | | + |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | - | UEPPX | | USAS1 | | 26.78 | 26.78 | | | 1 | | | | 1 | + |
| - | | Done Number/Trunk Group Establisment Charges | | | OLPPA | | JUNUI | | 20.78 | 20.78 | + | | | | | - | | + |
| | | DID Trunk Termination (One Per Port) | | - | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | - | | - | | | - | | + |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | - | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | - | | - | | | - | | + |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | - | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | - | | - | | | - | | + |
| | | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | NUMBER PORTABILITY | | | HEDDY | | LNDOD | 0.45 | 0.00 | 0.00 | | | | | | | | |
| | | Local Number Portability (1 per port) | UE OIDE | | UEPPX | | LNPCP | 3.15 | 0.00 | 0.00 | | | | | | | | |
| | | ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI | NE SIDE | POR | | | | | | | | | | | | | | |
| | | rt/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | | UNE Zone 1 | | 1 | UEPPB | UEPPR | | 27.28 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | | UNE Zone 2 | | 2 | UEPPB | UEPPR | | 37.86 | | | | | | | | | | |
| | | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | | | | | | | | | | | | | | | |
| | | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 53.84 | | | | | | | | | | |
| l | | op Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 19.03 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 29.62 | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 45.60 | | | | | | | | | | |
| L | | rt Rate | | | | | | | | | | | | | | | | |
| | | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 8.24 | 190.01 | 132.76 | 100.67 | 21.28 | | 15.66 | | | | |
| N | NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | | Combination - Conversion | | <u> </u> | UEPPB | UEPPR | USACB | 0.00 | 38.51 | 27.02 | | | | 15.66 | | | | <u> </u> |
| | | ONAL NRCs | | | | | | | | | | | | | | | | |
| L | LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| E | | NEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| E | B-CHAN | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, & | TN) | | | | | | | | | | | | | | |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| ι | | ERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| V | | AL FEATURES | | | | | İ | | | | 1 | | | | | İ | İ | † |
| | | All Vertical Features - One per Channel B User Profile | | | UEPPB | UEPPR | UEPVF | 1.98 | 0.00 | 0.00 | 1 | | | | | İ | İ | 1 |
| 10 | | OFFICE CHANNEL MILEAGE | | | | | i e | | | | 1 | | İ | | | İ | 1 | 1 |
| | | Interoffice Channel mileage each, including first mile and | | | | | 1 | | | | 1 | | | | | 1 | t | † |
| | | facilities termination | | 1 | UEPPB | UEPPR | M1GNC | 21.14 | 40.54 | 27.41 | 16.74 | 6.90 | | | | l | I | 1 |
| | | Interoffice Channel mileage each, additional mile | | | | | M1GNM | 0.008838 | 0.00 | 0.00 | 10.74 | 0.50 | ł – – – – | 0.00 | | | t | + |
| | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | L | - | 25110 | OL: IIX | .vi i O i vivi | 0.000000 | 0.00 | 0.00 | - | | - | 0.00 | | 1 | | + |

| ONBONDE | ED NETWORK ELEMENTS - Alabama | | | | | 1 | | | | | , | | | ment: 2 | | bit: B |
|--|---|--|----------|----------------|----------------|------------------|-----------------|-----------|--|------------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Monroe | rrina | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | |
| | | | | | | Rec | Nonrec First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| LINE | Port/Loop Combination Rates | | | | | | FIISL | Auu i | LIISI | Auu i | SOWIEC | SUMAN | SOWAN | SOWAN | SOWAN | SUMAN |
| ONL | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPPP | | 166.87 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | 02 | | 100.01 | | | 1 | | | | | | | |
| | Zone 2 | | 2 | UEPPP | | 238.50 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPPP | | 398.85 | | | | | | | | | | |
| UNE | Loop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | USL4P | 82.55 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | USL4P | 154.18 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | USL4P | 314.52 | | | | | | | | | | |
| UNE | Port Rate | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | ļ | <u> </u> | UEPPP | UEPPP | 84.32 | 456.28 | 259.10 | 123.88 | 31.77 | ļ | 15.66 | | | | |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | <u> </u> | 1 | 1 | | | | | | | | | | 1 | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is | 1 | | UEPPP | USACP | 0.00 | 119.07 | 78.56 | | | | 15.66 | | 1 | I | |
| ADD | ITIONAL NRCs | ├ | ! | UEPPP | USACP | 0.00 | 119.07 | 78.56 | | | | 15.66 | | - | | |
| ADD | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | _ | | | | 1 | | | | | | | |
| | Inward/two way Tel Nos. (except NC) | | | UEPPP | PR7TF | | 0.49 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | OLITI | 1 10/11 | | 0.43 | | † | | | | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 11.51 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | OLITT | 11010 | | 11.01 | | | | | | | | | |
| | Subsequent Inward Tel Numbers | | | UEPPP | PR7ZT | | 23.02 | | | | | | | | | |
| LOC | AL NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPP | LNPCN | 1.75 | | | | | | | | | | |
| INTE | RFACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New | or Additional "B" Channel | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP UEPPP | PR7BV | 0.00 | 14.53 | | | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF PR7BD | 0.00 | 14.53 | | 1 | | | | | | | |
| CAL | New or Additional Inward Data B Channel L TYPES | | | UEPPP | PR/BD | 0.00 | 14.53 | | | | | | | | | |
| CAL | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | + | | | | | | - | |
| | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | 1 | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| Inter | office Channel Mileage | † | | | 50 | 0.00 | 0.00 | 0.00 | † | | 1 | | | 1 | † | 1 |
| | Fixed Each Including First Mile | | 1 | UEPPP | 1LN1A | 60.34 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | İ | 1 | |
| | Each Airline-Fractional Additional Mile | | İ | UEPPP | 1LN1B | 0.18 | | - | | | | | | | | |
| | RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 142.64 | | • | | • | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 214.26 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | ļ | 3 | UEPDC | | 374.61 | | | ļl | | | | | | 1 | |
| UNE | Loop Rates | <u> </u> | . | LIEBBO | 1101.50 | | | | | | <u> </u> | | | | | <u> </u> |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | <u> </u> | 1 | UEPDC | USLDC | 82.55 | | | + | | <u> </u> | | | ļ | - | <u> </u> |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 | - | 3 | UEPDC UEPDC | USLDC | 154.18 314.52 | | | | | | | | | | |
| LINIE | Port Rate | | 3 | OLPDC | USLDC | 314.52 | | | + | | | | | | + | |
| UNE | 4-Wire DDITS Digital Trunk Port | | - | UEPDC | UDD1T | 60.09 | 454.49 | 253.23 | 117.29 | 14.17 | 1 | 15.66 | | 1 | t | 1 |
| NON | RECURRING CHARGES - CURRENTLY COMBINED | | | 02.100 | 30011 | 00.09 | 707.43 | 200.20 | 117.29 | 17.17 | | 10.00 | | | - | |
| 1131 | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | † | | | | | | | † † | | 1 | | | | I | 1 |
| | - Switch-as-is | 1 | | UEPDC | USAC4 | | 129.49 | 67.02 | | | | 15.66 | | 1 | I | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | | | 1 | | | 232 | † | | | | | Ì | 1 | |
| | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 129.49 | 67.02 | | | | 15.66 | | | 1 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| i I | - Conversion with Change - Trunk | 1 | | UEPDC | USAWB | | 129.49 | 67.02 | | | | 15.66 | | l | I | |
| ADD | ITIONAL NRCs | | | | | | | | İ | | | | | | | |

| UNDUNDL | ED NETWORK ELEMENTS - Alabama | | | 1 | | | | | | | T - | | | ment: 2 | | bit: B |
|----------|--|-------------|----------|-------------------|----------------|------------------|--------|-----------|--|-------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | 4= 00 | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 14.48 | 14.48 | | | | 15.66 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | LIEDDO | LIDTTD | | 44.40 | 44.40 | | | | 45.00 | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | UEPDC | UDTTB | | 14.48 | 14.48 | - | | | 15.66 | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.48 | 14.48 | | | | 15.66 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | OLI DO | ODITO | | 14.40 | 14.40 | | | | 13.00 | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.48 | 14.48 | | | | 15.66 | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | - | | | | † † | | | | | | 1 | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.48 | 14.48 | | | | 15.66 | | | | |
| BIPO | DLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 600.00 | | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 600.00 | | | | | | | | |
| Alte | rnate Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| T.1. | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| I ele | phone Number/Trunk Group Establisment Charges | | 1 | UEPDC | UDTGX | 0.00 | | | + + | | | | | | - | |
| | Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group | | <u> </u> | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | 1 | UEPDC | UDTGZ | 0.00 | | | | | | | | | | 1 |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | | | | | | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Dedi | cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 | Digita | Loop | with 4-Wire DDITS | Trunk Port | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 60.16 | 89.27 | 81.81 | 16.35 | 14.44 | | 15.66 | | | | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.18 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | UEPDC | 1LNOB | 0.40 | 0.00 | 0.00 | | | | | | | | |
| | miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | UEPDC | ILINOB | 0.18 | 0.00 | 0.00 | - | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| . 1 | Interesting Channel Mileson, Additional arts and 171 OF 177 | | 1 | UEPDC | 1LNOC | 0.18 | 0.00 | 0.00 | | | | 1 | | 1 | I | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated | | 1 | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | - | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| 4-WI | RE DS1 LOOP WITH CHANNELIZATION WITH PORT | | | OLFDC | CIG | 0.00 | | | + | | | | | | | |
| | em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vations | _ | | | | | | | | | | | | | |
| | System can have up to 24 combinations of rates depending on | | | ber of ports used | | | | | † † | | | | | | 1 | |
| UNE | DS1 Loop | J | | | | | | | † † | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 82.55 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 154.18 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 314.52 | 0.00 | 0.00 | | • | | | | | | |
| UNE | DSO Channelization Capacities (D4 Channel Bank Configuration | าร) | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | <u> </u> | UEPMG | VUM24 | 101.40 | 0.00 | 0.00 | ļ | | | | | | ļ | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | <u> </u> | UEPMG | VUM48 | 202.80 | 0.00 | 0.00 | | | | | ļ | - | - | |
| | 96 DSO Channel Capacity -1 per 4 DS1s | | 1 | UEPMG | VUM96 VUM14 | 405.60 608.40 | 0.00 | 0.00 | | | 1 | | - | | | - |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s | | 1 | UEPMG UEPMG | VUM14 VUM19 | 608.40 811.20 | 0.00 | 0.00 | + | | | | | + | + | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | 1 | UEPMG | VUM20 | 1,014.00 | 0.00 | 0.00 | + | | | | | + | + | - |
| | 288 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM28 | 1,216.80 | 0.00 | 0.00 | | | 1 | | 1 | t | t | - |
| | 384 DS0 Channel Capacity - 1 per 12 DO13 | | | UEPMG | VUM38 | 1,622,40 | 0.00 | 0.00 | | | | | | - | - | <u> </u> |
| | 480 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM40 | 2,028.00 | 0.00 | 0.00 | | | | | | 1 | 1 | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,433.60 | 0.00 | 0.00 | | | | | | 1 | 1 | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,839.20 | 0.00 | 0.00 | † † | | | | | 1 | 1 | |
| Non | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with | Chan | neliztio | | | | | | † † | | | | İ | 1 | İ | |

| UNBUNDLE | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | nent: 2 | Exhi | bit: B |
|-------------|--|-------------|----------|---------------------|---------------|-------------------|--------|-----------|-----------------|-----------------|--|---------------|--|--|-------------------------|---------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| A Minir | mum System configuration is One (1) DS1, One (1) D4 Channe | l Bonk | and H | To 24 DCO Borto u | ith Facture | Activations | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | les of this configuration functioning as one are considered Ad | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without | | 1 | | I garanen io | | | | | | | | | | | |
| | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 150.48 | 8.36 | | | | 15.66 | | | | |
| | Additions at End User Locations Where 4-Wire DS1 Loop with | | | | ination Curre | ently Exists and | | | | | | | | | | |
| New (No | lot Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | of Lop | 8 MSA | ı's | | | | | | | | | | | | |
| | and Assoc Fea Activation | | | UEPMG | VUMD4 | 0.00 | 716.11 | 468.04 | 148.75 | 17.65 | | 15.66 | | | | |
| | r 8 Zero Substitution | | | 020 | VOII.D 1 | 0.00 | 7.10 | 100.01 | . 10.70 | 11.00 | | 10.00 | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | 1 | UEPMG | CCOEF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| | ate Mark Inversion (AMI) | | | UEFING | CCOEF | 0.00 | 0.00 | 600.00 | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Exchan | nge Ports | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.66 | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.66 | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 1.15 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.66 | | | | |
| | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8.05 | 0.00 | 0.00 | 0.00 | 0.00 | | 15.66 | | | | |
| | 2-Wire Channelized PBX Area Calling Service Combination Port (AL Only) | | | UEPPX | UEPA4 | 1.15 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | 2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only) | | | UEPPX | UEPA3 | 1.15 | 0.00 | 0.00 | | | | 15.66 | | | | |
| | e Activations - Unbundled Loop Concentration | | | | | | 0.00 | | | | | | | | | |
| | Feature (Service) Activation for each Line Side Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.56 | 54.55 | | | | | 15.66 | | | | |
| | Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.56 | 77.03 | | | | | 15.66 | | | | |
| | one Number/ Group Establishment Charges for DID Service | | | LIEDDY | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States | | | UEPPX UEPPX | ND1 ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Non-Consecutive DID Numbers - per number | | l - | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | † | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Number Portability | | <u> </u> | LIEDDY | LNDCD | 0.45 | 0.00 | 0.00 | | | | <u> </u> | | | | |
| | Local Number Portability - 1 per port RES - Vertical and Optional | | <u> </u> | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | - | | - | | | | | |
| | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | | |
| UNE Lo | pop Rates | | | | | | | | | | | | | | | |
| UNBUNDLED C | CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES | S | | <u> </u> | L | | | | | | | | | | | |
| | Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C | | | | | | | | dlad Bart scati | on of this Bots | Evhibit | | | | | |
| | Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | Coin Port/I o | op Combinat | ons. | | |
| 4. The f | first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly. | | | | | | | | | | | | | | Additional NF | RCs may |
| 5. Mark | ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) | | tiated | on an Individual Ca | se Basis, un | til further notic | 9. | | | | | | | | | |
| | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | , | - | | | | | | | | 1 | | | | | |
| | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 1 | UEP91 | | 12.70 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | İ | | | | | |

| UNBUNDL | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | | ment: 2 | | bit: B |
|-------------------|---|--|--|--------|----------|--------|--------|-----------|--------------|------------|---|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | 1 | | | I | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | <u> </u> |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| + | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | | + | | 11100 | Addi | 11100 | Addi | COMILO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | Non-Design | | 3 | UEP91 | | 34.80 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | Ť | 02.0. | | 01.00 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | | | | | | | | | | | | | |
| | Design | | 1 | UEP91 | | 15.53 | | | | | | | | | | |
| - | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLI 31 | | 10.00 | | | | | | | | | | † |
| | Design | | 2 | UEP91 | | 24.00 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | OLF91 | + | 24.00 | | | | | | | | | - | |
| | | | 3 | UEP91 | | 37.29 | | | | | | | | | | |
| LINIE | Design | | 3 | UEF91 | | 31.29 | | | | | | | | | | |
| UNE | Loop Rate | | + - | UEP91 | LIECC1 | 11.55 | | | - | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 7 | | UECS1 | | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP91 | UECS1 | 20.04 | | | | | 1 | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP91 | UECS1 | 33.65 | | | | | 1 | | | | 1 | |
| \longrightarrow | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | <u> </u> | 1 | UEP91 | UECS2 | 14.38 | | | | | | | | | - | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | <u> </u> | 2 | UEP91 | UECS2 | 22.85 | | | | | | | | | - | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP91 | UECS2 | 36.14 | | | | | ļ | | | | | |
| | Ports | | | | | | | | | | | | | | | |
| All S | States (Except North Carolina and Sout Carolina) | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP91 | UEPYB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP91 | UEPYH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | ĺ |
| | Center)2 Basic Local Area | | | UEP91 | UEPYM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP91 | UEPYZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP91 | UEPY9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP91 | UEPY2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| AL. | KY, LA, MS, & TN Only | | | | | | | | | 0.00 | | | | | | |
| , , | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | t |
| h | 2-Wire Voice Grade Port (Centrex 800 termination) | | 1 | UEP91 | UEPQB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | OLI 01 | OLI QII | 1.10 | 40.10 | 10.00 | 24.01 | 0.00 | | 10.00 | | | | |
| | Center)2 | l | | UEP91 | UEPQM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | 1 | |
| - 1 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | l | 1 | OL: 01 | OLI GIVI | 1.13 | 30.30 | 51.21 | 70.00 | 0.77 | 1 | 13.00 | | 1 | | |
| | Term | l | 1 | UEP91 | UEPQZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | I | 15.66 | | Ì | I | |
| - 1 | 10111 | l | 1 | OL: 01 | OLI QL | 1.13 | 30.30 | 51.21 | 70.00 | 0.77 | 1 | 13.00 | | 1 | | |
| . | 2-Wire Voice Grade Port terminated in an Magalink or againstant | l | | UEP91 | UEPQ9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | l | I | |
| | 2-Wire Voice Grade Port Terminated in on Megalink or equivalent | 1 | 1 | UEP91 | UEPQ9 | 1.15 | 40.19 | 19.83 | | 6.63 | 1 | 15.66 | | | | |
| 1.50 | 2-Wire Voice Grade Port Terminated on 800 Service Term al Switching | <u> </u> | | OFLAI | UEFUZ | 1.15 | 40.19 | 19.83 | 24.91 | 0.03 | | 10.00 | | | - | |
| Loca | | | - | UEP91 | URECS | 0.5488 | | | | | 1 | | | - | | |
| | Centrex Intercom Funtionality, per port | | 1 | OEFSI | OKEUS | 0.5488 | | | - | | | | | | | |
| LOC | al Number Portability | l | 1 | LIEDO4 | LNDCC | 0.05 | | | ļ | | | | | | | |
| | Local Number Portability (1 per port) | 1 | - | UEP91 | LNPCC | 0.35 | | | ļ | | 1 | | | 1 | | |
| Feat | ures Office I and Foot are Office I and a second | <u> </u> | 1 | LIEDOA | LIEDVE | 4.00 | | | | | 1 | | | | | |
| | All Standard Features Offered, per port | | 1 | UEP91 | UEPVF | 1.98 | 100 00 | | | | ļ | | | | | |
| | All Select Features Offered, per port | | - | UEP91 | UEPVS | 0.00 | 405.52 | | | | 1 | | | | | |
| | All Centrex Control Features Offered, per port | | 1 | UEP91 | UEPVC | 1.98 | | | | | ļ | ļ | | | | |
| NAR | | <u> </u> | <u> </u> | ļ | | | | | | | ļ | | | | ļ | ļ |
| | Unbundled Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| | Unbundled Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| | Unbundled Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | cellaneous Terminations | | | | | | | | | | | | | | | |
| 2-W | ire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | 15.66 | | | | |
| Inter | roffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |

| <u>UNBUN</u> DL | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|-----------------|--|-------------|--|----------------|----------------|--------------|----------------|----------------|----------------|--------------|--|---|---|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| 1 | | | | | | | Nonred | rurring | Nonrecurring | g Disconnect | | | | Rates(\$) | DISC 1St | DISC Add I |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.008838 | | | | | | | | | | |
| | ure Activations (DS0) Centrex Loops on Channelized DS1 Servic | е | | | | | | | | | | | | | | |
| D4 C | hannel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | <u> </u> | UEP91 | 1PQW6 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | LIEDO4 | 4DOW/7 | 0.50 | | | | | | | | | | |
| | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | 1 | UEP91 | 1PQW7 | 0.56 | | | | | 1 | | | | | |
| | Different Wire Center | | | UEP91 | 1PQWP | 0.56 | | | | | | | | | | |
| | Direction Anne Center | | | OLF31 | IF QVVF | 0.00 | | | 1 | 1 | 1 | | | 1 | 1 | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | 1 | UEP91 | 1PQWV | 0.56 | | | | | | | | 1 | | |
| | Feature Activation on D-4 Channel Bank Tilvate Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | ~,,,, | 0.00 | | | 1 | | 1 | | | | 1 | |
| | Slot | | 1 | UEP91 | 1PQWQ | 0.56 | | | | | | | | 1 | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.56 | | | 1 | İ | | | | İ | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | 1 | | Ì | | | 1 | | |
| | Conversion - Currently Combined Switch-As-Is with allowed | | | | | Ī | | | | | | | | | | |
| | changes, per port | | | UEP91 | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 37.75 | 16.58 | | | | 15.66 | | | | |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 78.02 | | | | | 15.66 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 72.73 | | | | | 15.66 | | | | |
| | -P CENTREX - 5ESS (Valid in All States) | | | | | | | | | | | | | | | |
| | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Non-Design) | | <u> </u> | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | LIEDOE | | 40.70 | | | | | | | | | | |
| | Non-Design | | 1 | UEP95 | | 12.70 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP95 | | 04.40 | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP95 | _ | 21.19 | | | | | | | | | | |
| | Non-Design | | 3 | UEP95 | | 34.80 | | | | | | | | | | |
| LINE | Port/Loop Combination Rates (Design) | | 3 | ULF 93 | | 34.00 | | | | | 1 | | | | | |
| ONE | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | 1 | | + | | | | | | 1 | | | | | - |
| | Design | | 1 | UEP95 | | 15.53 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | 02. 00 | | 10.00 | | | | | | | | | | |
| | Design | | 2 | UEP95 | | 24.00 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design | | 3 | UEP95 | | 37.29 | | | | | | | | 1 | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 11.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 20.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 33.65 | | • | | | | | _ | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 14.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 22.85 | | | ļ | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 36.14 | | | ļ | | ļ | | | | ļ | |
| | Port Rate | | 1 | | | | | | ļ | | | | | | | |
| All S | rates | | | LIEDOE | LIEDY/A | 4 45 | 40.40 | 40.00 | 04.04 | 0.00 | } | 45.00 | | 1 | 1 | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | 1 | UEP95 UEP95 | UEPYA UEPYB | 1.15 1.15 | 40.19 40.19 | 19.83 19.83 | 24.91 24.91 | 6.63 6.63 | | 15.66 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | - | 1 | 05590 | UEFTB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | } | 10.00 | | 1 | | |
| | Area | | 1 | UEP95 | UEPYH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | 1 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | OL1 33 | OLFIII | 1.15 | 40.19 | 19.03 | 24.91 | 0.03 | | 13.00 | | 1 | 1 | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | - | | 021 00 | OLI TIVI | 1.13 | 30.30 | 51.21 | 40.00 | 0.77 | | 10.00 | | | 1 | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | 1 | | 22.00 | | 15.00 | 5 | | | | İ | | |
| | - Basic Local Area | l | 1 | UEP95 | UEPY9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | I | 15.66 | | İ | | |

| <u>ONBOND</u> L | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|-----------------|--|-------------|------|--------|--------|----------|--------|-----------|--------------|------------|---------|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | _ | Nonred | urrina | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| AL, K | (Y, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | LIEDOE | LIEDOM | 4.45 | 00.00 | 57.07 | 40.00 | 0.77 | | 45.00 | | | | |
| | Center)2 | | | UEP95 | UEPQM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOE | LIEDOZ | 1.15 | 90.38 | F7 07 | 48.66 | 8.77 | | 45.00 | | | | |
| | Term | | | UEP95 | UEPQZ | 1.15 | 90.38 | 57.27 | 48.00 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | 1 | 15.66 | | 1 | I | |
| | 2-Wire Voice Grade Port Terminated in on Megalific or equivalent | | | UEP95 | UEPQ9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | 1 | 1 | 1 |
| Loca | Switching | | | OLI 93 | OLI QZ | 1.10 | 40.13 | 19.00 | 24.31 | 0.03 | | 13.00 | | | | |
| 2000 | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.5488 | | | | | | | | | | |
| Loca | I Number Portability | | | OLI SO | OKLOO | 0.0400 | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP95 | LNPCC | 0.35 | | | | | | | | | | |
| Featu | | | | | | 0.00 | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 1.98 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 405.52 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 1.98 | | | | | | | | | | |
| NARS | S | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wir | re Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | 15.66 | | | | |
| 4-Wir | re Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | | 15.66 | | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.46 | | | | | 15.66 | | | | |
| Interd | office Channel Mileage - 2-Wire | | | LIEDAS | 1,0000 | 04.40 | 10 = 1 | | 10 = 1 | | | 15.00 | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | MIGBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | MIGBM | 0.008838 | | | | | | | | | | |
| | ure Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | ļ |
| D4 CI | hannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.56 | | | | | | | | - | - | |
| | realtire Activation on 5-4 Charmer Bank Centrex Loop Slot | | | OLF 93 | IFQWS | 0.30 | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | OL1 30 | II QWO | 0.00 | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQW7 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | 02. 00 | | 0.00 | | | | | | | | | | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.56 | | | | | | | | | | |
| | | | | | | 0.00 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.56 | | | | | | | | 1 | 1 | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| <u> </u> | Slot | <u></u> | | UEP95 | 1PQWQ | 0.56 | | | <u> </u> | | <u></u> | | | <u> </u> | L | <u></u> |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.56 | | | | | | | | | | |
| Non- | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| 1 | NRC Conversion Currently Combined Switch-As-Is with allowed | | | 1 | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 37.75 | 16.58 | | | | 15.66 | | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 667.21 | | | | | 15.66 | | 1 | 1 | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 72.73 | | | | | 15.66 | | ļ | ļ | |
| | P CENTREX - DMS100 (Valid in All States) | | | | | | | | | | | | | | | |
| 12-Wir | re VG Loop/2-Wire Voice Grade Port (Centrex) Combo | l | | | | | | | | | | | | | | <u> </u> |

| UNBU | NDLEI | D NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attach | ment: 2 | Exhil | bit: B |
|------------------------|---------|---|--|----------------|--------|---------|-------|--------|-----------|--------------|--------------|-----------|-----------|-------------|-------------|--|-------------|
| 555 | | / HOMAINA | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | | Manual Svc | | Manual Svo |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | T 81 | . D' | | | | D-1(A) | | |
| | | | | | | | Rec | Nonred | | Nonrecurring | | 001150 | 001111 | | Rates(\$) | 001111 | 001441 |
| - | | 2 Wire VC Lean/2 Wire Voice Crade Part (Contrav) Part Comba | | <u> </u> | | - | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design | | 4 | UEP9D | | 12.70 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | ' | OLI 3D | | 12.70 | | | | | | | | | | |
| | | Non-Design | | 2 | UEP9D | | 21.19 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | 1 | | |
| | | Non-Design | | 3 | UEP9D | | 34.80 | | | | | | | | | | |
| | UNE Po | ort/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 1 | UEP9D | | 15.53 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | | Design | | 2 | UEP9D | | 24.00 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo | 1 | 3 | LIEDOD | | 07.00 | | | | | | | | I | 1 | 1 |
| $\vdash \vdash \vdash$ | IINE! - | Design pop Rate | | 3 | UEP9D | + | 37.29 | | | 1 | | 1 | | | 1 | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 11.55 | | | | | | | | + | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | 1 | 2 | UEP9D | UECS1 | 20.04 | | | 1 | 1 | - | | | t | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 33.65 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9D | UECS2 | 14.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 22.85 | | | | | | | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | UEP9D | UECS2 | 36.14 | | | | | | | | | | |
| | UNE Po | ort Rate | | | | | | | | | | | | | | | |
| | ALL ST | TATES | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | | | | | | | 4= 00 | | | | |
| | | Area | | | UEP9D | UEPYC | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| - | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | UEF9D | UEPTD | 1.15 | 40.19 | 19.03 | 24.91 | 0.03 | - | 13.66 | | - | | |
| | | Area | | | UEP9D | UEPYE | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | OLI OD | OLI IL | 1.10 | 40.10 | 10.00 | 24.01 | 0.00 | | 10.00 | | | | |
| | | Area | | | UEP9D | UEPYF | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | _ | | | - | | | | | | | |
| | | Area | | | UEP9D | UEPYG | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | _ | | | |
| | | Area | | | UEP9D | UEPYT | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | 1 | | l | | | | | | | | | | | | |
| | | Area | ļ | | UEP9D | UEPYU | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | ļ | ļ | ļ |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | 1 | | LIEDOD | LIEDVA/ | | 40.10 | 40.00 | 04.51 | 0.55 | | 45.00 | | | 1 | |
| \vdash | | Area | | | UEP9D | UEPYV | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | 1 | 15.66 | | 1 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | 1 | | UEP9D | UEPY3 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | I | 1 | 1 |
| \vdash | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | 1 | OFLAD | UEFIS | 1.15 | 40.19 | 19.83 | 24.91 | 0.03 | | 10.00 | | + | | |
| | | Area | 1 | | UEP9D | UEPYH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | 1 | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | † | | 021 00 | JE: 111 | 1.13 | 70.13 | 19.03 | 24.31 | 0.03 | <u> </u> | 10.00 | 1 | I | | |
| | | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | 1 | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | 1 | | | | 5 | | | | 2.30 | | | | 1 | Ì | |
| | | Basic Local Area | 1 | | UEP9D | UEPYJ | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | I | 1 | 1 |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | | 2 Basic Local Area | | | UEP9D | UEPYM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| 1 1 | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | 1 | | | | | | | |] | | | | _ |] | <u> </u> |
| | | Basic Local Area | <u> </u> | | UEP9D | UEPYO | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | ļ |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | | | | | | | 1 | | |
| $\vdash \vdash$ | | Basic Local Area | | <u> </u> | UEP9D | UEPYP | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | - | 1 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | 1 | | LIEBOD | LIEDVO | 4 45 | 00.30 | E7 07 | 40.00 | 0 77 | | 15.60 | | | 1 | |
| \vdash | | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | <u> </u> | UEP9D | UEPYQ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | - | - | | |
| | | Basic Local Area | 1 | 1 | UEP9D | UEPYR | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | I | Ì | 1 |

| CATEGORY | ED NETWORK ELEMENTS - Alabama | 1 | | | | | | | | | | | | | | oit: B |
|------------------------|--|--|----------|--------|--------------------|--------|--------|-----------|--|-------|-----------|-----------|-------------|------------------------|-------------|-------------|
| CATEGORY | | | | | | | | | | | Svc Order | Svc Order | Incremental | nent: 2 Incremental | | Incremental |
| CATEGORY | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| CATEGORY | | Intori | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | P | , | Electronic- | Electronic- | Electronic- | Electronic- |
| • | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | 2.00 .00 | |
| \perp | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | 40.00 | | | 4= 00 | | | | ł |
| \vdash | Basic Local Area | | | UEP9D | UEPYS | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | LIEDOD | LIEDY/4 | 4.45 | 00.00 | F7.07 | 40.00 | 0.77 | | 45.00 | | | | f |
| | Basic Local Area | | | UEP9D | UEPY4 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | f |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPYS | 1.15 | 90.38 | 57.27 | 48.00 | 8.77 | | 15.00 | | | | |
| | Basic Local Area | | | UEP9D | UEPY6 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | f |
| \vdash | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | OLF3D | OLFIO | 1.13 | 90.30 | 31.21 | 40.00 | 0.77 | | 13.00 | | | | |
| | Basic Local Area | 1 | | UEP9D | UEPY7 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | ł |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | 1 | | 02.00 | JEI 17 | 1.13 | 30.36 | 51.21 | 40.00 | 0.77 | | 10.00 | | | | ſ |
| | Term | 1 | | UEP9D | UEPYZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | ł |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | 1 | | | † · · - | 0 | 00.00 | 027 | .5.50 | J | | .0.00 | | | | |
| | Basic Local Area | 1 | | UEP9D | UEPY9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | ł |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | 1 | | | 12-11-1 | 0 | | | 251 | 5.50 | | .0.00 | | | | í |
| | Local Area | l | | UEP9D | UEPY2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | ł |
| AL, | KY, LA, MS, SC, & TN Only | | | - | 1 | | | | | | | | | | | í |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | í |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | <u></u> | | UEP9D | UEPQB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | í . |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | í |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | í |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | —— |
| \vdash | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQW | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | í |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Larip Indication)3 | | | OLI 3D | OLI QU | 1.10 | 40.13 | 13.03 | 24.01 | 0.03 | | 13.00 | | | | |
| | 2 | | | UEP9D | UEPQM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | í |
| — | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2 1110 10100 01440 1 011 (0011101 411101 0110 1220 1 02 1)2, 0 | | | 02.02 | 02. Q0 | 0 | 00.00 | 0 | 10.00 | 0.11 | | 10.00 | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | l | | UEP9D | UEPQP | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | ł |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | i Total |
| | , | | | | 1 1 | | | | | | | | | | | í |
| L | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | <u> </u> | L I | UEP9D | UEPQR | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | <u> </u> | 15.66 | | <u> </u> | | i |
| | | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | <u> </u> | L | UEP9D | UEPQS | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | <u></u> | | <u> </u> |
| | | | | | | | | - | | | | | | | | 1 |
| $\sqcup \bot $ | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | | 1 | | | 1] | | | | I | | | 1 | | | | ł |
| \vdash | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | ļ | | UEP9D | UEPQ5 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 0 M/ 1/1/2 Oz. 1- Post /Oz. 1 / 1// 02/20 / 570 1-5-5-5 | 1 | | LIEDOD | LIEDGS | | | | | | | 4 | | | | ł |
| $\vdash \vdash \vdash$ | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | ! | | UEP9D | UEPQ6 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | ļ | | |
| | 0 M/ 1/1/ O 1- Po / O / 1// 01/10 / 570 1-5-1-5-1 | 1 | | LIEDOD | LIEDG= | | | | | | | 4 | | | | ł |
| \vdash | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | \vdash | UEP9D | UEPQ7 | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | 1 | | LIEDOD | LIEDO7 | 4 45 | 00.00 | E7.07 | 40.00 | 0.77 | | 45.00 | | | | ł |
| \vdash | Term | | | UEP9D | UEPQZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port terminated in an Magalink or assistated | l | | UEP9D | UEPQ9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | ł |
| \vdash | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | 1 | | UEP9D | UEPQ9 UEPQ2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| 1.00 | al Switching | | | OFL AD | UEFUZ | 1.15 | 40.19 | 19.83 | 24.91 | 0.03 | | 10.00 | | - | | |
| Loca | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.5488 | | | | | | | | | | |
| Loc | al Number Portability | | | OLI 3D | CIVEOU | 0.0700 | | | | | | | | | | |
| | Local Number Portability (1 per port) | 1 | | UEP9D | LNPCC | 0.35 | | | | | | l | | | | ſ |

| UNB | UNDLE | D NETWORK ELEMENTS - Alabama | | | • | | | | | | | | , | | nent: 2 | | bit: B |
|-----|---------|---|-------------|----------|----------------|----------------|------------------------|--------|-----------|--------------|------------|---|---|--|--|--------------------------|--|
| ATE | EGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add' |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | • | * |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Feature | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 1.98 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 405.52 | | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 1.98 | | | | | | | | | | |
| | NARS | | | | LIEBAB | | | | | | | | | | | | |
| | | Unbundled Network Access Register - Combination | | | UEP9D UEP9D | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| | | Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Miscoll | aneous Terminations | | | UEP9D | UARUX | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| | | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | 15.66 | | | | + |
| | | Digital (1.544 Megabits) | 1 | | 02.1 00 | 02.1100 | 0.00 | 110.01 | 10.74 | 55.50 | 5.70 | | 10.00 | | | I | |
| | | DS1 Circuit Terminations, each | | 1 | UEP9D | M1HD1 | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | | 15.66 | | | - | |
| | | DS0 Channels Activiated per Channel | | ! | UEP9D | M1HDO | 0.00 | 14.46 | 33.00 | . 2.00 | 2.40 | | 15.66 | | | <u> </u> | |
| | | ice Channel Mileage - 2-Wire | | t | | | 2.00 | | | | | | 50 | | | 1 | † |
| | | Interoffice Channel Facilities Termination | | | UEP9D | MIGBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | İ | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | MIGBM | 0.008838 | | | | | | | | | | 1 |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | 1 |
| | | nnel Bank Feature Activations | | | | | | | | | | | | | | | 1 |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.56 | | | | | | | | | | 1 |
| | | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | 1 |
| | | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP9D | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| | | Conversion of existing Centrex Common Block, each | | | UEP9D | USACN | | 37.75 | 16.58 | | | | 15.66 | | | | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 72.73 | | | | | 15.66 | | | | |
| | | CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN) | | <u> </u> | | | | | | | | | | | | | ↓ |
| | | VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | | | | | | | | | | | | |
| | | ort/Loop Combination Rates (Non-Design) | | | | | | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | 1 | 4 | LIEBOE | | 10.70 | | | | | | | | | | |
| | - | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9E | + | 12.70 | | | | | | | | | - | + |
| | | Non-Design | | 2 | UEP9E | | 21.19 | | | | | | | | | | |
| | | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP9E | | 34.80 | | | | | | | | | | |
| | UNE PO | rt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- | | | | | | | | | | | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 1 | UEP9E | | 15.53 | | | | | | | | | | |
| | | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP9E | + | 24.00 | | | | | | | | | | |
| | | Design | | 3 | UEP9E | | 37.29 | | | | | | | | | | |
| | UNE Lo | oop Rate | | | | | , in the second second | | | | | | | | | | <u> </u> |
| | - | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 11.55 | | | ļ | | | | | | | |
| | I | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E UEP9E | UECS1 UECS1 | 20.04 33.65 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | 1 |

| <u>UNBUN</u> DLED I | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|---------------------|---|-------------|----------|----------------|----------------|----------|--------|-----------|--------------|--------------|--------|-----------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonred | RATES(\$) | Nonrecurring | ı Disconnect | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs Electronic Disc Add |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2- | Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 22.85 | FIISL | Auu i | FIISL | Auu i | SOWIEC | SOWAN | JOWAN | JOWAN | SOWAN | JOWAN |
| | Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 36.14 | | | | | | | | | | |
| UNE Port | | | | OLI OL | OLOGE | 00.14 | | | | | | | | | | |
| | Y, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | 1 |
| | Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | OLI OL | OLI IX | 1.10 | 40.10 | 10.00 | 24.01 | 0.00 | | 10.00 | | | | |
| | rea | | | UEP9E | UEPYB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| 2- | Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | rea | | | UEP9E | UEPYH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| Ce | enter)2 Basic Local Area | | | UEP9E | UEPYM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOE | LIEDVZ | 4.45 | 00.00 | 57.27 | 40.00 | 0.77 | | 45.00 | | | | |
| | erm - Basic Local Area -Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPYZ | 1.15 | 90.38 | 51.21 | 48.66 | 8.77 | | 15.66 | | | | |
| | Basic Local Area | | | UEP9E | UEPY9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | -Wire Voice Grade Port Terminated on 800 Service Term | - | | UEP9E | UEPT9 | 1.15 | 40.19 | 19.03 | 24.91 | 0.03 | | 15.66 | | | | |
| | asic Local Area | | | UEP9E | UEPY2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | A, MS, & TN Only | | | OLI SL | OLI 12 | 1.13 | 40.13 | 19.00 | 24.31 | 0.03 | | 13.00 | | | | |
| | Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | enter)2 | | | UEP9E | UEPQM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | erm | | | UEP9E | UEPQZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | | | | | | | | | | | | | | | | |
| 2- | Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| 2- | Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| Local Swi | | | | | | | | | | | | | | | | |
| | entrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.5488 | | | | | | | | | | |
| | mber Portability | | | | | | | | | | | | | | | |
| | ocal Number Portability (1 per port) | | | UEP9E | LNPCC | 0.35 | | | | | | | | | | |
| Features | | | | | | | | | | | | | | | | |
| | Standard Features Offered, per port | | | UEP9E | UEPVF | 1.98 | | | | | | | | | | |
| | I Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 405.52 | | | | | | | | | |
| | Centrex Control Features Offered, per port | | <u> </u> | UEP9E | UEPVC | 1.98 | | | | | | | | | | |
| NARS | phundlad Natural Assass Bogister Combination | | <u> </u> | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nbundled Network Access Register - Combination nbundled Network Access Register - Indial | | | UEP9E UEP9E | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nbundled Network Access Register - Outdial | - | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | eous Terminations | - | | UEP9E | UARUX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 2-Wire Tru | | | | | | | | | | | | | | | | |
| | runk Side Terminations, each | | | UEP9E | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | 15.66 | | | | |
| | gital (1.544 Megabits) | | | OLI OL | OLINDO | 0.00 | 110.01 | 10.7 4 | 00.00 | 0.70 | | 10.00 | | | | |
| | S1 Circuit Terminations. each | | | UEP9E | M1HD1 | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | | 15.66 | | | | |
| | S0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 14.46 | | | | | 15.66 | | | | |
| | e Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | teroffice Channel Facilities Termination | | | UEP9E | MIGBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | teroffice Channel mileage, per mile or fraction of mile | | | UEP9E | MIGBM | 0.008838 | | | | | | | | | | |
| | ctivations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | • | _ | • | | | _ | | | |
| | nel Bank Feature Activations | | | | | | | | | | | | | | | |
| Fe | eature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.56 | | | | | | | | | | |
| | | 1 | 1 | l | I | | | | | | | | | 1 | 1 | |
| | eature Activation on D-4 Channel Bank FX line Side Loop Slot | ļ | <u> </u> | UEP9E | 1PQW6 | 0.56 | | | | | | | | | | |
| | eature Activation on D-4 Channel Bank FX Trunk Side Loop lot | | | UEP9E | 1PQW7 | 0.56 | | | | | | | | | | |
| | eature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | ~,,, | 0.00 | | | | | | | | | | |
| Di | ifferent Wire Center | l | l | UEP9E | 1PQWP | 0.56 | | | | | I |] | | 1 | 1 | |

| ONRONDE | ED NETWORK ELEMENTS - Alabama | | | | | | | | | | T - | | | ment: 2 | | bit: B |
|-------------|---|--|--|----------------|----------------|----------------|------------------|-----------|--------------|-------|--|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | N | | T. N | B' | | | | | | |
| | | - | | | | Rec | Nonrec | | Nonrecurring | | COMEC | SOMAN | SOMAN | Rates(\$) | SOMAN | SOMAN |
| | | | | | - | | First | Add'l | First | Add'l | SOMEC | SOWAN | SUMAN | SUMAN | SUMAN | SOWAN |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9E | 1PQWQ | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.56 | | | | | | | | | | |
| Non-l | Recurring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | _ |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | LIEDOE | 110400 | | 0.40 | 0.40 | | | | 45.00 | | | | |
| | changes, per port | <u> </u> | <u> </u> | UEP9E | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| | Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block | | - | UEP9E | USACN M1ACS | 0.00 | 37.75 | 16.58 | | | | 15.66 | | | | |
| | New Centrex Standard Common Block | | | UEP9E UEP9E | M1ACC | 0.00 | 667.21 667.21 | | | | | 15.66 15.66 | | | | |
| + | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 72.73 | | 1 | | | 15.66 | | | | |
| UNF- | P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) | | | OLI OL | JILOA | 0.00 | 12.13 | | 1 | | | 10.00 | | | | |
| | e VG Loop/2-Wire Voice Grade Port (Centrex) Combo | | | | + | | | | 1 | | | | | | t | |
| | Port/Loop Combination Rates (Non-Design) | † | | | 1 | | | | t | | 1 | | | | I | † |
| 0.12 | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - | | | LIEBOO | | 40.70 | | | | | | | | | | |
| | Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | - | 1 | UEP93 | | 12.70 | | | | | | | | | - | - |
| | Non-Design | | 2 | UEP93 | | 21.19 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design | | 3 | UEP93 | | 34.80 | | | | | | | | | | |
| UNE | Port/Loop Combination Rates (Design) | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design | | 1 | UEP93 | | 15.53 | | | | | | | | | | |
| | 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | | | | | | | | | | | | | | |
| | Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - | | 2 | UEP93 | | 24.00 | | | | | | | | | | |
| | Design | | 3 | UEP93 | | 37.29 | | | | | | | | | | |
| UNE | Loop Rate | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | <u> </u> | 1 | UEP93 | UECS1 | 11.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 20.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 33.65 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 UEP93 | UECS2 UECS2 | 14.38 22.85 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 3 | UEP93 | UECS2 | 36.14 | | | | | | | | | | |
| LINE | Port Rate | | 3 | UEF93 | UECSZ | 30.14 | | | | | 1 | | | | | - |
| AI K | Y, LA, MS, & TN only | | 1 | | + | | | | | | 1 | | | | | 1 |
| AL, I | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | 02. 00 | 02 | 0 | 10.10 | 10.00 | 2 | 0.00 | | 10.00 | | | | |
| | Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEP93 | UEPYB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | Area | | | UEP93 | UEPYH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP93 | UEPYZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | i | | | | | | | | | | | |
| | - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | UEP93 | UEPY9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | 1 | |
| | Basic Local Area | | <u> </u> | UEP93 | UEPY2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex) | - | 1 | UEP93 | UEPQA | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | } | 15.66 | 1 | | ! | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | <u> </u> | UEP93 | UEPQH | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | - | 15.66 | - | | - | |
| | Center)2 | | | UEP93 | UEPQM | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 1.15 | 90.38 | 57.27 | 48.66 | 8.77 | | 15.66 | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |

| BUNDLE | NETWORK ELEMENTS - Alabama | | | | | | | | | | | | Attachi | ment: 2 | Exhil | oit: B |
|----------|---|--------|------|-------|-------|----------|--------|-----------|--------------|------------|-----------|-----------|-------------|-------------|-------------|------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Increment |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | | Manual Svc | Manual Sv |
| EGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (17 | | | per Lor | per LSK | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | | | Disc Add'l |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | DISC Add I |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 1.15 | 40.19 | 19.83 | 24.91 | 6.63 | | 15.66 | | | | |
| | witching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.5488 | | | | | | | | | | |
| | lumber Portability | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEP93 | LNPCC | 0.35 | | | | | | | | | | |
| Feature | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP93 | UEPVF | 1.98 | | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 1.98 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Unbundled Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Miscella | aneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | 15.66 | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | | 15.66 | | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 14.46 | | | | | 15.66 | | | | |
| | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP93 | MIGBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | 15.66 | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | MIGBM | 0.008838 | ĺ | | | | | | | | | |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | ĺ | İ | ĺ | | | | | | | |
| | nnel Bank Feature Activations | | | | | | ĺ | | ĺ | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.56 | | | | | | | | | | |
| | | | | | | | | | | - | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | l |
| | Slot | | | UEP93 | 1PQW7 | 0.56 | | | | | | | | | | L |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | <u> </u> | | | | | | |
| | Different Wire Center | | | UEP93 | 1PQWP | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | 1 | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | | | | | | | | | | | | 1 | |
| | Slot | | | UEP93 | 1PQWQ | 0.56 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.56 | | | | | | | | | | |
| | curring Charges (NRC) Associated with UNE-P Centrex | | | | | | | | | | | | | | | |
| | NRC Conversion Currently Combined Switch-As-Is with allowed | | | | | | | | | | | | | 1 | 1 | |
| | changes, per port | | | UEP93 | USAC2 | | 0.10 | 0.10 | | | | 15.66 | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 37.75 | 16.58 | | | | 15.66 | | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 667.21 | | | | | 15.66 | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 72.73 | | | | | 15.66 | | | | |
| | Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | <u> </u> | | | |
| | - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |

| UNBUNE | LFI | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Fxhil | oit: B |
|-----------|-------|---|----------|-----------|------------------------|---------------|------------------|-----------------|-----------------|-----------------|-----------------|--------------|----------------|-----------------|-----------------|----------------|--|
| CINDOINE | | THE TWO THE TOTAL | I | 1 | I | 1 | | | | | | Svc Order | Svc Order | Incremental | | Incremental | |
| | | | | | | | | | | | | Submitted | 1 | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATEGOR | Y | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| 0,1120011 | | | m | | | | | | = = (+) | | | perLSK | per LSR | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | I | Nonre | curring | Nonrecurrin | g Disconnect | | | oss | Rates(\$) | U U | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Th | e "Zo | ne" shown in the sections for stand-alone loops or loops as part | of a com | binatio | n refers to Geographi | cally Deavera | aged UNE Zones | . To view Geog | raphically Dea | veraged UNE Z | one Designation | ns by Centra | l Office, refe | r to Internet W | /ebsite: | | |
| htt | p://w | ww.interconnection.bellsouth.com/become_a_clec/html/interconnection.bellsouth.com/become_a_clec/html/interconnection. | ection.h | tm | | | | | | | | | | | | | |
| OPERATIO | DNAL | SUPPORT SYSTEMS | | | | | | | | | | 1 | | | | | i |
| NC | TE: (| 1) Electronic Service Order: CLEC should contact its contract | ct nego | tiator if | it prefers the state : | specific elec | tronic service o | rdering charge | es as ordered l | by the State Co | mmissions. T | he electron | ic service or | dering charg | e currently co | ntained in thi | s rate |
| exi | hibit | is the BellSouth regional electronic service ordering charge. | CLEC | may ele | ect either the state s | pecific Com | mission ordered | rates for the | electronic serv | ice ordering c | harges, or CLE | C may elec | t the region | al electronic s | service orderii | ng charge. | |
| NC | TE: (| 2) Any element that can be ordered electronically will be bill | ed acco | ording t | to the SOMEC rate li | sted in this | category. Pleas | e refer to Bell | South's Busine | ess Rules for L | ocal Ordering | (BBR-LO) to | o determine | if a product of | can be ordere | d electronical | ly. For |
| | | lements that cannot be ordered electronically at present per t | | | | | | | | | | | | | | | |
| | | g charge, SOMAN, will be applied to a CLECs bill when it sub | | | | | | · · | | | | | | | | • | |
| | | Manual Service Order Charge, per LSR, Disconnect Only (FL) | | | | SOMAN | | | | 1.83 | | | | | | | i |
| | | Electronic OSS Charge, per LSR, submitted via BST's OSS | | | | | | | | | | | | | | | |
| | | interactive interfaces (Regional) | | | | SOMEC | | 3.50 | | | | | | | | | í |
| UNE SERV | /ICE | DATE ADVANCEMENT CHARGE | | | | | | | | | | | | | | | |
| NC | TE: | The Expedite charge will be maintained commensurate with | BellSou | th's FC | C No.1 Tariff, Section | on 5 as appli | icable. | | | | | | | | | | |
| | | UNE Expedite Charge per Circuit or Line Assignable USOC, per | | | | | | | | | | | | | | | i T |
| | | Day | | | ALL UNE | SDASP | | 200.00 | | | | | | | | | í |
| UNBUNDL | ED E | XCHANGE ACCESS LOOP | | | | | | | | | | | | | | | 1 |
| 2-V | NIRE | ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 | | 1 | UEANL | UEAL2 | 12.79 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 | | 2 | UEANL | UEAL2 | 17.27 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | 1 |
| | | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 | | 3 | UEANL | UEAL2 | 33.36 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | | Unbundled Copper Loop, Non-Designed 2-Wire Voice Grade | | | | | | | | | | | | | | | |
| | | Copper Flagging - Zone 1 | | 1 | UEANL | UEQ2F | 12.79 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | 1 |
| | | Unbundled Copper Loop, Non-Designed 2-Wire Voice Grade | | | | | | | | | | | | | | | |
| | | Copper Flagging - Zone 2 | | 2 | UEANL | UEQ2F | 17.27 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | í |
| | | Unbundled Copper Loop, Non-Designed 2-Wire Voice Grade | | | | | | | | | | | | | | | 1 |
| | | Copper Flagging - Zone 3 | | 3 | UEANL | UEQ2F | 33.36 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | 1 |
| | | Engineering Information Document (EI) | | | UEANL | UEANM | | 12.28 | 12.28 | | | | | | | | 1 |
| | | Unbundled Miscellaneous Rate Element, CLEC Conversion, | | | | | | | | | | | | | | | 1 |
| | | UVL-SL1 Loop on Copper to UVL-SL1 Flagging | | | UEANL | UREGG | | 4.1845 | 0.6042 | | | | | | | | 1 |
| | | Loop Testing - Basic 1st Half Hour | | | UEANL | URET1 | | 77.09 | | | | | 11.90 | | | | í |
| | | Loop Testing - Basic Additional Half Hour | | | UEANL | URETA | | 33.12 | | | | | 11.90 | | | | í T |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | | | | | | | | | | | | | | | í |
| | | (UVL-SL1) | | | UEANL | UREWO | | 15.78 | 8.94 | | | | 11.90 | | | | l |
| | | Engineering Information Document (EI) | | | UEANL | UEANM | | 12.28 | 12.28 | | | | | | | | i |
| | | Manual Order Coordination for UVL-SL1s (per loop) | | | UEANL | UEAMC | | 9.00 | 9.00 | | | | | | | | |
| | | Order Coordination for Specified Conversion Time for UVL-SL1 | | | | | | | | | | | | | | | <u> </u> |
| | | (per LSR) | <u></u> | <u></u> | UEANL | OCOSL | | 23.02 | 23.02 | | | | | | | | <u> </u> |
| 2-1 | | Unbundled COPPER LOOP | | | | | | | | | | | | | | | |
| | | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 | | 1 | UEQ | UEQ2X | 13.83 | 41.64 | 19.02 | 19.65 | 5.09 | | 11.90 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 | - 1 | 2 | UEQ | UEQ2X | 15.29 | 41.64 | 19.02 | 19.65 | 5.09 | | 11.90 | | | | |
| | | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 | T | 3 | UEQ | UEQ2X | 20.29 | 41.64 | 19.02 | 19.65 | 5.09 | | 11.90 | | | | |
| | | Order Coordination 2 Wire Unbundled Copper Loop - Non- | | | | | | | | | | | | | 1 | | 1 |
| | | Designed (per loop) | | 1 | UEQ | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | | Engineering Information Document | <u> </u> | <u> </u> | UEQ | ļ | | 12.28 | 12.28 | | ļ | <u> </u> | 11.90 | | ļ | | 1 |
| | | Loop Testing - Basic 1st Half Hour | | 1 | UEQ | URET1 | | 77.09 | | | | | 11.90 | | | | |
| | | Loop Testing - Basic Additional Half Hour | | | UEQ | URETA | | 33.12 | | | | | 11.90 | | | | |
| | | CLEC to CLEC Conversion Charge Without Outside Dispatch | 1 | 1 | l | | | | | | I | | | | I | | 1 |
| <u> </u> | | (UCL-ND) | ļ | | UEQ | UREWO | | 14.27 | 7.43 | ļ | . | | 11.90 | | . | | |
| | | XCHANGE ACCESS LOOP | ļ | <u> </u> | | | | | | | | 1 | | | | | - |
| 2-1 | WIRE | ANALOG VOICE GRADE LOOP | ļ | | | ļ | | | | ļ | . | | | | . | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | 1 | 1 . | | l | 40 == | | | | | | | | I | | 1 |
| LL | | Zone 1 | ļ | 1 | UEPSR UEPSB | UEALS | 12.79 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | . | | |
| | | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | l . | | | | | | | | | | | 1 | | f |
| | | Zone 1 | | 1 | UEPSR UEPSB | UEABS | 12.79 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | _ | | | | | | | | | | | 1 | | ł |
| LL | | Zone 2 | ļ | 2 | UEPSR UEPSB | UEALS | 17.27 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | . | | |
| | | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- | | | | | | | | | 1 | | | | | | 1 |
| 1 1 | | Zone 2 | 1 | 2 | UEPSR UEPSB | UEABS | 17.27 | 49.57 | 22.83 | 25.62 | 6.57 | 1 | 11.90 | | 1 | | |

Version 3Q02: 09/06/02 Page 39 of 416

| UNBUNDLE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | , | | ment: 2 | | bit: B |
|--|---|-------------|----------|-------------|----------|-------|--------|-----------|--|-------|---|---|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | , | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPSR UEPSB | UEALS | 33.36 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 | | 3 | UEPSR UEPSB | UEABS | 33.36 | 49.57 | 22.83 | 25.62 | 6.57 | | 11.90 | | | | |
| LINE | Loop Rates for Line Splitting | | 3 | UEFSK UEFSB | UEADS | 33.30 | 49.57 | 22.03 | 25.62 | 0.37 | - | 11.90 | | | | |
| ONLI | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 | | 1 | UEPRX | UEPLX | 12.94 | 0.102 | 0.102 | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 | | 2 | UEPRX | UEPLX | 17.06 | 0.102 | 0.102 | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3 | | 3 | UEPRX | UEPLX | 31.87 | 0.102 | 0.102 | † † | | | | | | | |
| UNBUNDLED | EXCHANGE ACCESS LOOP | | | | | | | | | | | | | | | |
| 2-WIR | RE ANALOG VOICE GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | _ | | | |
| | Ground Start Signaling - Zone 1 | | 1 | UEA | UEAL2 | 14.50 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| | Ground Start Signaling - Zone 2 | | 2 | UEA | UEAL2 | 19.57 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or | | | | | | | | | | | | | | | |
| \vdash | Ground Start Signaling - Zone 3 | | 3 | UEA | UEAL2 | 37.82 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | 1 | 1154 | LIEADO | 44.50 | 405.75 | 00.47 | CO 50 | 40.04 | | 44.00 | | | | |
| | Battery Signaling - Zone 1 | | 1 | UEA | UEAR2 | 14.50 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2 | | 2 | UEA | UEAR2 | 19.57 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| + | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse | | | UEA | UEARZ | 19.57 | 133.73 | 02.41 | 63.53 | 12.01 | 1 | 11.90 | | | | |
| | Battery Signaling - Zone 3 | | 3 | UEA | UEAR2 | 37.82 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| — | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UEA | OCOSL | 37.02 | 23.02 | 02.47 | 03.33 | 12.01 | | 11.50 | | | | |
| + | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.71 | 36.35 | | | | 11.90 | | | | |
| 4-WIR | RE ANALOG VOICE GRADE LOOP | | | 02/1 | 0.12110 | | 0 | 00.00 | | | | 11.00 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 1 | | 1 | UEA | UEAL4 | 23.02 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 2 | | 2 | UEA | UEAL4 | 31.07 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEA | UEAL4 | 60.02 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UEA | UREWO | | 87.71 | 36.35 | | | | 11.90 | | | | |
| 2-WIR | RE ISDN DIGITAL GRADE LOOP | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UDN | U1L2X | 21.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UDN | U1L2X | 29.38 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UDN | U1L2X | 56.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| - | Order Coordination For Specified Conversion Time (per LSR) | | | UDN | OCOSL | | 23.02 | 44.45 | | | | 44.00 | | | | |
| O MUD | CLEC to CLEC Conversion Charge without outside dispatch E Universal Digital Channel (UDC) COMPATIBLE LOOP | | | UDN | UREWO | | 91.61 | 44.15 | | | | 11.90 | | | | |
| Z-WIR | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | | + | | | | | | | | | | | |
| | 1 | | 1 | UDC | UDC2X | 21.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| — | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | - | ODC | UDCZX | 21.70 | 147.03 | 34.41 | 02.23 | 10.71 | | 11.90 | | | | |
| | 2 | | 2 | UDC | UDC2X | 29.38 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| + | 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone | | | 020 | 00000 | 20.00 | | 0 | 02.20 | | | 11.00 | | | | |
| | 3 | | 3 | UDC | UDC2X | 56.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UDC | UREWO | | 91.61 | 44.15 | | - | | 11.90 | | | | |
| 2-WIR | RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP | ATIBLE | LOOF | | | | | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 1 | | 1 | UAL | UAL2X | 12.65 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | | |
| - | 2 Wire Unbundled ADSL Loop including manual service inquiry | | 1 | | Ι Τ | | | | I T | | | 1 | | | | |
| | & facility reservation - Zone 2 | | 2 | UAL | UAL2X | 17.08 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | ļ | | |
| | 2 Wire Unbundled ADSL Loop including manual service inquiry | | _ | l | | | | | | | | | | | | |
| \vdash | & facility reservation - Zone 3 | | 3 | UAL | UAL2X | 33.00 | 149.53 | 103.85 | 75.05 | 15.63 | | 11.90 | | | ļ | |
| \vdash | Order Coordination for Specified Conversion Time (per LSR) | | <u> </u> | UAL | OCOSL | | 23.02 | | | | | | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 4 | UAL | 1101 200 | 40.05 | 404.00 | 71.12 | 00.04 | 0.40 | | 44.00 | | | | |
| | facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & | | 1 | UAL | UAL2W | 12.65 | 124.83 | /1.12 | 60.64 | 9.12 | | 11.90 | | - | - | |
| 1 1 | facility reservaton - Zone 2 | | 2 | UAL | UAL2W | 17.08 | 124.83 | 71.12 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2 Wire Unbundled ADSL Loop without manual service inquiry & | | - | UAL | UMLZVV | 17.08 | 124.03 | 11.12 | 00.04 | 9.12 | | 11.90 | | 1 | | 1 |
| ı | | | | | | | | | | | | | | | | |

| ONBONDE | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|-------------|------|------------|----------------|----------------|------------------|-----------------|--------------|----------------|-------|---|---------------------------------|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | urring Add'l | Nonrecurring | | COMEC | COMAN | SOMAN | Rates(\$) | COMAN | SOMAN |
| | Order Consideration for Consideral Consumption Time (new LCD) | | | UAL | OCOSL | | First 23.02 | Addi | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch | | | UAL | UREWO | | 86.19 | 40.39 | | | | 11.90 | | | | + |
| 2-WIR | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIRLE | OOP | UAL | UKLWO | | 00.19 | 40.39 | | | | 11.90 | | | | + |
| 2 **** | 2 Wire Unbundled HDSL Loop including manual service inquiry | | 1 | | | | | | | | | | | | | + |
| | & facility reservation - Zone 1 | | 1 | UHL | UHL2X | 9.97 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | 0.0. | | | | | | | | | | |
| | & facility reservation - Zone 2 | | 2 | UHL | UHL2X | 13.46 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | & facility reservation - Zone 3 | | 3 | UHL | UHL2X | 26.00 | 159.09 | 113.41 | 75.05 | 15.63 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL2W | 9.97 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2 Wire Unbundled HDSL Loop without manual service inquiry | | _ | | 1 11 11 2047 | 40.40 | 404.40 | 00.00 | CO C4 | 0.40 | | 44.00 | | | | |
| | and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry | | 2 | UHL | UHL2W | 13.46 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL2W | 26.00 | 134.40 | 80.69 | 60.64 | 9.12 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | 3 | UHL | OCOSL | 20.00 | 23.02 | 00.09 | 00.04 | 5.12 | | 11.90 | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.12 | 40.39 | | | | 11.90 | | | | + |
| 4-WIR | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA | TIBLE | LOOP | 0.12 | O.K.E.I.G | | 00.12 | .0.00 | | | | 11.00 | | | | |
| | 4 Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4X | 15.69 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | 1 |
| | and facility reservation - Zone 2 | | 2 | UHL | UHL4X | 21.17 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4X | 40.90 | 193.31 | 138.98 | 77.15 | 12.61 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | | 23.02 | | | | | | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | | | 4= 00 | 400.00 | | | | | 44.00 | | | | |
| | and facility reservation - Zone 1 | | 1 | UHL | UHL4W | 15.69 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2 | | 2 | UHL | UHL4W | 21.17 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Unbundled HDSL Loop without manual service inquiry | | | UNL | UNL4VV | 21.17 | 100.02 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| | and facility reservation - Zone 3 | | 3 | UHL | UHL4W | 40.90 | 168.62 | 115.47 | 62.74 | 11.22 | | 11.90 | | | | |
| - | Order Coordination for Specified Conversion Time (per LSR) | | | UHL | OCOSL | 10.00 | 23.02 | | 02 | | | | | | | + |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UHL | UREWO | | 86.12 | 40.39 | | | | 11.90 | | | | |
| 4-WIR | RE DS1 DIGITAL LOOP | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | USL | USLXX | 73.44 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | | USL | USLXX | 99.13 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | USL | USLXX | 191.51 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | USL | OCOSL | | 23.02 | | | | | | | ļ | ļ | |
| 4 1477- | CLEC to CLEC Conversion Charge without outside dispatch | | - | USL | UREWO | | 101.07 | 43.04 | | | | 11.90 | | 1 | 1 | |
| 4-WIR | RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP | | 1 | LIDI | UDL19 | 20.00 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | + |
| | 4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps | | | UDL UDL | UDL19 UDL19 | 26.39 35.62 | 161.56 161.56 | 108.85 | 67.08 | 15.56 15.56 | | 11.90 11.90 | | | | + |
| | 4 Wire Unbundled Digital 19.2 Kbps | | | UDL | UDL19 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | + | + |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 | | 1 | UDL | UDL19 | 26.39 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | 1 | t | + |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 | 1 | 2 | UDL | UDL56 | 35.62 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | 1 | † | |
| | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 | | 3 | UDL | UDL56 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | Ì | 1 | † |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.02 | | | | | | | | 1 | 1 |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 | | _1 | UDL | UDL64 | 26.39 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | <u> </u> | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 | | 2 | UDL | UDL64 | 35.62 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 | | 3 | UDL | UDL64 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | Order Coordination for Specified Conversion Time (per LSR) | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| - 10 | CLEC to CLEC Conversion Charge without outside dispatch | | | UDL | UREWO | | 102.11 | 49.74 | | | | 11.90 | | ļ | ļ | |
| 2-WIR | RE Unbundled COPPER LOOP | | | | - | | | | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short including manual service | | 1 | UCL | LICI DD | 12.65 | 148.50 | 102.82 | 75.05 | 15.63 | | 44.00 | | | 1 | |
| -+ | inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop/Short including manual service | - | 1 | UCL | UCLPB | 12.65 | 148.50 | 102.82 | /5.05 | 15.63 | | 11.90 | | - | | + |
| | inquiry & facility reservation - Zone 2 | | 2 | UCL | UCLPB | 17.08 | 148.50 | 102.82 | 75.05 | 15.63 | I | 11.90 | | Ì | I | 1 |

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | Exhi | bit: B |
|------------|--|-------------|------|------|----------|--------|-----------------|------------------|-----------------------|----------|---|---|---|---|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | В | cs usoc | | | RATES(\$) | | <u> </u> | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred First | curring Add'l | Nonrecurring First | Add'I | COMEC | SOMAN | SOMAN | Rates(\$) | SOMAN | SOMAN |
| | 2 Wire Unbundled Copper Loop/Short including manual service | | | | | | FIRST | Addi | FIRST | Addi | SOMEC | SUMAN | SUMAN | SOWAN | SOWAN | SOWAN |
| | inquiry & facility reservation - Zone 3 | | 3 | UCL | UCLPB | 33.00 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCLPW | 12.65 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Short without manual service | | 2 | | LIOI DIM | 47.00 | 100.01 | 70.00 | 00.04 | 0.40 | | 44.00 | | | | |
| | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Short without manual service | | 2 | UCL | UCLPW | 17.08 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCLPW | 33.00 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | 00.00 | 9.00 | 9.00 | 00.01 | 02 | | 11.00 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual srvc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2L | 37.07 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | _ | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - includes manual svc. | | 2 | UCL | UCL2L | 50.04 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2L | 96.67 | 148.50 | 102.82 | 75.05 | 15.63 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 90.07 | 9.00 | 9.00 | 73.03 | 13.03 | | 11.90 | | | 1 | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | † | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL2W | 37.07 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL2W | 50.04 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | 2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL2W | 96.67 | 123.81 | 70.09 | 60.64 | 9.12 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | 3 | UCL | UCLMC | 90.07 | 9.00 | 9.00 | 60.64 | 9.12 | | 11.90 | | | | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | OOL | COLIVIO | | 0.00 | 0.00 | | | | | | | | |
| | (UCL -Des) | | | UCL | UREWO | | 97.21 | 42.47 | | | | 11.90 | | | | |
| 4-WIF | RE COPPER LOOP | | | | | | | | | | | | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | | | | | | | | | | | | | |
| | and facility reservation - Zone 1 | | 1 | UCL | UCL4S | 18.03 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | - |
| | 4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4S | 24.34 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | 4-Wire Copper Loop/Short - including manual service inquiry | | | OCL | 00140 | 24.54 | 177.07 | 132.70 | 77.13 | 17.73 | | 11.30 | | | | |
| | and facility reservation - Zone 3 | | 3 | UCL | UCL4S | 47.02 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | | | | | | | | | | | | | |
| | facility reservation - Zone 1 | | 1 | UCL | UCL4W | 18.03 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4W | 24.34 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Copper Loop/Short - without manual service inquiry and | | | OOL | OCL4VV | 24.04 | 133.10 | 100.03 | 02.74 | 11.22 | | 11.30 | | | | - |
| | facility reservation - Zone 3 | | 3 | UCL | UCL4W | 47.02 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | | UCL | UCLMC | | 9.00 | 9.00 | | | | | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4L | 64.52 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2 | | 2 | UCL | UCL4L | 87.09 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - includes manual svc. | | | UCL | UCL4L | 87.09 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4L | 168.25 | 177.87 | 132.76 | 77.15 | 17.73 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | Ť | UCL | UCLMC | 133.20 | 9.00 | 9.00 | 1 | 0 | | 50 | | | İ | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | | | | | | | | | | | | | | |
| | inquiry and facility reservation - Zone 1 | | 1 | UCL | UCL4O | 64.52 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | 4-Wire Unbundled Copper Loop/Long - without manual svc. | | _ | LICI | | 07.00 | 150.10 | 100.00 | 20.71 | 44.00 | | 44.00 | | | | |
| | inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - without manual svc. | | 2 | UCL | UCL4O | 87.09 | 153.18 | 100.03 | 62.74 | 11.22 | 1 | 11.90 | | | + | |
| | inquiry and facility reservation - Zone 3 | | 3 | UCL | UCL4O | 168.25 | 153.18 | 100.03 | 62.74 | 11.22 | | 11.90 | | | | |
| | Order Coordination for Unbundled Copper Loops (per loop) | | Ť | UCL | UCLMC | .55.26 | 9.00 | 9.00 | 52.74 | 22 | | 50 | | | 1 | |
| | CLEC to CLEC Conversion Charge without outside dispatch | | | UCL | UREWO | | 97.21 | 42.47 | | | | 11.90 | | <u> </u> | 1 | |
| LOOP MODIF | FICATION | | | | | | | | | | | | | | | |

| ONBONDLI | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 2 | Exhi | ibit: B |
|------------|--|-------------|------|---|----------------|---------------|----------------|----------------|----------------|--------------|-------|---|---|----------|----------|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonrec | RATES(\$) | Nonrecurring | Diagona | 1 | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Charge - | Charge - Manual Sv Order vs. |
| | | | | | - | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft | | | UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULM2L | | 0.00 | 0.00 | FIISL | Addi | SOMEC | 11.90 | SUMAN | SOMAN | SOMAN | SOWAN |
| | Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | UCL, ULS, UEQ | ULM2G | | 343.12 | 343.12 | | | | 11.90 | | | | |
| | less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire | | | UHL, UCL | ULM4L | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | pair greater than 18k ft | | | UCL | ULM4G | | 343.12 | 343.12 | | | | 11.90 | | | | |
| | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop | | | UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL | ULMBT | | 10.52 | 10.52 | | | | 11.90 | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | Loop Distribution | | | | | | | | | | | | | | | |
| | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up | ı | | UEANL | USBSA | | 487.23 | 487.23 | | | | 11.90 | | | | |
| | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder | ı | | UEANL | USBSB | | 6.25 | 6.25 | | | | 11.90 | | | | |
| | Facility Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel | ı | | UEANL | USBSC | | 169.25 | 169.25 | | | | 11.90 | | | | |
| | Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | ı | | UEANL | USBSD | | 38.65 | 38.65 | | | | 11.90 | | | | _ |
| | Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN2 | 7.61 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | _ |
| | Zone 2 | | 2 | UEANL | USBN2 | 10.27 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3 | | 3 | UEANL | USBN2 | 19.85 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | _ |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 1 | UEANL | USBN4 | 8.12 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | _ |
| | Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - | | 2 | UEANL | USBN4 | 10.96 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | _ |
| | Zone 3 | | 3 | UEANL | USBN4 | 21.18 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop 2-Wire Intrabuilding Network Cable (INC) | ı | | UEANL | USBR2 | 3.50 | 51.84 | 13.44 | 47.50 | 5.26 | | 11.90 | | | | 1 |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | Sub-Loop 4-Wire Intrabuilding Network Cable (INC) | I | | UEANL | USBR4 | 6.68 | 55.91 | 17.51 | 49.71 | 6.60 | | 11.90 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEANL | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | | | UEF | UCS2X | 6.25 | 60.19 | 21.78 | 47.50 | 5.26 | | 11.90 | | | | |
| | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | I | | UEF UEF | UCS2X UCS2X | 8.44 16.30 | 60.19 60.19 | 21.78 21.78 | 47.50 47.50 | 5.26 5.26 | | 11.90 11.90 | | | | |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | UEF | USBMC | | 9.00 | 9.00 | | | | | | | | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 | I | 1 | UEF | UCS4X | 5.20 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | | |
| - | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 | _ ! | | UEF | UCS4X | 7.02 | 68.83 | 30.42 | 49.71 | 6.60 | | 11.90 | | | ļ | |
| | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 | | 3 | UEF UEF | UCS4X USBMC | 13.55 | 68.83 9.00 | 30.42 9.00 | 49.71 | 6.60 | | 11.90 | | | | + |
| | Order Coordination for Unbundled Sub-Loops, per sub-loop pair | | | | | | | | | | | | | | | |

| UNBL | JNDLEI | NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | | bit: B |
|--|--------|---|--|----------|-------------------------|---------|--------|----------------|-----------|--------------|-------|---|---|--|--|---|---|
| CATEC | GORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Sub-Loop Modification - 2-W Copper Dist Load | | | | l | | | | | | | | | | | |
| | | Coil/Equip Removal per 2-W PR | | | UEF | ULM2X | | 10.11 | 10.11 | | | | 11.90 | | | | |
| | | Unbundled Sub-loop Modification - 4-W Copper Dist Load | | | UEF | ULM4X | | 10.11 | 10.11 | | | | 11.90 | | | | |
| | - | Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged | | <u> </u> | UEF | ULIVI4X | | 10.11 | 10.11 | | | | 11.90 | | | | |
| | | Tap Removal, per PR unloaded | | | UEF | ULM4T | | 15.58 | 15.58 | | | | 11.90 | | | | |
| | Unbun | dled Network Terminating Wire (UNTW) | | | OLI | OLIVIA | | 13.30 | 13.30 | | | | 11.50 | | | | |
| | | Unbundled Network Terminating Wire (UNTW) per Pair | | | UENTW | UENPP | 0.2286 | 18.02 | 18.02 | | | | 11.90 | | | | |
| | | k Interface Device (NID) | | | | | | | | İ | | | | | | | |
| | | Network Interface Device (NID) - 1-2 lines | | | UENTW | UND12 | | 68.08 | 42.80 | | | | 11.90 | | | | |
| | | Network Interface Device (NID) - 1-6 lines | | | UENTW | UND16 | | 110.48 | 85.20 | | | | 11.90 | | | | |
| | | Network Interface Device Cross Connect - 2 W | | | UENTW | UNDC2 | | 7.63 | 7.63 | | | | 11.90 | | | | |
| | | Network Interface Device Cross Connect - 4W | | | UENTW | UNDC4 | Ţ | 7.63 | 7.63 | | | | 11.90 | | | | ļ |
| SUB-L | | <u> </u> | | | | | | | | ļ | | | | | | ļ | |
| | Sub-Lo | op Feeder | | <u> </u> | LIEA | 1 | | | | | | 1 | | | | ļ. | <u> </u> |
| | | USL-Feeder, DS0 Set-up per Cross Box location - CLEC | | 1 | UEA, UDN.UCL.UDL.UDC | LICDE'A | | 407.00 | | j | | | 44.00 | | | | |
| | | Distribution Facility set-up | | | - //- | 02BEW | | 487.23 | | | | | 11.90 | | | | |
| | | USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up | | | UEA, UDN,UCL,UDL,UDC | USBFX | | 6.25 | 6.25 | | | | 11.90 | | | | |
| | - | USL Feeder DS1 Set-up at DSX location, per DS1 termination | | | USL | USBFZ | | 522.41 | 11.32 | | | | 11.90 | | | | |
| | 1 | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice | | | USL | 03BI Z | | 322.41 | 11.32 | | | | 11.90 | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFA | 8.05 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice | | <u> </u> | OLA | COBIA | 0.00 | 32.70 | 01.24 | 00.40 | 10.01 | | 11.50 | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFA | 10.87 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, | | | | | | | | | | | | | | | |
| | | Voice Grade - Zone 3 | | 3 | UEA | USBFA | 21.00 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Order Coordination for Specified Conversion Time, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFB | 8.05 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice | | _ | | | | | | | | | | | | | |
| | | Grade - Zone 2 | | 2 | UEA | USBFB | 10.87 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice | | 3 | UEA | USBFB | 21.00 | 00.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | - | Grade - Zone 3 Order Coordination for Specified Time Conversion, per LSR | | 3 | UEA | OCOSL | 21.00 | 92.75 23.02 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | | ULA | OCOSL | | 23.02 | | | | | | | | | |
| | | Voice Grade - Zone 1 | | 1 | UEA | USBFC | 8.05 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, | | <u> </u> | OLA | CODI C | 0.00 | 32.70 | 01.24 | 00.40 | 10.01 | | 11.50 | | | | |
| | | Voice Grade - Zone 2 | | 2 | UEA | USBFC | 10.87 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse | | | | | | | | | | | | | | | |
| | | Battery, Voice Grade - Zone 3 | | 3 | UEA | USBFC | 21.00 | 92.75 | 51.24 | 58.45 | 13.07 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 1 | | 1 | UEA | USBFD | 17.26 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice | | _ | | LIODES | | | | | | | | | | | |
| | 1 | Grade - Zone 2 | | 2 | UEA | USBFD | 23.29 | 106.92 | 64.46 | 63.54 | 14.83 | } | 11.90 | | | ļ. | |
| l | | Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3 | l | 3 | UEA | USBFD | 45.00 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | + | Order Coordination For Specified Conversion Time, Per LSR | | 3 | UEA | OCOSL | 45.00 | 23.02 | 04.46 | 03.54 | 14.83 | - | 11.90 | | | † | 1 |
| | 1 | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | 02.0 | JUUGE | | 23.02 | | 1 | | 1 | | | 1 | 1 | |
| l | | Grade - Zone 1 | l | 1 | UEA | USBFE | 17.26 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | <u> </u> | 1 | | 20 | .00.02 | 0 10 | 55.54 | 50 | | | | İ | | |
| l | | Grade - Zone 2 | l | 2 | UEA | USBFE | 23.29 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice | | | | | | | | | | | | | | | |
| | | Grade - Zone 3 | | 3 | UEA | USBFE | 45.00 | 106.92 | 64.46 | 63.54 | 14.83 | | 11.90 | | | | |
| | | Order Coordination For Specified Conversion Time, Per LSR | | | UEA | OCOSL | | 23.02 | | | | | | | | | |
| | | Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1 | | | UDN | USBFF | 17.04 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| ı | ļ | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 | ļ | 2 | UDN | USBFF | 23.00 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | ļ | | ļ |
| | | Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3 | ı | 3 | UDN | USBFF | 44.43 | 109.71 | 66.68 | 60.21 | 12.49 | İ | 11.90 | ı | Ì | 1 | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | | bit: B |
|--|---|-------------|--|--------------|---------|----------|-------------|---------------------------------------|--|---------------------------------------|-----------|-----------|-------------|-------------|--|-------------|
| · · · · · · · · · · · · · · · · · · · | | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | lustau: | | | | | | | | | Elec | Manually | Manual Svc | | | Manual Sv |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per LSK | per LSK | | | | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | 1 | | + | | Nonrec | urring | Nonrecurring | Disconnect | 1 | I | 066 | Rates(\$) | | |
| | | | - | | | Rec | | | | | SOMEC | SOMAN | SOMAN | | SOMAN | COMAN |
| | | | <u> </u> | LIDO | | 4= 04 | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | | UDC | USBFS | 17.04 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 2 | UDC | USBFS | 23.00 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) | | 3 | UDC | USBFS | 44.43 | 109.71 | 66.68 | 60.21 | 12.49 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 | | 1 | USL | USBFG | 46.27 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 | | 2 | USL | USBFG | 62.45 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 | | 3 | USL | USBFG | 120.65 | 133.77 | 78.02 | 85.16 | 21.21 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, Per LSR | | | USL | OCOSL | | 23.02 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 | | 1 | UCL | USBFH | 7.25 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UCL | USBFH | 9.79 | 85.27 | 42.24 | 58.54 | 10.82 | | 11.90 | | | | |
| | Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone | | | | 300111 | 5.73 | 00.21 | 74.27 | 55.54 | 10.02 | 1 | 11.30 | | 1 | 1 | |
| | 2 | | 3 | UCL | USBFH | 18.92 | 85.27 | 42.24 | 58.54 | 10.82 | 1 | 11.90 | | | | 1 |
| | Order Coordination For Specified Conversion Tires LCD | | 3 | | | 10.92 | | 42.24 | 30.34 | 10.62 | | 11.90 | | + | | |
| | Order Coordination For Specified Conversion Time, per LSR | | <u> </u> | UCL | OCOSL | 1100 | 23.02 | F7.00 | 00.00 | 10.00 | 1 | 44.00 | | 1 | 1 | 1 |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 | | | UCL | USBFJ | 14.22 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 | | ļ | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 | | 2 | UCL | USBFJ | 19.20 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3 | | 3 | UCL | USBFJ | 37.09 | 99.66 | 57.20 | 60.98 | 12.28 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | | UCL | OCOSL | | 23.02 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 1 | UDL | USBFN | 18.68 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | | UDL | USBFN | 25.21 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop | | 3 | UDL | USBFN | 48.71 | 100.62 | 58.16 | | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | Ŭ | ODL | OOD! IV | 70.71 | 100.02 | 00.10 | 00.04 | 14.00 | | 11.50 | | | | |
| | Zone 1 | | 1 | UDL | USBFO | 18.68 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | | | _ ' | UDL | USBFU | 10.00 | 100.62 | 30.10 | 63.34 | 14.03 | ļ | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | LIDI | LIODEO | 05.04 | 400.00 | 50.40 | 00.54 | 44.00 | | 44.00 | | | | |
| | Zone 2 | | 2 | UDL | USBFO | 25.21 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UDL | USBFO | 48.71 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Order Coordination For Specified Time Conversion, per LSR | | | UDL | OCOSL | | 23.02 | | | | | | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UDL | USBFP | 18.68 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UDL | USBFP | 25.21 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - | | | ODL | OODIT | 20.21 | 100.02 | 00.10 | 00.04 | 14.00 | | 11.00 | | | | |
| | Zone 3 | | 3 | UDL | USBFP | 48.71 | 100.62 | 58.16 | 63.54 | 14.83 | | 11.90 | | | | |
| | Order Coordination For Specified Conversion Time, per LSR | | 3 | UDL | OCOSL | 40.71 | 23.02 | 30.10 | 03.34 | 14.03 | ļ | 11.50 | | ļ | | |
| OUD LOOPO | Order Coordination For Specified Conversion Time, per LSK | | | UDL | UCUSL | | 23.02 | | | | ļ | | | | | |
| SUB-LOOPS | | | | | | | | | | | | | | | | |
| Sub-L | oop Feeder | | | | | | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Per Mile Per Month | I | | UE3 | 1L5SL | 15.69 | | | | | | | | | | |
| | Sub Loop Feeder - DS3 - Facility Termination Per Month | - 1 | | UE3 | USBF1 | 347.59 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | Sub Loop Feeder – STS-1 – Per Mile Per Month | | | UDLSX | 1L5SL | 15.69 | | | | | | | | | | |
| | Sub Loop Feeder - STS-1 - Facility Termination Per Month | ı | | UDLSX | USBF7 | 402.09 | 3,402.59 | 407.15 | 166.83 | 94.58 | | 11.90 | | | | |
| | Sub Loop Feeder – OC-3 – Per Mile Per Month | - 1 | | UDLO3 | 1L5SL | 11.90 | | | | | | | İ | | 1 | 1 |
| | Sub Loop Feeder - OC-3 - Facility Termination Protection Per | | | | | 1 | | | † | | İ | | | | | |
|] | Month | l 1 | 1 | UDLO3 | USBF5 | 62.98 | | | | | 1 | | 1 | | | I |
| | Sub Loop Feeder - OC-3 - Facility Termination Per Month | | | UDLO3 | USBF2 | 547.22 | 3,402,59 | 407.15 | 166.83 | 94.58 | 1 | 11.90 | 1 | 1 | 1 | 1 |
| | Sub Loop Feeder - OC-12 - Per Mile Per Month | - | 1 | UDL12 | 1L5SL | 14.65 | 3,402.33 | 407.13 | 100.00 | 34.30 | 1 | 11.90 | 1 | 1 | 1 | 1 |
| | | | - | UDLIZ | ILOOL | 14.00 | | | | | 1 | ! | - | 1 | 1 | - |
| 1 | Sub Loop Feeder - OC-12 - Facility Termination Protection Per | ١. | 1 | LIBLAG | LIODEO | 500 :- | | | | | 1 | | 1 | | | I |
| | Month | | <u> </u> | UDL12 | USBF6 | 502.47 | | | | | ļ | <u> </u> | | | ļ | ļ |
| <u> </u> | Sub Loop Feeder - OC-12 - Facility Termination Per Month | | | UDL12 | USBF3 | 1,577.00 | 3,402.59 | 407.15 | 166.83 | 94.58 | ļ | 11.90 | | | ļ | |
| | Sub Loop Feeder - OC-48 - Per Mile Per Month | ı | | UDL48 | 1L5SL | 48.06 | | | | | Į | L | | | ļ | <u> </u> |
| | Sub Loop Feeder - OC-48 - Facility Termination Protection Per | | | | | | | | | | | | | | | |
|] | Month | - 1 | 1 | UDL48 | USBF9 | 251.80 | | | | | 1 | | 1 | | | I |
| l i | Sub Loop Feeder - OC-48 - Facility Termination Per Month | 1 | | UDL48 | USBF4 | 1,589.00 | 3,588.59 | 407.15 | 168.35 | 95.43 | | 11.90 | | | | |
| 1 | Sub Loop Feeder - OC-12 Interface On OC-48 | | | UDL48 | USBF8 | 331.15 | 804.98 | 407.15 | 168.35 | 95.43 | İ | 11.90 | | 1 | 1 | |
| UNBUNDI FD | LOOP CONCENTRATION | <u> </u> | 1 | | | 500 | 5000 | 10 | 100.00 | 55.10 | 1 | | | | 1 | |
| I | Unbundled Loop Concentration - System A (TR008) | | | ULC | UCT8A | 449.49 | 359.42 | 359.42 | | | 1 | 11.90 | 1 | 1 | 1 | 1 |
| | | | | | | | | | | | | | | | | |
| | Unbundled Loop Concentration - System B (TR008) | | 1 | ULC | UCT8B | 53.44 | 149.76 | 149.76 | 1 | | 1 | 11.90 | 1 | 1 | 1 | 1 |
| | Unbundled Loop Concentration - System A (TR303) | | <u> </u> | ULC | UCT3A | 487.33 | 359.42 | 359.42 | | | ļ | 11.90 | | | ļ | ļ |
| | Unbundled Loop Concentration - System B (TR303) | | | ULC | UCT3B | 90.05 | 149.76 | 149.76 | | | | 11.90 | | | | |
| | Unbundled Loop Concentration - DS1 Loop Interface Card | l | 1 | ULC | UCTCO | 5.04 | 71.70 | 51.52 | 18.49 | 4.82 | 1 | 11.90 | 1 | 1 | | 1 |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | 1 | 1 | | | | | | 1 - | | | ment: 2 | | bit: B |
|------------|--|-------------|--|------------------|-----------|--------|----------|-----------|--------------|-------|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Loop Concentration - ISDN Loop Interface (Brite | | | | | | 40.50 | 40.50 | | . =- | | | | | | |
| | Card) Unbundled Loop Concentration - UDC Loop Interface (Brite | | | UDN | ULCC1 | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | Card) | | | UDC | ULCCU | 8.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | Unbundled Loop Concentration2 Wire Voice-Loop Start or | | | 000 | OLOGO | 0.00 | 10.00 | 10.00 | 0.11 | 0.70 | | 11.50 | | | | |
| | Ground Start Loop Interface (POTS Card) | | | UEA | ULCC2 | 2.00 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery | | | | | | | | | | | | | | | |
| | Loop Interface (SPOTS Card) | | | UEA | ULCCR | 11.90 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | Unbundled Loop Concentration - 4 Wire Voice Loop Interface | | | | | | | | | | | | | | | |
| | (Specials Card) | | | UEA | ULCC4 | 7.10 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| | Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop | | 1 | ULC | UCTTC | 34.68 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | - | - |
| | Interface | | 1 | UDL | ULCC7 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| <u> </u> | Unbundled Loop Concentration - Digital 56 Kbps Data Loop | | | - · - | | | | | 57 | 5.76 | | | | | | |
| | Interface | | | UDL | ULCC5 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | <u> </u> | 11.90 | | <u> </u> | | <u> </u> |
| | Unbundled Loop Concentration - Digital 64 Kbps Data Loop | | | | | | | | | | | | | | | |
| | Interface | | | UDL | ULCC6 | 10.51 | 16.59 | 16.50 | 6.77 | 6.73 | | 11.90 | | | | |
| UNE OTHER, | PROVISIONING ONLY - NO RATE | | | UENTW | UNDBX | 0.00 | 0.00 | | | | | | | | | |
| | NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate | | | UENTW | UENCE | 0.00 | 0.00 | | | | | | | | | |
| | ONTW Circuit id Establishment, Provisioning Only - No Rate | | | UEANL,UEF,UEQ,U | UENCE | 0.00 | 0.00 | | | | | | | | 1 | 1 |
| | Unbundled Contract Name, Provisioning Only - No Rate | | | ENTW | UNECN | 0.00 | 0.00 | | | | | | | | | |
| UNE OTHER, | PROVISIONING ONLY - NO RATE | | | | | | | | | | | | | | İ | İ |
| | | | | | | | | | | | | | | | | |
| | | | | UAL,UCL,UDC,UDL, | | | | | | | | | | | | |
| | Unbundled Contact Name, Provisioning Only - no rate | | | UDN,UEA,UHL,ULC | UNECN | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate | | | UEA,UDN,UCL,UDC | USBFQ | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no | | | ULA,UDIN,UCL,UDC | USBI Q | 0.00 | 0.00 | | | | | | | | 1 | 1 |
| | rate | | | UEA,USL,UCL,UDL | USBFR | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Superframe Format Option - no rate | | | USL | CCOSF | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled DS1 Loop - Expanded Superframe Format option - | | | | | | | | | | | | | | | |
| | no rate | | | USL | CCOEF | 0.00 | 0.00 | | | | | | | | | |
| HIGH CAPAC | ITY UNBUNDLED LOCAL LOOP | | | | | | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 - Per Mile per | | | LIEO | 1L5ND | 40.00 | | | | | | | | | | |
| | month High Capacity Unbundled Local Loop - DS3 - Facility | | | UE3 | ILOND | 10.92 | | | | | | | | | | |
| | Termination per month | | | UE3 | UE3PX | 386.88 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Per Mile per | | | | | | | | | | | | | | İ | 1 |
| | month | | | UDLSX | 1L5ND | 10.92 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS-1 - Facility | | | | | | | | | | | | | | | |
| | Termination per month | | | UDLSX | UDLS1 | 426.60 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | 1.83 | |
| LOOP MAKE- | Loop Makeup - Preordering Without Reservation, per working or | | | 1 | | | | | 1 | | | | | | | |
| | spare facility queried (Manual). | | 1 | UMK | UMKLW | | 52.17 | 52.17 | | | | | | | | |
| | Loop Makeup - Preordering With Reservation, per spare facility | | | CIVIIX | CIVIIXEVV | | 32.17 | 32.17 | | | | | | | † | † |
| | queried (Manual). | | | UMK | UMKLP | | 55.07 | 55.07 | | | | | | | 1 | |
| | Loop MakeupWith or Without Reservation, per working or | | | | | | | | | | | | | | | |
| | spare facility queried (Mechanized) | | | UMK | PSUMK | | 0.6784 | 0.6784 | | | | | | | | |
| | ENCY SPECTRUM | | <u> </u> | | | | | | | | | | | | | |
| | SHARING TERS-CENTRAL OFFICE BASED | - | - | | | | | | | | | | | - | 1 | |
| SPLII | Line Sharing Splitter, per System 96 Line Capacity - True up | <u> </u> | | - | | | | | | | | | | | | |
| | pending approval by PSC | R | | ULS | ULSDA | 119.72 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | 1 | |
| 1 | Line Sharing Splitter, per System 24 Line Capacity - True up | <u> </u> | | | | | 5. 5. 10 | 2.00 | 550 | 2.00 | | 50 | | | 1 | |
| | pending approval by PSC | R | L | ULS | ULSDB | 29.93 | 379.13 | 0.00 | 347.90 | 0.00 | <u> </u> | 11.90 | | <u> </u> | <u> </u> | <u> </u> |
| | Line Sharing Splitter, Per System, 8 Line Capacity | ı | | ULS | ULSD8 | 8.33 | 379.13 | 0.00 | 347.90 | 0.00 | | 11.90 | | | | |
| | Line Sharing-DLEC Owned Splitter in CO-CFA activaton- | | | l | | | | | | | | | | | | |
| | deactivation (per LSOD) | | 1 | ULS | ULSDG | | 173.66 | 0.00 | 97.42 | 0.00 | l | 11.90 | |] | | 1 |

| | JNDLE | D NETWORK ELEMENTS - Florida | | | T | | | | | | | | 1 - | | nent: 2 | | oit: B |
|-------|--|---|-------------|--|---|---|--|----------------------------------|----------------------------------|----------------------------------|------------------------------|---|---|--|--|---|--|
| CATEO | GORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | END US | SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY | Y SPEC | TRUM | | | | | | | | | | | | | |
| | | Line Sharing - per Line Activation -(BST Owned Splitter) | | | ULS | ULSDC | 0.61 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement | | | | | | | | | | | | | | | |
| | | - True up pending approval by PSC(BST Owned Splitter) | R | | ULS | ULSDS | | 21.68 | 16.44 | | | | 11.90 | | | | |
| | | The appointing approval by the expert of mice opinion | -,, | | 020 | 02020 | | 21.00 | | | | | 11.00 | | | | |
| | | Line Sharing - per Subsequent Activity per Line Rearrangement | | | | | | | | | | | | | | | |
| | | True up pending approval by PSC(DLEC Owned Splitter) | R | | ULS | ULSCS | | 21.68 | 16.44 | | | | 11.90 | | | | |
| | | Line Sharing - per Line Activation (DLEC owned Splitter) | ı | | ULS | ULSCC | 0.61 | 47.44 | 19.31 | 20.67 | 12.74 | | 11.90 | | | | |
| | | PLITTING | | | | | | | | | | | | | | | |
| | END US | SER ORDERING-CENTRAL OFFICE BASED | | | | | | | | | | | | | | | |
| | | Line Splitting - per line activation DLEC owned splitter | . ! | | UEPSR UEPSB | UREOS | 0.61 | | | 10.55 | | | 44.00 | | | | |
| | | Line Splitting - per line activation BST owned - physical | <u> </u> | 1 | UEPSR UEPSB | UREBP | 0.61 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| | | Line Splitting - per line activation BST owned - virtual | | | UEPSR UEPSB | UREBV | 1.134 | 29.68 | 21.28 | 19.57 | 9.61 | | 11.90 | | | | |
| | | TE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE | | 1 | | | | | | | | | | | | | |
| | SPLIII | Remote Site Line Share BellSouth Owned Splitter, 24 Port | - | + | ULS | ULSRB | 25.00 | 150.00 | 0.00 | 150.00 | 0.00 | - | 11.90 | | | | |
| | | Remote Site Line Share Cable Pair Activation CLEC Owned at | | 1 | OLS | OLOND | 25.00 | 130.00 | 0.00 | 130.00 | 0.00 | 1 | 11.90 | | | | |
| | | RS and deactivation | | | ULS | ULSTG | | 74.38 | 0.00 | 46.77 | 0.00 | | 11.90 | | | | |
| | | SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI | ΜΔΚΔ | REMO | | | | 74.00 | 0.00 | 40.77 | 0.00 | | 11.00 | | | | |
| | LIVE O | Remote Site Line Share Line Activation for End User Served at | II AIGA | I | TE OFFE EINE OFFAR | | | | | | | | | | | | |
| | | RS, BST Splitter | 1 | | ULS | ULSRC | 0.61 | 40.00 | 22.00 | 19.57 | 9.61 | | 11.90 | | | | |
| | | RS Line Share Line Activation for End User served at RS, CLEC | | | | | | | | | | | | | | | |
| | | Splitter | - 1 | | ULS | ULSTC | 0.61 | 40.00 | 22.00 | 19.57 | 9.61 | | 11.90 | | | | |
| UNBU | | DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu | m billin | ng peri | od - below DS3=one | month, DS3/ | STS-1=four mo | nths | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | INTER | OFFICE CHANNEL - DEDICATED TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - | | | | | | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - | | | U1TVX | 1L5XX | 0.0091 | | 04.70 | 40.04 | 7.00 | | 44.00 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination | | | | | | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade | | | U1TVX U1TVX | 1L5XX U1TV2 | 0.0091 | | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month | | | U1TVX | 1L5XX | 0.0091 | | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat | | | U1TVX U1TVX U1TVX | 1L5XX U1TV2 1L5XX | 0.0091 25.32 0.0091 | 47.35 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination | | | U1TVX U1TVX | 1L5XX U1TV2 | 0.0091 | | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Interoffice Channel - Interoffi | | | U1TVX U1TVX U1TVX | 1L5XX U1TV2 1L5XX U1TR2 | 0.0091 25.32 0.0091 25.32 | 47.35 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination | | | U1TVX U1TVX U1TVX | 1L5XX U1TV2 1L5XX | 0.0091 25.32 0.0091 | 47.35 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination | | | U1TVX U1TVX U1TVX | 1L5XX U1TV2 1L5XX U1TR2 | 0.0091 25.32 0.0091 25.32 | 47.35 | | | | | | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TR2 | 0.0091 25.32 0.0091 25.32 0.0091 22.58 | 47.35 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month | | | U1TVX U1TVX U1TVX U1TVX U1TVX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX | 0.0091 25.32 0.0091 25.32 0.0091 | 47.35 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Interoffice Channel - Dedicated Transport - 56 kbps - Facility | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX | 0.0091 25.32 0.0091 25.32 0.0091 22.58 | 47.35 47.35 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TR2 | 0.0091 25.32 0.0091 25.32 0.0091 22.58 | 47.35 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TD5 | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 | 47.35 47.35 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX | 0.0091 25.32 0.0091 25.32 0.0091 22.58 | 47.35 47.35 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport to 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TV4 1L5XX | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 18.44 | 47.35 47.35 47.35 | 31.78 31.78 31.78 | 18.31 | 7.03 7.03 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination - Dedicated Transport - 64 kbps - Facility Termination - Dedicated Transport - 64 kbps - Facility Termination - Transport - 64 kbps - Facility Termination - Dedicated Transport - 64 kbps - Facility Termination - Dedicated Transport - 64 kbps - Facility Termination - Transport - 64 kbps - Facility Termination - Transport - 64 kbps - Facility Termination - Transport - 64 kbps - Facility Termination - Transport - 64 kbps - Facility Termination - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 kbps - Facility - Transport - 64 k | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TD5 | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 | 47.35 47.35 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TV4 1L5XX U1TD5 | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 18.44 0.0091 | 47.35 47.35 47.35 | 31.78 31.78 31.78 | 18.31 | 7.03 7.03 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TV4 1L5XX | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 18.44 | 47.35 47.35 47.35 | 31.78 31.78 31.78 | 18.31 | 7.03 7.03 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TV4 1L5XX U1TD5 | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 18.44 0.0091 | 47.35 47.35 47.35 | 31.78 31.78 31.78 | 18.31 | 7.03 7.03 7.03 | | 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 55 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 65 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TD5 1L5XX U1TD6 | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 18.44 0.0091 18.44 | 47.35 47.35 47.35 47.35 | 31.78 31.78 31.78 | 18.31 18.31 18.31 | 7.03 7.03 7.03 | | 11.90 11.90 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - Dedicated Transport - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TD5 1L5XX U1TD6 | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 18.44 0.0091 18.44 | 47.35 47.35 47.35 47.35 | 31.78 31.78 31.78 | 18.31 18.31 18.31 | 7.03 7.03 7.03 | | 11.90 11.90 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per M | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TD1 U1TD1 | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TD5 1L5XX U1TD6 1L5XX U1TD6 1L5XX U1TF1 | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 18.44 0.0091 18.44 0.1856 88.44 | 47.35 47.35 47.35 47.35 | 31.78 31.78 31.78 31.78 | 18.31 18.31 18.31 21.47 | 7.03 7.03 7.03 7.03 | | 11.90 11.90 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TV5 1L5XX U1TD5 1L5XX U1TD6 1L5XX | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 18.44 0.0091 18.44 0.1856 | 47.35 47.35 47.35 47.35 | 31.78 31.78 31.78 | 18.31 18.31 18.31 | 7.03 7.03 7.03 | | 11.90 11.90 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per Mile Per M | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TD5 1L5XX U1TD6 1L5XX U1TD6 1L5XX U1TF1 | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 18.44 0.1856 88.44 3.87 | 47.35 47.35 47.35 47.35 | 31.78 31.78 31.78 31.78 | 18.31 18.31 18.31 21.47 | 7.03 7.03 7.03 7.03 | | 11.90 11.90 11.90 | | | | |
| | | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month | | | U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TD1 U1TD1 | 1L5XX U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TD5 1L5XX U1TD6 1L5XX U1TD6 1L5XX U1TF1 | 0.0091 25.32 0.0091 25.32 0.0091 22.58 0.0091 18.44 0.0091 18.44 0.1856 88.44 | 47.35 47.35 47.35 47.35 | 31.78 31.78 31.78 31.78 | 18.31 18.31 18.31 21.47 | 7.03 7.03 7.03 7.03 | | 11.90 11.90 11.90 | | | | |

| ONBOL | <u>ND</u> LEI | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attach | ment: 2 | Exhi | bit: B |
|---|---------------|--|--|------|----------------|----------------|----------------|--------|------------------|--|--------|-------|---|---|---|---|--|
| CATEGO | ORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | T |
| | | OHANNEL DEDICATED TRANSPORT | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CHANNEL - DEDICATED TRANSPORT LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin | | | DC2 manth | DC2/CTC 4 | fa | | | | | | | | | | + |
| ľ | NOTE: | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | g perio | 1 | ULDVX | ULDV2 | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | + |
| | | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 | | 2 | ULDVX | ULDV2 | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | + |
| | | Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3 | | 3 | UNDVX | ULDV2 | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | + |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | 0.1217. | 02512 | 07.22 | 200.01 | .0.01 | 01.00 | | | 11.00 | | | | 1 |
| | | Zone 1 | | 1 | ULDVX | ULDR2 | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | | | | | 1 | | | | | | | |
| | | Zone 2 | | 2 | ULDVX | ULDR2 | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat | | | | | | | | | | | | | | | |
| | | Zone 3 | | 3 | ULDVX | ULDR2 | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1 | | 1 | UNDVX | ULDV4 | 22.81 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | <u> </u> |
| | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2 | | 2 | UNDVX | ULDV4 | 30.79 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | 1 | | ↓ |
| | | Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3 | ļ | 3 | UNDVX | ULDV4 | 59.48 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | ļ | ↓ |
| $\vdash \!$ | | Local Channel - Dedicated - DS1 - Zone 1 | | 1 | ULDD1 | ULDF1 | 35.28 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | - | 1 | 1 | + |
| \vdash | | Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3 | 1 | 2 | ULDD1 | ULDF1 ULDF1 | 47.63 92.01 | 216.65 | 183.54 183.54 | 24.30 | 16.95 | | 11.90 | | | | + |
| - | | Local Channel - Dedicated - DS3 - Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month | | 3 | ULDD1 ULDD3 | 1L5NC | 92.01 8.50 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | |
| | | Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination | | | ULDD3 | ULDF3 | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| - | | Local Channel - Dedicated - DS3 - Pacinty Termination Local Channel - Dedicated - STS-1- Per Mile per month | | | ULDS1 | 1L5NC | 8.50 | 336.37 | 343.01 | 139.13 | 90.04 | | 11.90 | | - | | + |
| | | Local Channel - Dedicated - STS-1 - Fer Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination | | | ULDS1 | ULDFS | 540.69 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | + |
| DARK FI | IRFR | Local Chamier - Dedicated - 616-1 - Facility Termination | | | OLDOT | OLDI O | 340.03 | 330.37 | 343.01 | 100.10 | 30.04 | | 11.50 | | | | + |
| DARRE | IDLIX | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | + |
| | | Thereof per month - Local Channel | | | UDF | 1L5DC | 55.04 | | | | | | | | | | |
| | | NRC Dark Fiber - Local Channel | | | UDF | UDFC4 | | 751.34 | 193.88 | 356.21 | 230.11 | | 11.90 | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | | Thereof per month - Interoffice Channel | | | UDF | 1L5DF | 26.85 | | | | | | | | | | |
| | | NRC Dark Fiber - Interoffice Channel | | | UDF | UDF14 | | 751.34 | 193.88 | 356.21 | 230.11 | | 11.90 | | | | |
| | | Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction | | | | | | | | | | | | | | | |
| | | Thereof per month - Local Loop | | | UDF | 1L5DL | 55.04 | | | | | | | | | | |
| | | NRC Dark Fiber - Local Loop | | | UDF | UDFL4 | | 751.34 | 193.88 | 356.21 | 230.11 | | 11.90 | | | | |
| 8XX ACC | | EN DIGIT SCREENING | | | O. I.B. | | | | | | | | | | | | |
| | | 8XX Access Ten Digit Screening, Per Call | | | OHD | | 0.0006252 | | | | | | | | | | - |
| | | 8XX Access Ten Digit Screening, Reservation Charge Per 8XX | | | OLID | NODAY | | 4.45 | 0.70 | | | | 44.00 | | | | |
| \vdash | | Number Reserved 8XX Access Ten Digit Screening, Per 8XX No. Established W/O | 1 | | OHD | N8R1X | + | 4.15 | 0.70 | + | | | 11.90 | | + | | + |
| | | POTS Translations | 1 | | OHD | |] | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | I | | 1 |
| - | | 8XX Access Ten Digit Screening, Per 8XX No. Established With | | | OTID | | | 0.70 | 1.10 | 5.77 | 0.70 | | 11.50 | | | | + |
| | | POTS Translations | l | | OHD | N8FTX | | 8.78 | 1.18 | 5.77 | 0.70 | | 11.90 | | 1 | | |
| | | 8XX Access Ten Digit Screening, Customized Area of Service | | | İ | 1 | † | 50 | | | 20 | | | | 1 | | † |
| | | Per 8XX Number | 1 | | OHD | N8FCX |] | 4.15 | 2.07 | | | | 11.90 | | I | | 1 |
| | | 8XX Access Ten Digit Screening, Multiple InterLATA CXR | | | | | | | | | | | | | | | 1 |
| | | Routing Per CXR Requested Per 8XX No. | <u></u> | | OHD | N8FMX | <u> </u> | 4.85 | 2.78 | <u> </u> | | | 11.90 | <u> </u> | <u> </u> | | <u> </u> |
| | | 8XX Access Ten Digit Screening, Change Charge Per Request | | | OHD | N8FAX | | 4.85 | 0.70 | | | | 11.90 | | | | |
| | | 8XX Access Ten Digit Screening, Call Handling and Destination | l | |] | | | | | | | | | | | | 1 |
| | | Features | ļ | | OHD | N8FDX | ļl | 4.15 | 4.15 | | | | 11.90 | | 1 | | ↓ |
| | | 000/ A To . Divis O | l | | OLID. | | 0.00000=- | | | | | | | | 1 | | |
| | | 8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query | <u> </u> | | OHD | 1 | 0.0006252 | | | ļ | | | | ļ | - | | |
| | | 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per | l | | OHD | | 0.0000050 | | | | | | | | 1 | | |
| I INE INE | EODM A | query ATION DATA BASE ACCESS (LIDB) | | - | OHD | + | 0.0006252 | | | | | | | | | 1 | + |
| LINE IN | | LIDB Common Transport Per Query | 1 | | OQT | 1 | 0.0000203 | | | + | | | | 1 | | | + |
| | | LIDB Validation Per Query | 1 | | OQU | + | 0.0000203 | | | + | | 1 | | | 1 | 1 | + |
| + | | LIDB Originating Point Code Establishment or Change | | | OQT, OQU | NRPBX | 0.0100009 | 55.13 | 55.13 | 55.13 | 55.13 | | 11.90 | | t | 1 | + |
| SIGNALI | ING (C | | 1 | | | 5/ | | 55.15 | 00.10 | 55.15 | 00.10 | | 11.50 | 1 | I | 1 | |
| T | | CCS7 Signaling Termination, Per STP Port | | | UDB | PT8SX | 135.05 | | | † | | | | | 1 | | 1 |
| | | CCS7 Signaling Usage, Per TCAP Message | | | UDB | | 0.0000607 | | | | | | | İ | | | † |
| — | | CCS7 Signaling Connection, Per link (A link) | | | UDB | TPP++ | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | 11.90 | | | 1 | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | 1 | , | | ment: 2 | | bit: B |
|---------------------|---|-------------|----------|------|-------|-----------|----------|-----------|--------------|--------|----------|-----------|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CCS7 Signaling Connection, Per link (B link) (also known as D | | | | | | | | | | | | | | | |
| | link) | | | UDB | TPP++ | 17.93 | 43.57 | 43.57 | 18.31 | 18.31 | | 11.90 | | | | |
| | CCS7 Signaling Usage, Per ISUP Message | | | UDB | | 0.0000152 | | | | | | | | | | |
| | CCS7 Signaling Usage Surrogate, per link per LATA | | | UDB | STU56 | 694.32 | | | | | | | | | | |
| | CCS7 Signaling Point Code, per Originating Point Code | | | | | | | | | | | | | | | |
| | Establishment or Change, per STP affected | | | UDB | CCAPO | | 46.03 | 46.03 | 46.03 | 46.03 | | 11.90 | | | | |
| E911 SERVICE | | | | | | | | | | | | | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 | | | | | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 | | | | | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-wr Voice Grade - Zone 3 | | | | | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile | | | | | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility | | | | | | | | | | | | | | | |
| | Termination | l | 1 | | | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | Ì | I | 1 |
| | Local Channel - Dedicated - DS1 - Zone 1 | | | | | 35.28 | 216.65 | 183.54 | | 19.05 | İ | 11.90 | | İ | 1 | |
| | Local Channel - Dedicated - DS1 - Zone 2 | 1 | t | | | 47.63 | 216.65 | 183.54 | 21.47 | 19.05 | | 11.90 | | 1 | t | |
| | Local Channel - Dedicated - DS1 - Zone 3 | 1 | t | | | 92.01 | 216.65 | 183.54 | | 19.05 | | 11.90 | | 1 | t | |
| | Interoffice Transport - Dedicated - DS1 Per Mile | | | | | 0.1856 | 210.00 | 100.01 | 2 | 10.00 | | 11.00 | | | | |
| | Transport Doublated DOTT of Hillo | 1 | 1 | | | 5.1000 | | | | | 1 | l | | | | — |
| | Interoffice Transport - Dedicated - DS1 Per Facility Termination | | | | | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | |
| CALLING NAM | IE (CNAM) SERVICE | | | | | 00.44 | 100.04 | 50.47 | 21.47 | 10.00 | | 11.50 | | | | |
| CALLING NAM | CNAM For DB Owners - Service Establishment | | | OQV | | | 25.35 | 25.35 | 19.01 | 19.01 | | 11.90 | | | | |
| | CNAM For Non DB Owners - Service Establishment | | | OQV | | | 25.35 | 25.35 | | 19.01 | | 11.90 | | | | |
| | CNAM For DB Owners - Service Provisioning With Point Code | | | OQV | + | | 25.55 | 25.55 | 19.01 | 19.01 | | 11.90 | | | - | |
| | Establishment | | | OQV | | | 1,592.00 | 1,177.00 | 352.36 | 259.09 | | 11.90 | | | | |
| | | | | OQV | | | 1,592.00 | 1,177.00 | 332.30 | 259.09 | - | 11.90 | | | | |
| | CNAM For Non DB Owners - Service Provisioning With Point Code Establishment | | | oqv | | | 546.51 | 393.82 | 358.06 | 259.09 | | 11.90 | | | | |
| | | | | OQV | | 0.001024 | 546.51 | 393.82 | 338.06 | 259.09 | - | 11.90 | | | | |
| | CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query | | | OQV | | 0.001024 | | | | | - | | | | | |
| I ND Owen Con | | | - | OQV | | 0.001024 | | | | | | | | | | |
| LNP Query Ser | | | - | 001/ | | 0.000050 | | | | | | | | | | |
| | LNP Charge Per query | | - | OQV | | 0.000852 | 40.00 | 10.00 | 40.74 | 10.71 | | 44.00 | | | | |
| | LNP Service Establishment Manual | | | | | | 13.83 | 13.83 | 12.71 | 12.71 | | 11.90 | | | | |
| | LNP Service Provisioning with Point Code Establishment | | | | | | 655.50 | 334.88 | 297.03 | 218.40 | | 11.90 | | | | |
| OPERATOR CA | ALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | | | | | | | | |
| | LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using | l | | | | | | | | | | | | | 1 | 1 |
| | Foreign LIDB | | <u> </u> | | | 1.24 | | | | | <u> </u> | | | | ļ | ↓ |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | l | | | | | | | | | | | | | 1 | 1 |
| | LIDB | | 1 | | | 0.20 | | | | | | | | ļ | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | l | | | | | | | | | | | | | 1 | 1 |
| | Foreign LIDB | | <u> </u> | | | 0.20 | | | | | <u> </u> | | | | ļ | ↓ |
| INWARD OPER | RATOR SERVICES | | | | | | | | | | | | | | | |
| | Inward Operator Services - Verification, Per Call | | | | | 1.00 | | | | | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt | | | | | | | | | | | | | | | 1 |
| | - Per Call | | <u> </u> | | | 1.95 | | | | | <u> </u> | | <u> </u> | | <u> </u> | <u> </u> |
| BRANDING - 0 | PERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| | based CLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | CBAOS | | 7,000.00 | 7,000.00 | | | | 11.90 | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| | per OCN | l | 1 | | CBAOL | | 500.00 | 500.00 | | | | 11.90 | | l | I | 1 |
| UNEP (| | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | 11.90 | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | 1 | | 1 | | | | | | | | İ | İ | İ | |
| 1 | per OCN | l | 1 | | | | 500.00 | 500.00 | | | | 11.90 | | Ì | I | 1 |
| Unbran | nding via OLNS for UNEP CLEC | | | | | | | | | | İ | | | İ | 1 | |
| | Loading of OA per OCN (Regional) | 1 | t | | | | 1,200.00 | 1,200.00 | | | | 11.90 | | 1 | t | |
| | SSISTANCE SERVICES | 1 | t | | | | .,_00.00 | .,200.00 | | | | | | 1 | t | |
| | TORY ASSISTANCE ACCESS SERVICE | l | 1 | | 1 | | | | | | 1 | | | | — | \vdash |
| | | 1 | 1 | | | 0.275 | | | 1 | | ! | ! | ! | | | |

| UNBL | INDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhil | bit: B |
|--------|----------|--|-------------|------|---|-------|--------|----------|-----------|------------------|---------|-------|---|--|--|-------|-------------------------|
| CATE | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | | Incremental Charge - |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring Dis | connect | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DIREC | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (| DACC) | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), | | | | | | | | | | | | | | | |
| | | Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| DIREC | TORY A | SSISTANCE SERVICES | | | | | | | | | | | | | | | |
| | DIREC | TORY ASSISTANCE DATA BASE SERVICE (DADS) | | | | | | | | | | | | | | | |
| | | Directory Assistance Data Base Service Charge Per Listing | | | | | 0.04 | | | | | | | | | | |
| | | Directory Assistance Data Base Service, per month | | | | DBSOF | 150.00 | | | | | | | | | | |
| BRANI | DING - D | DIRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| | Facility | / Based CLEC | | | | | | | | | | | | | | | |
| | · | Recording and Provisioning of DA Custom Branded | | | | | | | | | | | | | | | |
| | | Announcement | | | AMT | CBADA | | 6,000.00 | 6,000.00 | | | 1 | 11.90 | | | | |
| | | Loading of Custom Branded Announcement per Switch | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | İ | 11.90 | | | | |
| | UNEP | | 1 | 1 | | | † 1 | | | † | | | | İ | İ | | 1 |
| | 1 | Recording of DA Custom Branded Announcement | 1 | 1 | | | † 1 | 3,000.00 | 3,000.00 | † | | | 11.90 | İ | İ | | 1 |
| | † | Loading of DA Custom Branded Announcement per Switch per | † | t | | | † 1 | ., | ., | 1 | | | | t | | | 1 |
| | 1 | OCN | 1 | 1 | | 1 |] | 1,170.00 | 1,170.00 | | | | 11.90 | I | | | 1 |
| | Unbrai | nding via OLNS for UNEP CLEC | 1 | 1 | | | † † | ., | ., | 1 | | 1 | 50 | | | | 1 |
| | 0.1.2.a. | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | 11.90 | | | | |
| | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | 11.90 | | | | |
| SEL EC | TIVE D | OUTING | | | | | | 10.00 | 10.00 | | | | 11.50 | | | | |
| OLLLC | I | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | | Switch | | | | USRCR | | 93.55 | 93.55 | 12.71 | 12.71 | | 11.90 | | | | |
| VIRTII | AL COL | LOCATION | | | | OOROR | | 33.33 | 33.33 | 12.71 | 12.71 | | 11.30 | | | | |
| VIIXIO | AL COL | Virtual Collocation - Application Cost | | | AMTFS | EAF | | 4,122.00 | 1,249.00 | | | | 11.90 | | | | |
| | | Virtual Collocation - Cable Installation Cost, per cable | | | AMTFS | ESPCX | 12.45 | 965.00 | 1,243.00 | | | | 11.90 | | | | |
| | | Virtual Collocation - Floor Space, per sq. ft. | | | AMTFS | ESPVX | 4.25 | 905.00 | | | | | 11.90 | - | | | - |
| - | | Virtual Collocation - Proof Space, per sq. rt. Virtual Collocation - Power, per fused amp | | | AMTFS | ESPAX | 6.95 | | | | | | | - | | | - |
| | 1 | | 1 | | AWIIFO | ESPAN | 0.93 | | | | | | | | | | |
| | | Virtual Collocation - Cable Support Structure, per entrance cable | | | ANATEC | ESPSX | 13.35 | | | | | | | | | | |
| | - | cable | | - | AMTFS UEANL,UEA,UDN,U | ESPSX | 13.35 | | | | | | | | | | |
| | | Virtual Collocation - 2-wire Cross Connects (loop) | | | DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | | Virtual Collocation - 4-wire Cross Connects (loop) | | | UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX | UEAC4 | 0.0502 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | | Virtual Collocation - 2-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC2F | 6.71 | 2,431.00 | | | | | 11.90 | | | | |
| | | Virtual Collocation - 4-Fiber Cross Connects | | | AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF | CNC4F | 6.71 | 2,431.00 | | | | | 11.90 | | | | |
| | | Virtual collocation - Special Access & UNE, cross-connect per DS1 | | | USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 | CNC1X | 7.50 | 155.00 | 14.00 | | | | 11.90 | | | | |
| | | Virtual collocation - Special Access & UNE, cross-connect per DS3 | | | USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 56.25 | 151.90 | 11.83 | | | | 11.90 | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | , | | 1 | | | | | | | | , | | ment: 2 | | bit: B |
|--------------|--|-------------|------|----------------|-----------|-----------|------------|-----------|--------------|---------------------------------------|---|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | | | | | | | | | | | | | |
| | Support Structure, per linear foot | | | AMTFS,CLO | VE1CB | 0.0028 | | | | | | | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | AMETER OLD | \/E40D | 0.0044 | | | | | | | | | | |
| - | Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable | | | AMTFS, CLO | VE1CD | 0.0041 | | | | | | | | | - | |
| | Support Structure, per cable | | | AMTFS | VE1CC | | 535.54 | | | | | 11.90 | | | | |
| | Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax | | | AWITO | VETOC | | 333.34 | | | | | 11.50 | | | | |
| | Cable Support Structure, per cable | | | AMTFS | VE1CE | | 535.54 | | | | | 11.90 | | | | |
| | Virtual Collocation Cable Records - per request | | | AMTFS | VE1BA | | 1,525.00 | 1,525.00 | 267.08 | 267.08 | | | | | 1 | |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per cable | | | | | | | | | | | | | | | |
| | record | | | AMTFS | VE1BB | | 656.50 | 656.50 | 379.78 | 379.78 | | | | | | <u> </u> |
| | Virtual Collocation Cable Records - VG/DS0 Cable, per each | | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | 1 | | |
| | 100 pair | | | AMTFS | VE1BC | | 9.66 | 9.66 | 11.84 | 11.84 | | | | | 1 | |
| | Virtual Collocation Cable Records - DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | 4.52 | 5.54 | 5.54 | ļ | | | | ļ | |
| | Virtual Collocation Cable Records - DS3, per T3TIE | | | AMTFS | VE1BE | | 15.82 | 15.82 | 19.40 | 19.40 | | | | | | _ |
| | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber | 1 | | AMTFS | VE1BF | | 169.67 | 169.67 | 454.00 | 154.89 | 1 | | | | | |
| - | records Virtual collocation - Security Escort - Basic, per quarter hour | | | AMTFS | SPTBQ | | 169.67 | 169.67 | 154.89 | 154.89 | | 11.90 | | | - | |
| | Virtual collocation - Security Escort - Basic, per quarter flour | | | AIVIIFS | SFIDQ | | 10.69 | | | | | 11.90 | | | - | |
| | Virtual collocation - Security Escort - Overtime, per quarter hour | | | AMTFS | SPTOQ | | 13.64 | | | | | 11.90 | | | | |
| | Tittadi conceditori Cocarity 2000ri. Cromino, por quartor nour | | | 7 44111 0 | 0 | | 10.01 | | | | | 11.00 | | | 1 | |
| | Virtual collocation - Security Escort - Premium, per quarter hour | | | AMTFS | SPTPQ | | 16.40 | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS | | | AMTFS | VE11S | 226.39 | 1,950.00 | | | | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | Virtual Collocation - DS-1.DSX Cross Connects, PER 28 CKTS | | | AMTFS | VE11X | 11.51 | 1,950.00 | | | | | 11.90 | | | | <u> </u> |
| | Virtual Collocation - DS-3/DCS Cross Connects, PER CKT | | | AMTFS | VE13S | 56.97 | 528.00 | | | | | 11.90 | | | | ļ |
| | Virtual Collocation - DS-3/DSC Cross Connects, PER CKT | | | AMTFS | VE13X | 10.06 | 528.00 | | | | | 11.90 | | | | ļ |
| | Virtual collocation - Maintenance in CO - Basic, per quarter hour | | | AMTFS | SPTRE | | 10.89 | | | | | 11.90 | | | | |
| | Virtual collocation - Maintenance in CO - Basic, per quarter nour Virtual collocation - Maintenance in CO - Overtime, per quarter | | | AMIFS | SPIRE | | 10.89 | | | | | 11.90 | | | - | + |
| | hour | | | AMTFS | SPTOE | | 13.64 | | | | | 11.90 | | | | |
| | Virtual collocation - Maintenance in CO - Premium per quarter | | | / uviii O | OI TOL | | 10.04 | | | | | 11.00 | | | | |
| | hour | | | AMTFS | SPTPE | | 16.40 | | | | | 11.90 | | | | |
| VIRTUAL COL | LOCATION | | | | | | | | | | | | | | | |
| | Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- | | | | | | | | | | | | | | | |
| | Wire Analog - Res | | | UEPSR | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- | 1 | | | | | | | | | 1 | | | | _ | |
| — | Wire Line Side PBX Trunk - Bus | ļ | | UEPSP | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | 1 | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res | 1 | | UEPSE | VE1R2 | 0.524 | 11.57 | 11.57 | | | 1 | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | 1 | | UEFSE | VEIRZ | 0.524 | 11.57 | 11.57 | 1 | | | 11.90 | | | + | |
| | Analog Bus | | | UEPSB | VE1R2 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire | 1 | | 02.1 00 | V = 11 \Z | 0.024 | 11.37 | 11.57 | | | | 11.50 | | | t | 1 |
| | ISDN | 1 | | UEPSX | VE1R2 | 0.524 | 11.57 | 11.57 | | | 1 | 11.90 | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire | | | | 1 - | | | | 1 | | | | | | | 1 |
| | ISDN | <u> </u> | | UEPTX | VE1R2 | 0.524 | 11.57 | 11.57 | | | <u> </u> | 11.90 | | <u> </u> | <u> </u> | |
| | Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire | | | | | | | | | | | | | | | |
| | ISDN DS1 | | | UEPEX | VE1R4 | 0.524 | 11.57 | 11.57 | | | | 11.90 | | | 1 | |
| VIRTUAL COL | | | | | 1 | | | | | | | | | | 1 | ↓ |
| | Virtual Collocation-2 Wire Cross Connects (Loop) for Line | 1 | | LIEDOD VIESOS | VE41.0 | | | | | | 1 | | | | | |
| PHYSICAL CO | Splitting | | | UEPSR, UEPSB | VE1LS | 0.0297 | 33.86 | 31.95 | | | | 11.90 | | | 1 | |
| FITTSICAL CC | Physical Collocation-2 Wire Cross Connects (Loop) for Line | - | | | + | | | | 1 | | - | | | - | | + |
| | Splitting | l | | UEPSR, UEPSB | PE1LS | 0.0276 | 8.22 | 7.22 | 5.74 | 4.58 | | 11.90 | | | 1 | |
| AIN SELECTIV | /E CARRIER ROUTING | 1 | | OLI OIX, OLFOD | 1 L 1L3 | 0.0216 | 0.22 | 1.22 | 5.74 | 4.30 | | 11.50 | | | t | † |
| T | Regional Service Establishment | | | SRC | SRCEC | | 193,444.00 | | 7,737.00 | | | 11.90 | | | 1 | 1 |
| | End Office Establishment | | | SRC | SRCEO | | 187.36 | 187.36 | 0.69 | 0.69 | | 11.90 | | | | 1 |
| | Query NRC, per query | | | SRC | | 0.0031868 | | | | | | | | | | 1 |

| UNBUND | LED I | NETWORK ELEMENTS - Florida | | | | | | | | | | • | | | nent: 2 | | bit: B |
|-------------|--------|--|-------------|---------|----------------------|-----------------|------------------|----------------|---------------|--------------------|---------------|---|---|--|--|--------------|---|
| CATEGORY | Y | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| AIN - BELLS | SOUTI | H AIN SMS ACCESS SERVICE | | | | | | riist | Auu i | FIISL | Auu i | SOWIEC | JOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| AIIV BEEE | | N SMS Access Service - Service Establishment, Per State, | | | | | | | | | | | | | | | |
| | | itial Setup | | | A1N | CAMSE | | 43.56 | 43.56 | 44.93 | 44.93 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | | |
| | | N SMS Access Service - Port Connection - Dial/Shared Access | | | A1N | CAMDP | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | |
| | | N SMS Access Service - Port Connection - ISDN Access | | | A1N | CAM1P | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | |
| | | N SMS Access Service - User Identification Codes - Per User Code | | | A1N | CAMAU | | 38.66 | 38.66 | 29.88 | 29.88 | | 11.90 | | | | |
| | | N SMS Access Service - Security Card, Per User ID Code, | | | AIN | CAIVIAU | | 30.00 | 30.00 | 29.00 | 29.00 | | 11.90 | | | | |
| | | itial or Replacement | | | A1N | CAMRC | | 75.10 | 75.10 | 12.93 | 12.93 | | 11.90 | | | | |
| | | N SMS Access Service - Storage, Per Unit (100 Kilobytes) | | | <u> </u> | | 0.0028 | | | | | | | | | | |
| | Al | N SMS Access Service - Session, Per Minute | | | | | 0.7809 | | | | | | | | | | |
| | | N SMS Access Service - Company Performed Session, Per | | | | | | | | | | | | | | | |
| AIN DEC. | | inute | | | | 1 | 0.4609 | | | | | | | | | | ļ |
| AIN - BELLS | | H AIN TOOLKIT SERVICE N Toolkit Service - Service Establishment Charge, Per State, | | | | | | | | | | | | | | | |
| | | itial Setup | | | CAM | BAPSC | | 43.56 | 43.56 | 44.93 | 44.93 | | 11.90 | | | 1 | |
| | | N Toolkit Service - Training Session, Per Customer | | | O7 UVI | BAPVX | | 8,439.00 | 8,439.00 | 44.00 | 44.00 | | 11.90 | | | | |
| | | N Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | 0,100100 | 0,100100 | | | | | | | İ | |
| | | N, Term. Attempt | | | | BAPTT | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | |
| | Al | N Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | N, Off-Hook Delay | | | | BAPTD | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | |
| | | N Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTM | | 8.64 | 0.04 | 40.00 | 40.00 | | 44.00 | | | | |
| | | N, Off-Hook Immediate N Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | BAPTIVI | | 8.64 | 8.64 | 10.03 | 10.03 | | 11.90 | | | | |
| | | N, 10-Digit PODP | | | | ВАРТО | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | | |
| | | N Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | 57.11.0 | | 00.00 | 00.00 | 10.00 | 10.00 | | 11.00 | | | İ | |
| | DI | N, CDP | | | | BAPTC | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | | |
| | | N Toolkit Service - Trigger Access Charge, Per Trigger, Per | | | | | | | | | | | | | | | |
| | | N, Feature Code | | | | BAPTF | | 38.06 | 38.06 | 15.86 | 15.86 | | 11.90 | | | | |
| | | N Toolkit Service - Query Charge, Per Query | | | | | 0.0535927 | | | | | | | | | | |
| | | N Toolkit Service - Type 1 Node Charge, Per AlN Toolkit ubscription, Per Node, Per Query | | | | | 0.0063698 | | | | | | | | | | |
| | | N Toolkit Service - SCP Storage Charge, Per SMS Access | | | | | 0.0003098 | | | | | | | | | 1 | |
| | | count, Per 100 Kilobytes | | | | | 0.06 | | | | | | | | | | |
| | | N Toolkit Service - Monthly report - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | | ubscription | | | CAM | BAPMS | 8.34 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | | | |
| | | N Toolkit Service - Special Study - Per AIN Toolkit Service | | | | | | | | | | | | | | | |
| | | ubscription | | | CAM | BAPLS | 3.73 | 9.56 | 9.56 | | | | 11.90 | | | 1 | |
| | | N Toolkit Service - Call Event Report - Per AIN Toolkit Service ubscription | | | CAM | BAPDS | 4.73 | 8.64 | 8.64 | 6.08 | 6.08 | | 11.90 | | | 1 | |
| | | N Toolkit Service - Call Event Special Study - Per AlN Toolkit | | | O7 HVI | DAI DO | 4.73 | 0.04 | 0.04 | 0.00 | 0.00 | | 11.30 | | | — | |
| | | ervice Subscription | | | CAM | BAPES | 0.12 | 9.56 | 9.56 | | | | 11.90 | | | 1 | |
| | | ENDED LINK (EELs) | | | | | | | | | | | | | | | |
| | | w Density Zone 1 EELs are available in the following MSA: | | | | | Atlanta, Ga; Nev | v Orleans, LA, | | | | | | | | | |
| NOT | TE: Ch | narlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem- | High P | oint, N | C; and Nashville, TI | ۱ <u>.</u> | | | | | | C'11'4' | | INF - AL- | · | <u> </u> | <u> </u> |
| | | all states, EEL network elements shown below also apply t All States the EEL network elements apply to ordinarily con | | | | | | | | | | | | UNES.(Non-re | curring rates | uo not apply | '.) |
| | | OICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | | | | ILUII AS IS UNA | ange.) withen or | dering ordinar | ny combined i | I CLANDIK GIGILIGI | no, Non-recur | ing rates do | , αμμιγ. | | | | |
| - " | | rst 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport | | | | | | | | | | | | | | | |
| | Co | ombination - Zone 1 | L | _1 | UNCVX | UEAL2 | 14.50 | 135.75 | 82.47 | 63.53 | 12.01 | <u></u> | 11.90 | | | <u> </u> | <u> </u> |
| | | rst 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | | | | | - | | | | | | | | |
| | | ansport Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.57 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | 1 | |
| | | rst 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed | | | LINOVA | LIEALO | 07.00 | 405 | 00 :- | 00 == | 40.01 | | 44.60 | | | 1 | |
| | | ransport Combination - Zone 3 teroffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCVX | UEAL2 | 37.82 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | - | |
| | | teroffice Transport - Dedicated - DS1 combination - Per Mile er month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| - | | teroffice Transport - Dedicated - DS1 combination - Facility | | | 0.101/ | 1207// | 0.1000 | | | | | | | | | † | - |
| | | | | | | | | | | | | | | | | | |

| UNBUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--|--|--|----------|-------------------|----------|--------|--------|-----------|--------------|------------|-------|-----------|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS1 Channelization System Per Month | | | UNC1X | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | 11.90 | | | | |
| | Voice Grade COCI - DS1 To Ds0 Interface - Per Month | | | UNCVX | 1D1VG | 1.38 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | Each Additional 2-Wire VG Loop(SL 2) in the same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.50 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | _ | 1110101 | 115410 | 40.57 | 105.75 | 00.47 | 00.50 | 40.04 | | 44.00 | | | | |
| | Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 | | 2 | UNCVX | UEAL2 | 19.57 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | + |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL2 | 37.82 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | 3 | UNCVA | UEALZ | 31.02 | 135.75 | 02.47 | 63.33 | 12.01 | | 11.90 | | | | + |
| | per month | | | UNCVX | 1D1VG | 1.38 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVA | IDIVG | 1.30 | 10.07 | 7.00 | | | | 11.90 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIR | E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT | EROFF | ICE TR | | 011000 | | 0.00 | 0.00 | 0.50 | 0.00 | | 11.00 | | | | 1 |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | <u> </u> | <u> </u> | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 23.02 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | 000 | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 31.07 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - Facility Termination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | U1TF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | 11.90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - | | | | | | | | | | | | | | | |
| | per month | | | UNCVX | 1D1VG | 1.38 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | | | | | | | | | | | | | | |
| | Interoffice Transport Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 23.02 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | _ | | | | 407.00 | | | | | 44.00 | | | | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 31.07 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | Additional 4-Wire Analog Voice Grade Loop in same DS1 | | _ | 1110101 | 115 41 4 | 00.00 | 407.00 | 445.45 | 07.00 | 45.50 | | 44.00 | | | | |
| | Interoffice Transport Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | Voice Grade COCI - DS1 to DS0 Channel System combination - per month | | | LINCVA | 4041/0 | 4.00 | 40.07 | 7.08 | | | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCVX | 1D1VG | 1.38 | 10.07 | 7.08 | | | | 11.90 | | | | + |
| | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WID | E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FEICE | | | | 0.90 | 0.90 | 0.90 | 0.90 | | 11.90 | | | | + |
| 7-1111 | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | l | I | I TRANSI ORT (ELL | <u> </u> | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.39 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | <u> </u> | ONODA | ODLOG | 20.00 | 101.00 | 100.00 | 07.00 | 10.00 | | 11.00 | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.62 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | 000 | | | | | | | |
| | Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 - combination Facility | | | | | | | | | | | | | | | |
| | Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | 11.90 | | | | |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | l | l | | | | | | | | | | | | 1 | |
| | month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 10.07 | 7.08 | | | | 11.90 | | | | |
| 1 | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | 1 | ١. | | | | , | | | | | | | 1 | I | |
| | Interoffice Transport Combination - Zone 1 | ļ | 1 | UNCDX | UDL56 | 26.39 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | ļ |
| | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 | l | | LINODY | 1101.50 | 05.00 | 407.00 | 445 | 07.00 | 45 =0 | | 44.60 | | | 1 | |
| | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.62 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | <u> </u> |
| i I | Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL56 | 68.82 | 167.86 | 115.15 | 67.08 | 15.56 | 1 | 11.90 | | 1 | 1 | 1 |

| ONRONDLE | ED NETWORK ELEMENTS - Florida | | | T | | | | | | | 1_ | | | ment: 2 | | bit: B |
|---------------|---|-------------|--|---------------|----------|----------|--------|-----------|--------------|-------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - | | | LINCDY | 4D4DD | 0.40 | 40.07 | 7.00 | | | | 44.00 | | | | |
| | combination per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | 1D1DD | 2.10 | 10.07 | 7.08 | - | | | 11.90 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIR | E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 | INTERC | FFICE | | | | | | | | | | | | | 1 |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 1 | | 1 | UNCDX | UDL64 | 26.39 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.62 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| i | First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice | | _ | LINODY | LIDI 04 | 00.00 | 404.50 | 100.05 | 07.00 | 45.50 | | 44.00 | | | | |
| +- | Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile | | 3 | UNCDX | UDL64 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| 1 | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combination - Facility | | | ONOTA | TESTON | 0.1030 | | | | | | | | | | + |
| | Termination Per Month | | | UNC1X | U1TF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | |
| | Channelization - Channel System DS1 to DS0 combination Per | | | | | | | | | | | | | | | |
| | Month | | | UNC1X | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | 11.90 | | | | |
| i l | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | | | | | | | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 10.07 | 7.08 | | | | 11.90 | | | | |
| i l | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 1 | | | | | | | | | 44.00 | | | | |
| +- | Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | 1 | UNCDX | UDL64 | 26.39 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| i | Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL64 | 35.62 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 | | | ONODA | ODLO4 | 33.02 | 107.00 | 110.10 | 07.00 | 13.30 | | 11.30 | | | | + |
| i | Interoffice Transport Combination - Zone 3 | | 3 | UNCDX | UDL64 | 68.82 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| i i | OCU-DP COCI (data) - DS1 to DS0 Channel System | | | | | | | | 91.100 | | | | | | | |
| | combination - per month (2.4-64kbs) | | | UNCDX | 1D1DD | 2.10 | 10.07 | 7.08 | | | | 11.90 | | | | |
| i l | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge | | <u> </u> | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE | ROFFI | CE TRA | ANSPORT (EEL) | | | | | | | | | | | | - |
| i | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | <u>'</u> | UNCIX | USLAA | 73.44 | 313.73 | 101.40 | 01.22 | 13.33 | | 11.90 | | | | + |
| i | Transport - Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| i | 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice | | | | | | | | | | | | | | | |
| | Transport - Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| i l | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | Per Month | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| i | Interoffice Transport - Dedicated - DS1 combination - Facility | | | I IN CAN | | 00.44 | 405.54 | 00.47 | 04.47 | 10.05 | | 44.00 | | | | |
| +- | Termination Per Month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNC1X | U1TF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | + |
| i | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIR | E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE | ROFFI | CE TR | | 011000 | | 0.30 | 0.30 | 0.30 | 0.30 | | 11.30 | | | | + |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | | | | | † | | | | | | | † |
| | 1 | | 1 | UNC1X | USLXX | 73.44 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | | | | | | | | | | | | | | |
| | 2 | | 2 | UNC1X | USLXX | 99.13 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | <u> </u> |
| 1 | First DS1Loop in DS3 Interoffice Transport Combination - Zone | | _ | LINGAY | 1101.767 | | c.c.=- | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Per Mile | | 3 | UNC1X | USLXX | 191.51 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| 1 | Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | | |
| $\overline{}$ | Interoffice Transport - Dedicated - DS3 - Facility Termination per | | | ONCOV | ILUAA | 3.0/ | | | 1 | | | | | | 1 | + |
| 1 | month | | | UNC3X | U1TF3 | 1.071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | | |
| | DS3 to DS1 Channel System combination per month | | | UNC3X | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | | | 1 | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | | | |
| 1 | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| ı l | Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination - | | 1 | UNC1X | USLXX | 73.44 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | <u> </u> |
| L | | | | | | | | | | | | | | | | |

| ONRONDLE | D NETWORK ELEMENTS - Florida | | | 1 | 1 | | | | | | _ | | | ment: 2 | | bit: B |
|----------|---|-------------|--------|----------------|----------------|-----------------|-----------------|----------------|--------------|-------|---|---|---|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional DS1Loop in DS3 Interoffice Transport Combination - | | | | | | | | | | | 44.00 | | | | |
| | Zone 3 | | 3 | UNC1X UNC1X | USLXX UC1D1 | 191.51 13.76 | 313.75 10.07 | 181.48 7.08 | 61.22 | 13.53 | | 11.90 11.90 | | | | 1 |
| | DS3 Interface Unit (DS1 COCI) combination per month Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCIX | OCIDI | 13.76 | 10.07 | 7.08 | - | | | 11.90 | | | | |
| | Is Charge | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 2-WIR | E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT | EROFF | ICE TE | | 0.1000 | | 0.00 | 0.00 | 0.00 | 0.00 | | 11.00 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL2 | 14.50 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCVX | UEAL2 | 19.57 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | 2-WireVG Loop used with 2-wire VG Interoffice Transport | | | 11000 | | 07.00 | 405.75 | 00.47 | 00.50 | 40.04 | | 44.00 | | | | |
| | Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per | | 3 | UNCVX | UEAL2 | 37.82 | 135.75 | 82.47 | 63.53 | 12.01 | | 11.90 | | | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2- Wire Voice Grade | | | ONOVA | 120/01 | 0.0001 | | | | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV2 | 25.32 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | 1 |
| | Is Charge | | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIR | E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT | EROFF | ICE T | RANSPORT (EEL) | | | | | | | | | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 1 | | 1 | UNCVX | UEAL4 | 23.02 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2 | | 2 | UNCVX | UEAL4 | 31.07 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-WireVG Loop used with 4-wire VG Interoffice Transport | | | UNCVX | ULAL4 | 31.07 | 107.00 | 113.13 | 07.00 | 15.50 | | 11.90 | | | | 1 |
| | Combination - Zone 3 | | 3 | UNCVX | UEAL4 | 60.02 | 167.86 | 115.15 | 67.08 | 15.56 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - 4-wire VG combination - Per | | | 0.1017 | 02,12. | 00.02 | 107.00 | 110.10 | 07.00 | 10.00 | | 11100 | | | | |
| | Mile Per Month | | | UNCVX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4- Wire Voice Grade | | | | | | | | | | | | | | | |
| | combination - Facility Termination per month | | | UNCVX | U1TV4 | 22.58 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| Dea D | Is Charge IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC | TDA | LCDOD | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | <u> </u> |
| D33 L | High Capacity Unbundled Local Loop - DS3 combination - Per | EIRA | NOPUR | ((CCL) | + | | | | | | - | | | | | |
| | Mile per month | | | UNC3X | 1L5ND | 10.92 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - DS3 combination - | | | 0.10071 | 120.12 | 10.02 | | | | | | | | | | 1 |
| | Facility Termination per month | | | UNC3X | UE3PX | 386.88 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS3 combination - Facility | | | | | | | | | | | | | | | 1 |
| | Termination per per month | | | UNC3X | U1TF3 | 1,071.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINICOV | UNCCC | | 0.00 | 0.00 | 0.00 | 0.00 | | 44.00 | | | | |
| STS1 | Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFI | FICE TE | ANSD | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 3131 | High Capacity Unbundled Local Loop - STS1 combination - Per | ICL II | MINOF | I (LLL) | | | | | + | | | | | | | |
| | Mile per month | | | UNCSX | 1L5ND | 10.92 | | | | | | | | | | |
| | High Capacity Unbundled Local Loop - STS1 combination - | | | | | | | | | | | | | | | |
| | Facility Termination per month | | | UNCSX | UDLS1 | 426.60 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Per Mile | | | | | | | | | | | | | | | |
| | per month | | | UNCSX | 1L5XX | 3.87 | | | ļ | | | | | | | ļ |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | 1 | LINGOV | LUTEO | 4.050.00 | 005 10 | 040.00 | 70.00 | 70 | | 44.60 | | | | |
| | Termination per month | | - | UNCSX | U1TFS | 1,056.00 | 335.46 | 219.28 | 72.03 | 70.56 | 1 | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 2-WIR | E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR | T (FFI |) | UNUOA | UNCCC | | 0.98 | 0.98 | 0.98 | 0.98 | | 11.90 | | | | |
| 2 ***** | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | , | 1 | 1 | | | | | | | | | | | | |
| | Transport - Zone 1 | | 1 | UNCNX | U1L2X | 21.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | | | | | | | | | | | | | |
| | Transport - Zone 2 | | 2 | UNCNX | U1L2X | 29.38 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | <u> </u> |
| | First 2-Wire ISDN Loop in a DS1 Interoffice Combination | | | l | | | | | | | | | | | | |
| | Transport - Zone 3 | | 3 | UNCNX | U1L2X | 56.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | ļ | | <u> </u> |

| ONBONDL | ED NETWORK ELEMENTS - Florida | | | 1 | | | | | | | | | | ment: 2 | | bit: B |
|----------|--|-------------|--------|------------|----------|----------|--------|---------------------------------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | • |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - DS1 combination - Per Mile | | | UNC1X | 1L5XX | 0.1856 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - DS1 combintion - Facility | | | LINIOAY | | 00.44 | 405.54 | 00.47 | 04.47 | 40.05 | | 44.00 | | | | |
| | Termination per month | | | UNC1X | U1TF1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | | |
| | Channelization - Channel System DS1 to DS0 combination - per month | | | UNC1X | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | 11.90 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | | UNCIA | IVIQI | 140.77 | 101.42 | 71.02 | 11.09 | 10.49 | | 11.90 | | | | |
| | combination - per month | | | UNCNX | UC1CA | 3.66 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | 0.00 | | | | | | | | | 1 | |
| | Combination - Zone 1 | | 1 | UNCNX | U1L2X | 21.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | | | | | | | | | | | | | | |
| | Combination - Zone 2 | | 2 | UNCNX | U1L2X | 29.38 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | Additional 2-wire ISDN Loop in same DS1Interoffice Transport | | _ | | | ==== | | | | | | | | | | |
| | Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System | | 3 | UNCNX | U1L2X | 56.76 | 147.69 | 94.41 | 62.23 | 10.71 | | 11.90 | | | | |
| | combintaion- per month | | | UNCNX | UC1CA | 3.66 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCIVA | UCTOA | 3.00 | 10.07 | 7.00 | | | | 11.90 | | | | |
| | Is Charge | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIF | RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN | TEROF | FICE T | | | | 0.00 | | 0.00 | | | | | | 1 | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | , , | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 2 | | 2 | UNC1X | USLXX | 99.13 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | First DS1 Loop in STS1 Interoffice Transport Combination - | | | LINIOAV | 1101.107 | 404.54 | 040.75 | 104.40 | 04.00 | 40.50 | | 44.00 | | | | |
| | Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile | | 3 | UNC1X | USLXX | 191.51 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | - | |
| | Per Month | | | UNCSX | 1L5XX | 3.87 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - STS1 combination - Facility | | | UNCOA | ILJAA | 3.07 | | | | | | | | | | |
| | Termination | | | UNCSX | U1TFS | 1,056.00 | 335.46 | 219.28 | 72.03 | 70.56 | | 11.90 | | | | |
| | STS1 to DS1 Channel System conbination per month | | | UNCSX | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UNC1X | USLXX | 73.44 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | Additional DS1Loop in STS1 Interoffice Transport Combination - | | 2 | UNC1X | USLXX | 99.13 | 313.75 | 404.40 | 61.22 | 13.53 | | 11.90 | | | | |
| | Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination - | | | UNCIX | USLAA | 99.13 | 313.75 | 181.48 | 01.22 | 13.53 | | 11.90 | | | | ļ |
| | Zone 3 | | 3 | UNC1X | USLXX | 191.51 | 313.75 | 181.48 | 61.22 | 13.53 | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) combination per month | | Ŭ | UNC1X | UC1D1 | 13.76 | 10.07 | 7.08 | 01.22 | 10.00 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | 1 | | | | | | | | | | İ | |
| | Is Charge | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-WIF | RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO | FFICE T | RANS | PORT (EEL) | | | | | | | | | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | | | | 404 =0 | | | 4= =0 | | | | | | |
| | Combination - Zone 1 | | 1 | UNCDX | UDL56 | 26.39 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 | | 2 | UNCDX | UDL56 | 35.62 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport | | | ONODA | ODESO | 33.02 | 101.50 | 100.00 | 07.00 | 13.30 | | 11.50 | | | | |
| | Combination - Zone 3 | | 3 | UNCDX | UDL56 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 56 kbps combination - | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | - | 1 | | |
| | Facility Termination | ļ | | UNCDX | U1TD5 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | ļ | 1 | ļ |
| | Nonrecurring Currently Combined Network Elements Switch -As- | 1 | | LINCDY | LINGGO | | 0.00 | 0.00 | 0.00 | 0.00 | | 44.00 | | | | |
| 4-18/15 | Is Charge RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO | EEICE T | DANC | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| 4-441 | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | NANO | OKT (EEL) | + | | | | | | | | | 1 | | |
| | Combination - Zone 1 | 1 | 1 | UNCDX | UDL64 | 26.39 | 161.56 | 108.85 | 67.08 | 15.56 | | 11.90 | | | | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | 1 | 20.00 | .550 | .00.00 | 330 | .0.30 | | | | | | † |
| | Combination - Zone 2 | <u> </u> | 2 | UNCDX | UDL64 | 35.62 | 161.56 | 108.85 | 67.08 | 15.56 | <u> </u> | 11.90 | | <u> </u> | <u> </u> | |
| | 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport | | | | | | | | | | | | | _ | | |
| | Combination - Zone 3 | <u> </u> | 3 | UNCDX | UDL64 | 68.82 | 161.56 | 108.85 | 67.08 | 15.56 | <u> </u> | 11.90 | | | | |

| <u>JNBU</u> NDLI | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|------------------|--|--|---------|---------------------|----------------|-----------------|------------------|----------------|----------------|--------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| | | | | | | _ | Nonred | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | I. | ч |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Per Mile | | | UNCDX | 1L5XX | 0.0091 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 4-wire 64 kbps combination - | | | | | | | | | | | | | | | |
| | Facility Termination | | | UNCDX | U1TD6 | 18.44 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | | _ |
| | Nonrecurring Currently Combined Network Elements Switch -As- Is Charge | | | UNCDX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| ADDITIONAL | NETWORK ELEMENTS | | | UNCDA | UNCCC | | 0.90 | 0.90 | 0.90 | 0.90 | | 11.90 | | | 1 | |
| | n used as a part of a currently combined facility, the non-recurr | ng chai | raes do | not apply, but a S | witch As Is c | harge does apr | olv. | | | | | | | | | |
| | n used as ordinarily combined network elements in All States, the | | | | | | | | | | | | | | | |
| Nonre | ecurring Currently Combined Network Elements "Switch As Is" | Charge | (One a | applies to each com | bination) | | | | | | | | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | | | | | | | | | | | | |
| | Is Charge - 2 wire/4-Wire VG | | | UNCVX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | LINODY | 1111000 | | 0.00 | 0.00 | 0.00 | 0.00 | | 44.00 | | | | |
| | Is Charge - 56/64 kbps Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCDX | UNCCC | - | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | - | |
| | Is Charge - DS1 | | | UNC1X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | UNCIA | UNCCC | | 0.90 | 0.90 | 0.90 | 0.90 | | 11.90 | | | | |
| | Is Charge - DS3 | | | UNC3X | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| | Nonrecurring Currently Combined Network Elements Switch -As- | | | | - | | | | | | | | | | | |
| | Is Charge - STS1 | | | UNCSX | UNCCC | | 8.98 | 8.98 | 8.98 | 8.98 | | 11.90 | | | | |
| NOTE | E: Local Channel - Dedicated Transport - minimum billing period | d - Belo | | | | r months | | | | | | | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 | | | UNCVX | ULDV2 | 21.94 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 2 | | | UNCVX | ULDV2 | 29.62 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 2-Wire Voice Grade Zone 3 | | | UNCXV | ULDV2 | 57.22 | 265.84 | 46.97 | 37.63 | 4.00 | | 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 1 Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 | | 1 2 | UNCVX | ULDV4 ULDV4 | 22.81 30.79 | 266.54 266.54 | 47.67 47.67 | 44.22 44.22 | 5.33 5.33 | | 11.90 11.90 | | | | |
| | Local Channel - Dedicated - 4-Wire Voice Grade Zone 2 Local Channel - Dedicated - 4-Wire Voice Grade Zone3 | | 3 | UNCXV | ULDV4 | 59.48 | 266.54 | 47.67 | 44.22 | 5.33 | | 11.90 | | | | + |
| | Local Channel - Dedicated - DS1 per month Zone 1 | | 1 | UNC1X | ULDF1 | 35.28 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | + |
| | Local Channel - Dedicated -DS1 Per Month Zone 2 | | 2 | UNC1X | ULDF1 | 47.63 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | 1 |
| | Local Channel - Dedicated - DS1- Per Month Zone 3 | | 3 | UNC1X | ULDF1 | 92.01 | 216.65 | 183.54 | 24.30 | 16.95 | | 11.90 | | | | 1 |
| | Local Channel - Dedicated - DS3 - Per Mile per month | | | UNC3X | 1L5NC | 8.50 | | | | | | | | | | |
| | Local Channel - Dedicated - DS3 - Facility Termination | | | UNC3X | ULDF3 | 531.91 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | Local Channel - Dedicated - STS-1- Per Mile per month | | | UNCSX | 1L5NC | 8.50 | | 0.10.01 | 100.10 | | | 44.00 | | | | |
| 0 | Local Channel - Dedicated - STS-1 - Facility Termination | | | UNCSX | ULDFS | 540.69 | 556.37 | 343.01 | 139.13 | 96.84 | | 11.90 | | | | |
| | onal Features & Functions: TIPLEXERS | | | | | | | | | | | | | | | - |
| IVIOL | Channelization - DS1 to DS0 Channel System | | | UXTD1 | MQ1 | 146.77 | 101.42 | 71.62 | 11.09 | 10.49 | | 11.90 | | | | - |
| | OCU-DP COCI (data) - DS1 to DS0 Channel System - per | 1 | | 57.1.51 | | 140.77 | 101.42 | 71.02 | 11.03 | 10.49 | | 11.30 | | | <u> </u> | <u> </u> |
| | month (2.4-64kbs) | 1 | | UDL | 1D1DD | 2.10 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per | | | | | | | | | | | | | | | |
| | month | | | UDN | UC1CA | 3.66 | 10.07 | 7.08 | | | | 11.90 | | | 1 | ļ |
| | Voice Grade COCI - DS1 to DS0 Channel System - per month | | | UEA | 1D1VG | 1.38 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | DS3 to DS1 Channel System per month | | | UXTD3 | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | | | | |
| | STS1 to DS1 Channel System per month | | | UXTS1 | MQ3 | 211.19 | 199.28 | 118.64 | 40.34 | 39.07 | | 11.90 | | | - | |
| | DS3 Interface Unit (DS1 COCI) used with Loop per month DS3 Interface Unit (DS1 COCI) used with Local Channel per | 1 | | USL | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | | + | |
| | month | l | | ULDD1 | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | | | |
| | DS3 Interface Unit (DS1 COCI) used with Interoffice Channel | | | | -0.5. | .5.76 | | | | | | 50 | | | 1 | |
| | per month | l | | U1TD1 | UC1D1 | 13.76 | 10.07 | 7.08 | | | | 11.90 | | | | |
| JNBUNDLED | LOCAL EXCHANGE SWITCHING(PORTS) | | | | | | | | | | | | | | | |
| | ange Ports | | | 1 | | | | | | | | | | | | |
| | E: Although the Port Rate includes all available features in GA, I | KY, LA | & TN, t | he desired features | will need to | be ordered usir | ng retail USOCs | 3 | | | | | | ļ | 1 | |
| 2-WIF | RE VOICE GRADE LINE PORT RATES (RES) | | | LIEDOD | LIEDDI | 1.40 | 274 | 2.00 | 1.00 | 1.00 | | 11.00 | | 1 | 1 | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | - | 11.90 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |

| ONBONDL | ED NETWORK ELEMENTS - Florida | | | • | | | | | | | • | | | ment: 2 | | bit: B |
|--|---|-------------|----------|-------------------|----------------|----------------|----------------|----------------|--------------------|------------------|-------------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res. | | | LIEDOD | LIEDAE | 4.40 | 2.74 | 2.02 | 4.00 | 4.00 | | 44.00 | | | | |
| | Caller ID - Res. Exchange Ports - 2-Wire VG unbundled Florida Residence Area | | 1 | UEPSR | UEPAF | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Calling Plan, without Caller ID capability | | | UEPSR | UEPA9 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Florida extended | | | OLI OK | OLI AS | 1.40 | 3.14 | 3.03 | 1.00 | 1.00 | | 11.30 | | | | |
| | dialing port for use with CREX7 and Caller ID | | | UEPSR | UEPA1 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Florida extended | | | | | | | | | | | | | | | |
| | dialing port for use with CREX7, without Caller ID capability | | | UEPSR | UEPA8 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled res, low usage line port | | | | | | | | | | | | | | | |
| | with Caller ID (LUM) | | | UEPSR | UEPAP | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | | UEPSR | UEPRT | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| EEAT | Subsequent Activity TURES | | 1 | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | - | |
| FLAI | All Available Vertical Features | | | UEPSR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| 2-WIF | RE VOICE GRADE LINE PORT RATES (BUS) | 1 | | OLI OK | OLI VI | 2.20 | 0.00 | 0.00 | | | | 11.30 | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | 1 | |
| | Bus | | | UEPSB | UEPBL | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exchange Ports - 2-Wire VG unbundled Line Port with | | | | | | | | | | | | | | | |
| | unbundled port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Exhange Ports - 2-Wire VG unbundled incoming only port with | | | | | | | | | | | | | | | |
| | Caller ID - Bus | | | UEPSB | UEPB1 | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | 1.00 | 1.00 | | 11.90 | | | | |
| FFAT | URES | | 1 | OLI OD | OOAGC | 0.00 | 0.00 | 0.00 | | | | 11.30 | | | | |
| - | All Available Vertical Features | | | UEPSB | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | 1 | |
| EXCH | IANGE PORT RATES (DID & PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | 1 | UEPSP UEPSP | UEPLD UEPLD | 1.40 1.40 | 39.06 39.06 | 18.18 18.18 | 12.35 | 0.7187 0.7187 | | 11.90 11.90 | | | - | |
| _ | 2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Vice Unbundled 2-Way PBX Usage Port | | | UEPSP | UEPLD | 1.40 | 39.06 | 18.18 | 12.35 12.35 | 0.7187 | | 11.90 | | | - | - |
| | 2-Wire Voice Unbundled 2-Way PBX Osage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | 1 | 1 | UEPSP | UEPXB | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD DDD Terminals Port | 1 | | UEPSP | UEPXC | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| 1 | 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | 1 | |
| | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| | Capable Port | | | UEPSP | UEPXE | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port | <u> </u> | | UEPSP | UEPXL | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | 1 | |
| | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | LIEBOD | LIEDVA | | 20.00 | 40.40 | 10.0- | 0.740- | | 44.00 | | | | |
| | Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | 1 | 1 | UEPSP | UEPXM | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | Discount Room Calling Port | | | UEPSP | UEPXO | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | 1 | 1 | UEPSP | UEPXS | 1.40 | 39.06 | 18.18 | 12.35 | 0.7187 | | 11.90 | | | t | |
| | Subsequent Activity | 1 | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | 12.00 | 0.7 107 | | 11.90 | | | † | t |
| FEAT | TURES | | | | 1 | 2.00 | 2.00 | 2.00 | | | | 50 | | | | |
| i i | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| EXCH | IANGE PORT RATES (COIN) | | | | | | | | | | | | | | | |
| | Exchange Ports - Coin Port | <u> </u> | | L | | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | ļ | |
| | : Transmission/usage charges associated with POTS circuit s | | | | | | | | | | | | | <u> </u> | L | |
| | : Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS) | e availa | pie oni | y through BFR/New | business Re | quest Process. | kates for the | packet capabi | IIITIES WIII be de | termined via t | ne Bona Fic | e Kequest/ | New Business | s Request Pro | ocess. | |
| | IANGE PORT RATES | 1 | <u> </u> | | 1 | | | | - | | | | | | | - |
| LAGI | Exchange Ports - 2-Wire DID Port | | 1 | UEPEX | UEPP2 | 8.73 | 78.41 | 15.82 | 41.94 | 4.26 | | 11.90 | | - | 1.83 | |

| UNBUNDL | ED NETWORK ELEMENTS - Florida | | | | | | | | | | | | | ment: 2 | | bit: B |
|-------------|--|--------------|----------|----------------------------|-------------------------|-------------------------|--------------------|---------------|--|----------------|--------------|---|---|---|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| \vdash | | _ | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 1 | Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID | | | | | | | | | | | | | | | |
| \vdash | capability | | | UEPDD | UEPDD | 54.95 | 151.11 | 77.75 | 48.81 | 3.10 | | 11.90 | | | 1.83 | |
| \vdash | Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered | - | | UEPTX UEPSX UEPTX UEPSX | U1PMA UEPVF | 8.83 2.26 | 46.83 0.00 | 50.68 0.00 | 27.64 | 11.93 | | 11.90 11.90 | | | 1.83 1.83 | |
| NOT | E: Transmission/usage charges associated with POTS circuit s | witched | | | | | | | issian by B Ch | annala acces | iotod with 2 | | 0.000 | | 1.83 | |
| | E: Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | | s Poquost Bro | 20000 | |
| NOI | Exchange Ports - 2-Wire ISDN Port Channel Profiles | e avaiia | Die Oili | UEPTX UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | lities will be de | termineu via t | ne bona ric | ie Requesti | New busines | s Request Fit | Julia de la composición dela composición de la composición de la composición dela composición dela composición de la composición dela composición de la composición de la composición de la composición dela composición de la composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición de | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | + | | UEPEX | UEPEX | 82.74 | 174.61 | 95.17 | 49.80 | 18.23 | | 11.90 | | | 1.83 | |
| UNP | SUNDLED PORT with REMOTE CALL FORWARDING CAPABILIT | \ | | OLI LX | OLI LX | 02.74 | 174.01 | 33.17 | 43.00 | 10.23 | | 11.50 | | | 1.00 | |
| | UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE | | | | 1 | | | | | | | | | | | |
| 10.12 | Unbundled Remote Call Forwarding Service, Area Calling, Res | 1 | | UEPVR | UERAC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | The state of the s | 1 | 1 | 1 | 1 | 70 | 54 | 3.30 | | 50 | | | İ | 1 | | 1 |
| 1 | Unbundled Remote Call Forwarding Service, Local Calling - Res | s | | UEPVR | UERLC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | 1 | 1 | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Res | 1 | | UEPVR | UERTE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | İ | 1 | | 1 |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| Non | Recurring | 1 | 1 | | 1 | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| i l | Switch-as-is | | | UEPVR | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| i I | allowed change (PIC and LPIC) | | | UEPVR | USACC | | 0.102 | 0.102 | | | | | | | | |
| UNE | UNDLED REMOTE CALL FORWARDING - Bus | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| i l | Unbundled Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | | | | | | | | | | | | | | | | |
| | Unbundled Remote Call Forwarding Service, Local Calling - Bus | s | | UEPVB | UERLC | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| | Unbundled Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| 1 | Unbundled Remote Call Forwarding Service Expanded and | | | | | | | | | | | | | | | |
| ullet | Exception Local Calling | | | UEPVB | UERVJ | 1.40 | 3.74 | 3.63 | 1.88 | 1.80 | | 11.90 | | | | |
| Non | -Recurring | | | | | | | | | | | | | | | |
| i l | Unbundled Remote Call Forwarding Service - Conversion - | | | | | | | | | | | | | | | |
| igsquare | Switch-as-is | | | UEPVB | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| i l | Unbundled Remote Call Forwarding Service - Conversion with | | | | | | | | | | | | | | | |
| ullet | allowed change (PIC and LPIC) | | | UEPVB | USACC | | 0.102 | 0.102 | | | | | | | | |
| | D LOCAL SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| End | Office Switching (Port Usage) | | | | | | | | | | | | | | | |
| \vdash | End Office Switching Function, Per MOU | | | | | 0.0007662 | | | | | | | | | | |
| | End Office Trunk Port - Shared, Per MOU | | | | | 0.000164 | | | | | | | | | | |
| rand | dem Switching (Port Usage) (Local or Access Tandem) | - | | | 1 | 0.0004040 | | | | | | | | | | |
| \vdash | Tandem Switching Function Per MOU | - | | | | 0.0001319 | | | | | | | | | | |
| H | Tandem Trunk Port - Shared, Per MOU | - | | | | 0.000235 | | | | | | | | | | |
| Com | nmon Transport Common Transport - Per Mile, Per MOU | + | ! | 1 | - | 0.0000035 | | | | | - | ļ | 1 | 1 | 1 | 1 |
| | Common Transport - Per Mile, Per MOU | - | | | 1 | 0.000035 | | | | | | | | | | |
| LINDUNDLE | Common Transport - Facilities Termination Per MOU D PORT/LOOP COMBINATIONS - COST BASED RATES | - | | | | 0.0004372 | | | | | | | | | | |
| | | | -4- 0- | | audala Habum | died Leed Cui | talainen an Coolte | h Danta | | | | | | | | |
| | t Based Rates are applied where BellSouth is required by FCC a ures shall apply to the Unbundled Port/Loop Combination - Co | | | | | | | | ad Dort coation | of this Data E | vhihit | | | - | | - |
| | Office and Tandem Switching Usage and Common Transport | | | | | | | | | | | n Port/Loor | Combination | l ns | | |
| | first and additional Port nonrecurring charges apply to Not Cur | | | | | | | | | | | | | | 1 | t |
| | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) | 1 | 1 | | The second | | | gu. gco 311a | 25 11030 1461 | | | Junionity | | | | - |
| | Port/Loop Combination Rates | 1 | - | <u> </u> | 1 | | | | | | | | 1 | <u> </u> | | <u> </u> |
| J.4E | 2-Wire VG Loop/Port Combo - Zone 1 | 1 | 1 | <u> </u> | 1 | 14.11 | | | † † | | | | 1 | t | | t |
| | 2-Wire VG Loop/Port Combo - Zone 2 | 1 | 2 | <u> </u> | 1 | 18.23 | | | | | | | 1 | <u> </u> | | <u> </u> |
| | 2-Wire VG Loop/Port Combo - Zone 3 | 1 | 3 | <u> </u> | 1 | 33.04 | | | † † | | | | 1 | t | | t |
| , I | Loop Rates | 1 | Ť | 1 | 1 | 00.04 | | | | | | | 1 | 1 | | |
| UNF | | | | i . | | | | | | | | | | | 1 | |
| UNE | | | 1 | UEPRX | UEPLX | 12.94 | | | | | | | | | | |
| UNE | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 2 | UEPRX UEPRX | UEPLX | 12.94 17.06 | | | | | | | | | | |
| UNE | | | 2 | UEPRX UEPRX UEPRX | UEPLX UEPLX UEPLX | 12.94 17.06 31.87 | | | | | | | | | | |

| ONROND | LED NETWORK ELEMENTS - Florida | | | | | | | | | | | , | | ment: 2 | | bit: B |
|---------|--|-------------|----------|--------|--------|-------|--------|-----------|----------------|------------|--|---|---|---|---|--|
| ATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Increments Charge - Manual Sv Order vs. Electronic |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring D | Disconnect | | | | Rates(\$) | • | • |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice unbundled port - residence | | | UEPRX | UEPRL | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller ID - res | | | UEPRX | UEPRC | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled port outgoing only - res | | | UEPRX | UEPRO | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID | 5 | | UEPRX | UEPAF | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | (LUM) | | | UEPRX | UEPAP | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled Florida extended dialing port for use | | | | | | | | | | | | | | | |
| | with CREX7 and Caller ID | | | UEPRX | UEPA1 | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled Florida extended dialing port for use | | | | | | | | | | | | | | | |
| | with CREX7, without Caller ID capability | | | UEPRX | UEPA8 | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled Florida Area Calling Port without Calle | r | | | | | | | 1 T | | | | | 1 | _ | |
| | ID Capability | | | UEPRX | UEPA9 | 1.17 | 90.00 | 90.00 | 1 | | <u> </u> | 11.90 | | | | |
| | 2-Wire voice unbundled Low Usage Line Port without Caller ID | | | l | 1 | | | | 1 | | | | | | 1 | |
| | Capability | | | UEPRX | UEPRT | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| FEA | ATURES | | | uspov. | | | | | | | | 44.00 | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| LOC | CAL NUMBER PORTABILITY | | | HEDDY | LNDOV | 0.05 | | | | | | | | | | |
| NO | Local Number Portability (1 per port) | | 1 | UEPRX | LNPCX | 0.35 | | | | | | | | | | |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | 1 | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch-as-is | - | | UEPRX | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion | | 1 | ULFRA | USAUZ | | 0.102 | 0.102 | - | | | 11.90 | | | - | - |
| | Switch with change | '] | | UEPRX | USACC | | 0.102 | 0.102 | | | | 11.90 | | | | |
| ADE | DITIONAL NRCs | | 1 | OLITIX | 00/100 | | 0.102 | 0.102 | | | 1 | 11.50 | | | | |
| ADL | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | Activity | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| 2-W | WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) | | | 02.101 | 007.02 | 0.00 | 0.00 | 0.00 | | | | 11.00 | | | | |
| | E Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.11 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.23 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.04 | | | | | | | | | | |
| UNE | E Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 12.94 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 17.06 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 31.87 | | | | | | | | | | |
| 2-W | Vire Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPBX | UEPBL | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled port outgoing only - bus | _ | 1 | UEPBX | UEPBO | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPBX | UPEB1 | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire voice unbundled Incoming Only Port without Caller ID | | | HEDDY | LIEDDE | 4.47 | 00.00 | 00.00 | | | | 44.00 | | | | |
| 1.00 | Capability | | 1 | UEPBX | UEPBE | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| LOC | CAL NUMBER PORTABILITY | | 1 | HEDDY | LNDOV | 0.05 | | | | | | | | | | |
| EFA | Local Number Portability (1 per port) ATURES | - | 1 | UEPBX | LNPCX | 0.35 | | | + | | | | | - | | - |
| FEA | All Features Offered | - | 1 | UEPBX | UEPVF | 2.26 | 0.00 | 0.00 | + + | | } | 11.90 | 1 | 1 | | |
| NON | NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED | - | 1 | OLFBA | OLF VF | 2.20 | 0.00 | 0.00 | + + | | } | 11.90 | 1 | 1 | | |
| 1401 | 2-Wire Voice Grade Loop / Line Port Combination - Conversion Switch-as-is | - | | UEPBX | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | 2-Wire Voice Grade Loop / Line Port Combination - Conversion | 1 - | | | | | | | | | | | | | | |
| | Switch with change | | | UEPBX | USACC | | 0.102 | 0.102 | 1 | | | 11.90 | | | 1 | 1 |
| ADE | DITIONAL NRCs | | | | | | | | | | Ì | | | | | |
| | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | Ì | | | | | |
| | Activity | | <u>L</u> | UEPBX | USAS2 | | 0.00 | 0.00 | | | | 11.90 | <u></u> | <u> </u> | <u></u> | |
| | VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX |) | | | | | | | | | | | | | | |
| UNE | E Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.11 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.23 | | | | | | | | | | |

| CATEGORY | | | l | i | | | | | | | Svc Order | CVA Order | Ingramantal | | | |
|-------------------|--|--|----------|----------------|----------------|--------------|----------------|-----------|--|------------|------------------------------|----------------------------------|---|--|----------|--|
| | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec per LSR | Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Charge - |
| | | | | | - | | Nonrec | urring | Nonrecurring I | Disconnoct | | | 066 | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| -+ | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | + | 33.04 | FIISL | Auu i | FIISL | Auu i | SOWIEC | JOWAN | JOWAN | SOWAN | JOWAN | JOWAN |
| UNE I | Loop Rates | | Ť | | 1 | 00.01 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 12.94 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 17.06 | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 31.87 | | | | | | | | | | |
| 2-Wire | e Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - | | | | | | | | | | | | | | | |
| | Res | | | UEPRG | UEPRD | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPRG | LNPCP | 3.15 | 0.00 | 0.00 | | | | 11.90 | | | | |
| FEAT | URES | ļ | <u> </u> | LIEBBO | Lucas :- | | | | | | | | | | ļ | <u> </u> |
| | All Features Offered | ļ | <u> </u> | UEPRG | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | ļ | <u> </u> |
| NONR | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | <u> </u> | <u> </u> | | + | | | | | | | | | | | |
| 1 | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | 1 | LIEBBO | LICACO | | 0.4- | 4.6. | 1 | | | 44.00 | | | | |
| \longrightarrow | Conversion - Switch-As-Is | - | | UEPRG | USAC2 | | 8.45 | 1.91 | | | - | 11.90 | | - | 1 | + |
| 1 | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | 1 | UEPRG | USACC | | 8.45 | 1.91 | 1 | | | 11.90 | | | | |
| ADDI | FIONAL NRCs | | | UEPRG | USACC | | 8.45 | 1.91 | ++ | | | 11.90 | | | | + |
| ADDII | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | - | | | | | | | + |
| | Subsequent Activity | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | 1 | | | 11.90 | | | | |
| - | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | ULFRG | U3A32 | 0.00 | 0.00 | 0.00 | + + | | | 11.90 | | | | + |
| | Group | | | | | | 7.09 | 7.09 | 1 | | | 11.90 | | | | |
| 2-WIF | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | | + | | 7.05 | 7.03 | ++ | | | 11.50 | | | | + |
| | Port/Loop Combination Rates | | | | | | | | | | | | | | | + |
| | 2-Wire VG Loop/Port Combo - Zone 1 | | 1 | | | 14.11 | | | | | | | | | | 1 |
| | 2-Wire VG Loop/Port Combo - Zone 2 | | 2 | | | 18.23 | | | | | | | | | | |
| | 2-Wire VG Loop/Port Combo - Zone 3 | | 3 | | | 33.04 | | | | | | | | | | 1 |
| UNE I | oop Rates | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 12.94 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 17.06 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 31.87 | | | | | | | | | | |
| 2-Wire | e Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | | | | | | | | 1 | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | 1 |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 1.17 | 90.00 | 90.00 | \vdash | | | 11.90 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPPX | UEPLD | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| +- | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 1.17 | 90.00 | 90.00 | . | | | 11.90 | | | | |
| \longrightarrow | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 1.17 | 90.00 | 90.00 | + + | | | 11.90 | | | | + |
| \longrightarrow | 2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port | | - | UEPPX UEPPX | UEPXC UEPXD | 1.17 1.17 | 90.00 90.00 | 90.00 | ++ | | | 11.90 11.90 | | - | 1 | + |
| -+- | 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD | } | | ULPFA | UEFAD | 1.17 | 90.00 | 90.00 | + | | | 11.90 | | 1 | | + |
| | Capable Port | | 1 | UEPPX | UEPXE | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| -+- | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | 1 | | OLI I A | OLI AL | 1.17 | 90.00 | 50.00 | | | | 11.50 | | 1 | 1 | + |
| | Administrative Calling Port | | 1 | UEPPX | UEPXL | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| -+ | 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | † | | 02117 | OLI AL | 1.17 | 30.00 | 30.00 | | | <u> </u> | 11.50 | | | 1 | |
| 1 | Room Calling Port | | 1 | UEPPX | UEPXM | 1.17 | 90.00 | 90.00 | 1 | | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | , | 55.56 | 55.56 | | | | | | | | † |
| 1 | Discount Room Calling Port | | 1 | UEPPX | UEPXO | 1.17 | 90.00 | 90.00 | 1 | | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | 1 | | UEPPX | UEPXS | 1.17 | 90.00 | 90.00 | | | | 11.90 | | İ | | 1 |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | 1 | | |
| | Local Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | | | 11.90 | | | | |
| FEAT | URES | | | _ | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| NONR | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | _ | _ | • | | • | | | _ | | | |
| | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | <u> </u> | | |
| | Conversion - Switch-As-Is | <u> </u> | | UEPPX | USAC2 | | 8.45 | 1.91 | | | | 11.90 | | | | |
| 1 | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change | | 1 | UEPPX | USACC | | 8.45 | 1.91 | į T | | | 11.90 | | | | |

| UNBU | NULE | NETWORK ELEMENTS - Florida | | | | | | | | | | _ | _ | | ment: 2 | | bit: B |
|--------|----------|---|--|-------|--------|--------|----------------|--------|-----------|--------------|------------|---|---|--|--|---|---|
| CATEGO | ORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | l | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| i | | 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - | | | | | | | | | | | | | | | |
| | | Subsequent Activity | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | | Group | | | | | | 7.86 | 7.86 | | | | 11.90 | | | | |
| | | VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR | RT | | | | | | | | | | | | | | |
| ! | UNE Po | ort/Loop Combination Rates | | | | | | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 1 | | 1 | | | 14.11 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 2 | | 2 | | | 18.23 | | | | | | | | | | |
| | | 2-Wire VG Coin Port/Loop Combo – Zone 3 | | 3 | | _ | 33.04 | | | | | | | | | | |
| | | op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | 1 | 1 | UEPCO | UEPLX | 12.94 | | | | | | | | - | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | 1 | 2 | UEPCO | UEPLX | 17.06 | | | | | | | | 1 | | - |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPCO | UEPLX | 31.87 | | | | | | | | 1 | 1 | |
| | | Voice Grade Line Ports (COIN) | | | OLI CO | OLI LX | 31.07 | | | | | | | | | | |
| | _ ****** | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD (FL) | | | UEPCO | UEP2F | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (FL) | | | UEPCO | UEPFA | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD, 011+, and Local (FL) | | | UEPCO | UEPCG | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | | (AL, FL) | | | UEPCO | UEPRK | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | | 900/976, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEPCO | UEPCK | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | LIEBCO | UEPCR | 1.17 | 00.00 | 00.00 | | | | 44.00 | | | | |
| | ADDITI | ONAL UNE COIN PORT/LOOP (RC) | | - | UEPCO | UEPCR | 1.17 | 90.00 | 90.00 | | | | 11.90 | | | | |
| | | UNE Coin Port/Loop Combo Usage (Flat Rate) | | | UEPCO | URECU | 1.86 | 90.00 | 90.00 | 1 | | | 11.90 | | | | |
| | | NUMBER PORTABILITY | | | OLI CO | ONLOG | 1.00 | 30.00 | 30.00 | | | | 11.50 | | | | |
| - f | | Local Number Portability (1 per port) | | | UEPCO | LNPCX | 0.35 | | | | | | | | | | |
| - h | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch-as-is | | | UEPCO | USAC2 | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Combination - Conversion - | | | | | | | | | | | | | | | |
| | | Switch with change | | | UEPCO | USACC | | 0.102 | 0.102 | | | | 11.90 | | | | |
| | | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/Line Port Combination - Subsequent | | | | | | | | | | | | | | | |
| | | Activity | <u> </u> | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | 11.90 | | | | |
| | | VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE | ORI (| RES) | | | | | | | | | | | | |
| | UNE PO | ort/Loop Combination Rates | | 1 | | _ | 20.40 | | | | | | | | | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | 1 | 2 | | + | 20.10 24.05 | | | | | | | | - | | |
| | | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | 1 | + | 29.49 | | | | | - | | | | 1 | - |
| | | pop Rates | | | + | + | 20.70 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | 1 | 1 | UEPFR | UECF2 | 18.48 | | | † | | <u> </u> | | | | 1 | <u> </u> |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 22.43 | | | | | | | | İ | | |
| 1 | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 27.87 | | | | | | | | İ | | |
| : | | Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | | 2-Wire voice unbundled port - residence | | | UEPFR | UEPRL | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundled port with Caller ID - res | | | UEPFR | UEPRC | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundled port outgoing only - res | | | UEPFR | UEPRO | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| T | | | 1 | | I | I | | | | | | | | | | | |
| | | 2-Wire voice unbundled Florida Area Calling with Caller ID - res | | | UEPFR | UEPAF | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| | | 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) | l | | UEPFR | UEPAP | 1.62 | 250.00 | 250.00 | | | | 11.90 | | I | | |

| NRONDLE | ED NETWORK ELEMENTS - Florida | | | • | | | | | | | | , | | ment: 2 | | bit: B |
|---------|--|-------------|-------|-------|--------|--------|--------|-----------|----------|--------------|-------|---|---|---|----------|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Increment Charge - Manual St Order vs Electronic Disc Add |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| INTER | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFR | U1TV2 | 26.52 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFR | 1L5XX | 0.0091 | | | | | | | | | | |
| FEAT | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFR | LNPCX | 0.35 | | | | | | | | | | |
| NONR | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| | Combination - Conversion - Switch-With-Change | | | UEPFR | USACC | | 16.97 | 3.73 | | | | 11.90 | | | | |
| 2-WIR | RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE | LINE F | ORT (| BUS) | | | | | | | | | | | | |
| | Port/Loop Combination Rates | | , | | | | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | | 20.10 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | | 24.05 | | | | | | | | | | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 29.49 | | | | | | | | | | |
| UNF I | oop Rates | | Ť | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 18.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 22.43 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | | UEPFB | UECF2 | 27.87 | | | | | | | | | | |
| 2-Wire | e Voice Grade Line Port (Bus) | | | OLITB | 02012 | 27.07 | | | | | | | | | | |
| | 2-Wire voice unbundled port without Caller ID - bus | | | UEPFB | UEPBL | 1.62 | 250.00 | 250.00 | | | 1 | 11.90 | | | | 1 |
| | 2-Wire voice unbundled port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| - | 2-Wire voice unbundled port with carrel 1 2-9-18 543 | | | UEPFB | UEPBO | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| - | 2-Wire voice unbundled incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| LOCA | L NUMBER PORTABILITY | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPFB | LNPCX | 0.35 | | | | | | | | | | |
| INTER | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFB | U1TV2 | 26.52 | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFB | 1L5XX | 0.0091 | | | | | | | | | | |
| EEAT | URES | | | OLFIB | ILJAA | 0.0091 | | | | | | | | | | |
| FLAI | All Features Offered | | | UEPFB | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| NONE | RECURRING CHARGES (NRCs) - CURRENTLY COMBINED | | | OLFIB | OLFVI | 2.20 | 0.00 | 0.00 | | | 1 | 11.90 | | | | 1 |
| INOINI | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | 1 | | | | | |
| | Combination - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | OLITE | 00/102 | | 10.07 | 0.70 | | | 1 | 11.00 | | | | 1 |
| | Combination - Conversion - Switch with change | 1 | | UEPFB | USACC | | 16.97 | 3.73 | | | 1 | 11.90 | | l | I | |
| 2-WIR | RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) | | | - ** | | | | 30 | 1 | 1 | 1 | | | | t | |
| | Port/Loop Combination Rates | | | | | | | | 1 | 1 | 1 | | | | t | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 | | 1 | | 1 | 20.10 | | | | 1 | 1 | | | 1 | t | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 | | 2 | | 1 | 24.05 | | | İ | İ | 1 | | | İ | İ | |
| | 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 | | 3 | | | 29.49 | | | | | | | | | | |
| UNE I | _oop Rates | | | | 1 | | | | İ | İ | 1 | | | İ | İ | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 18.48 | | | İ | İ | 1 | | | İ | İ | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 22.43 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 27.87 | | | | | | | | | | |
| 2-Wire | e Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | . , | | | | | | | | | | | | | | | |
| | Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 1.62 | 250.00 | 250.00 | | | 1 | 11.90 | | | 1 | |
| | Line Side Unbundled Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| | Line Side Unbundled Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| | 2-Wire Voice Unbundled PBX LD Terminal Ports | | | UEPFP | UEPLD | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| | 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 1.62 | 250.00 | 250.00 | İ | İ | İ | 11.90 | | İ | İ | |
| | 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports | | t | UEPFP | UEPXB | 1.62 | 250.00 | 250.00 | | | 1 | 11.90 | | | | t |

| <u>ONBONDLED</u> N | NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|--------------------|---|--|------|----------------|------------|----------|--------|-----------|--------------|--------------|---------|----------------|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | 1 | Nonrec | curring | Nonrecurring | a Disconnect | | | 088 | Rates(\$) | | |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2-V | Wire Voice Unbundled PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 1.62 | 250.00 | 250.00 | 11100 | Addi | COME | 11.90 | COMPAR | COMPAR | COMPAR | COMPAR |
| | Wire Voice Unbundled PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| | Wire Voice Unbundled PBX LD Terminal Switchboard IDD | | | | | | | | | | | | | | | |
| Ca | apable Port | | | UEPFP | UEPXE | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| 2-V | Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | dministrative Calling Port | | | UEPFP | UEPXL | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| | Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | oom Calling Port | | | UEPFP | UEPXM | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| | Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital | | | | | | | | | | | | | | | |
| | scount Room Calling Port | | | UEPFP | UEPXO | 1.62 | 250.00 | 250.00 | | | | 11.90 | | | | |
| | Wire Voice Unbundled 1-Way Outgoing PBX Measured Port | | | UEPFP | UEPXS | 1.62 | 250.00 | 250.00 | | 1 | | 11.90 | | | ! | |
| | UMBER PORTABILITY | | | UEPFP | LNPCP | 2.45 | 0.00 | 0.00 | | 1 | | 11.00 | | | | |
| | cal Number Portability (1 per port) FICE TRANSPORT | | - | ULFFF | LINEUP | 3.15 | 0.00 | 0.00 | | 1 | | 11.90 | | - | | |
| | teroffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | 1 | + | | | | | | | | | 1 | | |
| | ermination | | | UEPFP | U1TV2 | 26.52 | | | | | | | | | | |
| | teroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLITI | 01172 | 20.02 | | | | | | | | | | |
| | Fraction Mile | | | UEPFP | 1L5XX | 0.0091 | | | | | | | | | | |
| FEATURES | | | | OLITT | TEO/O | 0.0001 | | | | | | | | | | |
| | Features Offered | | | UEPFP | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| | JRRING CHARGES (NRCs) - CURRENTLY COMBINED | | | 02 | 02 | 2.20 | 0.00 | 0.00 | | | | 11.00 | | | 1 | |
| | Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| Co | ombination - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 16.97 | 3.73 | | | | 11.90 | | | | |
| 2-V | Wire Loop / Dedicated IO Transport / 2 Wire Line Port | | | | | | | | | | | | | | | |
| Co | ombination - Conversion - Switch with change | | | UEPFP | USACC | | 16.97 | 3.73 | | | | 11.90 | | | | |
| | RT/LOOP COMBINATIONS - COST BASED RATES | | | | | | | | | | | | | | | |
| | OICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK | PORT | | | | | | | | | | | | | | |
| | Loop Combination Rates | | | | | | | | | | | | | | | |
| | Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 | | 1 | | | 23.21 | | | | | | | | | | |
| | Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 | | 2 | | | 28.28 | | | | | | | | | | |
| | Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 | | 3 | | - | 46.53 | | | | | | | | | | |
| UNE Loop | | | 1 | UEPPX | UECD1 | 14.50 | | | | | | 11.90 | | | 1.83 | |
| | Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 | | 2 | UEPPX | UECD1 | 19.57 | | | | | | 11.90 | | | 1.83 | |
| | Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 | | 3 | UEPPX | UECD1 | 37.82 | | | | | | 11.90 | | | 1.83 | |
| UNE Port I | | | 3 | ULFFX | OLCDI | 37.02 | | | | | | 11.50 | | | 1.00 | |
| | schange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 8.71 | 850.00 | 75.00 | | | | 11.90 | | | 1.83 | |
| | JRRING CHARGES - CURRENTLY COMBINED | | | | | 5.71 | 555.00 | . 3.00 | | | | 50 | | | | |
| | Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - | | | | | | | | | | | | | İ | 1 | |
| | witch-as-is | l | | UEPPX | USAC1 | | 7.85 | 1.87 | | | | 11.90 | | | 1 | |
| | Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | - | | | | | | 1 | | |
| wit | th BellSouth Allowable Changes | <u> </u> | | UEPPX | USA1C | <u> </u> | 7.85 | 1.87 | | <u> </u> | <u></u> | 11.90 | | <u> </u> | <u> </u> | <u> </u> |
| ADDITION | | | | | | | | | | | | | | | | |
| | Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 32.26 | 32.26 | | | | 11.90 | _ | | | |
| | e Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | D Trunk Termination (One Per Port) | ļ | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | 11.90 | | ļ | 1.83 | L |
| | D Numbers, Establish Trunk Group and Provide First Group | 1 | | HEDDY | ND7 | | | | | | | , | | 1 | | |
| | 20 DID Numbers | ! | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | ļ | 1.83 | |
| | Iditional DID Numbers for each Group of 20 DID Numbers | | | UEPPX UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | 1 | | 11.90 11.90 | | | 1.83 1.83 | |
| | D Numbers, Non- consecutive DID Numbers, Per Number eserve Non-Consecutive DID numbers | | - | UEPPX | ND5 ND6 | 0.00 | 0.00 | 0.00 | | 1 | | 11.90 | | - | 1.83 | - |
| | eserve Non-Consecutive DID numbers eserve DID Numbers | 1 | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | 1 | | 11.90 | | 1 | 1.83 | 1 |
| | UMBER PORTABILITY | 1 | | OLFFA | אסאי | 0.00 | 0.00 | 0.00 | | 1 | | 11.90 | | 1 | 1.63 | 1 |
| | ocal Number Portability (1 per port) | | | UEPPX | LNPCP | 3.15 | 0.00 | 0.00 | | 1 | | | | 1 | t | |
| | DN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII | NE SIDE | PORT | | _111 01 | 5.15 | 0.00 | 0.00 | | 1 | | | | | t | |
| | Loop Combination Rates | 1 0.50 | | | | | | | | | | | | | 1 | |
| | V ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | l | | | | | | | | | | | | 1 | 1 | |
| | NE Zone 1 | l | 1 | UEPPB UEPPR | , l | 32.09 | | | | | 1 | | | 1 | 1 | 1 |

| NRUNDLE | D NETWORK ELEMENTS - Florida | | | | | | | | | | | 1 - | | | nent: 2 | | bit: B |
|---------|--|-------------|------|--------|--------|------------|---------|----------|-----------|--------------|------------|---|---|---|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | E | 3CS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2 | | 2 | UEPPB | UEPPR | | 38.15 | | | | | | | | | | |
| | 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - | | _ | | | | =0.04 | | | | | | | | | | |
| UNEL | UNE Zone 3 | | 3 | UEPPB | UEPPR | | 59.94 | | | | | | | | | | |
| UNE LO | oop Rates 2-Wire ISDN Digital Grade Loop - UNE Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 24.71 | | | | | | 11.90 | | | 1.83 | |
| | 2-Wile ISBN Digital Grade Loop - ONL Zone I | | - | OLFFB | ULFFR | USLZX | 24.71 | | | | | | 11.90 | | | 1.03 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 30.77 | | | | | | 11.90 | | | 1.83 | |
| | 2-Wire ISDN Digital Grade Loop - UNE Zone 3 | | 3 | UEPPB | UEPPR | | 52.56 | | | | | | 11.90 | | | 1.83 | |
| | ort Rate | | Ŭ | 02 | 02 | OGLEX | 02.00 | | | | | | 11.00 | | | 1.00 | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | UEPPR | UEPPB | 7.38 | 525.00 | 400.00 | | | | 11.09 | | | 1.83 | |
| | ECURRING CHARGES - CURRENTLY COMBINED | | | 1 | | | | , | | | | | | | | 1.50 | |
| | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port | | | | | | | | | | | | | | | | |
| | Combination - Conversion | 1 | | UEPPB | UEPPR | USACB | 0.00 | 25.22 | 17.00 | | | | 11.90 | | | 1.83 | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | | |
| LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | | | UEPPB | UEPPR | LNPCX | 0.35 | 0.00 | 0.00 | | | | | | | | |
| B-CHA | NNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, 8 | (TN) | | | | | | | | | | | | | | |
| USER | TERMINAL PROFILE | | | | LIEBBB | | | | | | | | | | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VERTIC | CAL FEATURES | | | LIEDDD | HEDDD | LIED) /E | 0.00 | 0.00 | 0.00 | | | | 44.00 | | | | |
| INITED | All Vertical Features - One per Channel B User Profile OFFICE CHANNEL MILEAGE | | | UEPPB | UEPPR | UEPVF | 2.26 | 0.00 | 0.00 | | | | 11.90 | | | | |
| INTER | Interoffice Channel mileage each, including first mile and | | | | | - | | | | | | | | | | | |
| | facilities termination | | | UEPPB | UEPPR | M1GNC | 18.4491 | 47.35 | 31.78 | 18.31 | 7.03 | | 11.90 | | | 1.83 | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0091 | 0.00 | 0.00 | 10.51 | 7.05 | | 11.90 | | | 1.83 | |
| 4-WIRE | E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | OLITE | OLITIK | IVITOIVIVI | 0.0001 | 0.00 | 0.00 | | | | 11.00 | | | 1.00 | |
| | ort/Loop Combination Rates | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | | | | | | | | | | | | | | | | |
| | Zone 1 | | 1 | UEPPP | | | 156.18 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2 | | 2 | UEPPP | | | 181.87 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE | 1 | | | | | | | | | | | | | | | |
| | Zone 3 | | 3 | UEPPP | | | 274.25 | | | | | | | | | | |
| UNE Lo | oop Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPPP | | USL4P | 73.44 | | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPPP | | USL4P | 99.13 | | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPPP | | USL4P | 191.51 | | | | | | 11.90 | | | 1.83 | |
| UNE P | ort Rate | | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 82.74 | 1,150.00 | 1,150.00 | | | | 11.90 | | | 1.83 | |
| NONRE | ECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | | | | | | | | | | | |
| ADDIT | Combination - Conversion -Switch-as-is IONAL NRCs | | | UEPPP | | USACP | 0.00 | 84.17 | 61.38 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC) | | | UEPPP | | PR7TF | | 0.5412 | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 12.71 | 12.71 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers | | | UEPPP | | PR7ZT | | 25.42 | 25.42 | | | | 11.90 | | | 1.83 | |
| LOCAL | NUMBER PORTABILITY | | | | | | | | | | | | | | | | |
| | Local Number Portability (1 per port) | <u> </u> | | UEPPP | | LNPCN | 1.75 | | | | | | | | | | |
| | FACE (Provsioning Only) | 1 | 1 | 1 | | | | | | | | | 1 | | | I | |
| INTER | Voice/Data | - | + | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |

| <u> </u> | LED NETWORK ELEMENTS - Florida | | | | | | | | | | | | Attachi | ment: 2 | Exhi | bit: B |
|----------|---|-------------|-------|--------|--------|---------|--------|-----------|--------------|-------|--|-----------|--|---|---|--|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | 1 | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge Manual S Order vs Electroni Disc Add |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | 18. | _ | | | 55715 | | First | Add'I | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Inward Data | _ | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New | w or Additional "B" Channel | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 15.48 | | | | | 11.90 | | | 1.83 | |
| CAL | LL TYPES | | | | | | | | | | | | | | | |
| | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPP | PR7C0 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Inte | eroffice Channel Mileage | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 88.6256 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.93 | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 0.1856 | | | | | | | | | | |
| 4-W | VIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | |
| UNE | E Port/Loop Combination Rates | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 | | 1 | UEPDC | | 128.39 | | | | | | 11.90 | | | 1.83 | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 | | 2 | UEPDC | | 154.08 | | | | | | 11.90 | | | 1.83 | |
| | 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3 | | 3 | UEPDC | | 246.46 | | | | | | 11.90 | | | 1.83 | |
| UNE | E Loop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - UNE Zone 1 | | 1 | UEPDC | USLDC | 73.44 | | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 2 | | 2 | UEPDC | USLDC | 99.13 | | | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop - UNE Zone 3 | | 3 | UEPDC | USLDC | 191.51 | | | | | | 11.90 | | | 1.83 | |
| UNF | E Port Rate | | Ť | 02. 50 | 00250 | .01.01 | | | | | | 11.00 | | | 1.00 | |
| | 4-Wire DDITS Digital Trunk Port | - | 1 | UEPDC | UDD1T | 54.95 | | | | | | 11.90 | | | 1.83 | |
| NO | NRECURRING CHARGES - CURRENTLY COMBINED | | | OLI DO | ODDII | 04.00 | | | | | | 11.00 | | | 1.00 | |
| 1401 | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | nn l | 1 | | | | | | | | | | | | | |
| | - Switch-as-is | ,,,, | | UEPDC | USAC4 | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | 1 | OLFDC | USAC4 | | 95.51 | 40.71 | | | 1 | 11.90 | | | 1.03 | |
| | - Conversion with DS1 Changes | ,,,, | | UEPDC | USAWA | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | UEPDC | USAWA | | 95.51 | 40.71 | | | | 11.90 | | | 1.03 | |
| | - Conversion with Change - Trunk | 011 | | UEPDC | USAWB | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| ADI | DITIONAL NRCs | | | UEPDC | USAWB | | 95.31 | 46.71 | | | | 11.90 | | | 1.83 | |
| ADL | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | _ | | | | | | | | | | | | | | - |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | LIEDDO | LIDTTA | | 45.00 | 45.00 | | | | 44.00 | | | 4.00 | |
| | | | | UEPDC | UDTTA | | 15.69 | 15.69 | | | ļ | 11.90 | | | 1.83 | ļ |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | 4= 00 | | | | | 44.00 | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | el | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | l | | | .= - | | | | | | l | | |
| | Activation Per Chan - Inward Trunk with DID | _ | 1 | UEPDC | UDTTD | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | Ī | | | | | | | | | l | I | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 15.69 | 15.69 | | | | 11.90 | | | 1.83 | <u> </u> |
| BIP | POLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | ļ | | <u> </u> |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.00 | 655.00 | | | | 11.90 | | | 1.83 | |
| Alte | ernate Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Tele | ephone Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | Telephone Number for 1-Way Inward Trunk Group Without DII |) | | UEPDC | UDTGZ | 0.00 | | | | | | 11.90 | | | 1.83 | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | | 1 | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | 11.90 | | Ì | 1.83 | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | | | | | | 11.90 | | İ | 1.83 | |
| - | DID Numbers, Non- consecutive DID Numbers , Per Number | | 1 | UEPDC | ND5 | 0.00 | | | | | 1 | 11.90 | | 1 | 1.83 | |
| - | Reserve Non-Consecutive DID Nos. | 1 | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | Reserve DID Numbers | | 1 | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | 1 |
| | dicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire D | S1 Diair- | LLcor | | | 0.00 | 0.00 | 0.00 | | | | 11.30 | | - | 1.03 | |

| INRONDLE | D NETWORK ELEMENTS - Florida | | | ı | | 1 | | | | | | | | nent: 2 | | bit: B |
|----------|--|-------------|--|-------------------|----------------|-----------------|--------|-----------|--|------------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | В | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 88.44 | 105.54 | 98.47 | 21.47 | 19.05 | | 11.90 | | | 1.83 | |
| | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | LIEBBO | 41 NOD | 0.4050 | 0.00 | 0.00 | | | | | | | | |
| | miles | | | UEPDC | 1LNOB | 0.1856 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | LIEDDO | 1LNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Termination) | | | UEPDC | TLNO3 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | 1 | UEPDC | 1LNOC | 0.1856 | 0.00 | 0.00 | | | | | | | 1 | |
| _ | Local Number Portability, per DS0 Activated | - | | UEPDC | LNPCP | 3.15 | 0.00 | 0.00 | 0.00 | | | | | | 1 | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | | |
| 4-WID | E DS1 LOOP WITH CHANNELIZATION WITH PORT | | | OLI DO | 010 | 0.00 | | | 1 | | | | | | | |
| | m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | vations | | | + | | | | | | | | | | | |
| | System can have up to 24 combinations of rates depending on | | d num | ber of ports used | | | | | | | | | | | | |
| | OS1 Loop | type u. | | Don or porto acca | | | | | | | | | | | | |
| - | 4-Wire DS1 Loop - UNE Zone 1 | | 1 | UEPMG | USLDC | 73.44 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 2 | | 2 | UEPMG | USLDC | 99.13 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - UNE Zone 3 | | 3 | UEPMG | USLDC | 191.51 | 0.00 | 0.00 | | | | | | | | |
| UNF D | OSO Channelization Capacities (D4 Channel Bank Configuration | 15) | Ŭ | 020 | 00220 | 101.01 | 0.00 | 0.00 | | | | | | | | |
| 0.1.2 | 24 DSO Channel Capacity - 1 per DS1 | .0, | | UEPMG | VUM24 | 118.06 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 236.12 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 472.24 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 708.36 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 944.48 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM20 | 1,180.60 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,416.72 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,888.96 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM40 | 2,361.20 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833.44 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,305.68 | 0.00 | 0.00 | | | | 11.90 | | | 1.83 | |
| | ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | | |
| A Min | imum System configuration is One (1) DS1, One (1) D4 Channe | l Bank, | and U | To 24 DSO Ports v | vith Feature A | ctivations. | | | | | | | | | | |
| Multip | oles of this configuration functioning as one are considered Ad | ld'l afte | r the m | inimum system cor | figuration is | counted. | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without | | | | | | | | | | | | | | | |
| | BellSouth Allowed Changes | | | UEPMG | USAC4 | 0.00 | 96.77 | 4.24 | | | | 11.90 | | | | |
| | m Additions at End User Locations Where 4-Wire DS1 Loop wit | | | | ination Curre | ntly Exists and | | | | | | | | | | |
| New (I | Not Currently Combined) in all states, except in Density Zone 1 | of Top | 8 MSA | <u>'s</u> | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port | | 1 | | 1 | | _ | | | | | | | | 1 | |
| | and Assoc Fea Activation | | | UEPMG | VUMD4 | 0.00 | 726.11 | 468.21 | 145.32 | 17.24 | | 11.90 | | | ļ | <u> </u> |
| Bipola | ar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | l | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | 44.00 | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.00 | 655.00 | | | | 11.90 | | | | |
| Aitern | ate Mark Inversion (AMI) Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | - | - | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| Evcha | Inge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | OLFING | IVICOPO | 0.00 | 0.00 | 0.00 | 1 | | 1 | | | | 1 | 1 |
| | inge Ports Associated with 4-Wire DST Loop with Channelization | ou with | ron | | 1 | | | | | | | | | | 1 | |
| Excila | inge i oito | | | | 1 | | | | | | 1 | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | 1 | 1 | UEPPX | UEPCX | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| | Line Gide Odtward Chamilenzed FDA Hullik Fort - Dusiness | | | OLIFA | OLFOX | 1.30 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.30 | | | 1.03 | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | l | UEPPX | UEP1X | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | | 11.90 | | | 1.83 | |
| _ | 2-Wire Trunk Side Unbundled Channelized DID Trunk Port | | | UEPPX | UEPDM | 8.71 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | 11.90 | | | 1.83 | |
| | LE | | ı | 0=11 A | JEI DIVI | 0.71 | 0.00 | 0.00 | 0.00 | 0.00 | L | 11.00 | | | 1.00 | |